



Public Health  
England

Protecting and improving the nation's health

# Channel Islands Cancer Report 2017

## Incorporating data up to 2014

Produced by the Public Health England National Cancer Registration and Analysis Service for the Guernsey and Jersey Medical Officers of Health

PUBLIC REPORT

(numbers less than 5 are suppressed for confidentiality)

# About Public Health England

Public Health England exists to protect and improve the nation's health and wellbeing, and reduce health inequalities. We do this through world-class science, knowledge and intelligence, advocacy, partnerships and the delivery of specialist public health services. We are an executive agency of the Department of Health, and are a distinct delivery organisation with operational autonomy to advise and support government, local authorities and the NHS in a professionally independent manner.

Public Health England  
Wellington House  
133-155 Waterloo Road  
London SE1 8UG  
Tel: 020 7654 8000  
[www.gov.uk/phe](http://www.gov.uk/phe)  
Twitter: @PHE\_uk  
Facebook: [www.facebook.com/PublicHealthEngland](https://www.facebook.com/PublicHealthEngland)

Prepared by: Chloe Bright, Eleanor Fitzgerald and Isobel Tudge; Cancer Intelligence Analysts, National Cancer Registration & Analysis Service  
For queries relating to this document, please contact: [ncrasenquiries@phe.gov.uk](mailto:ncrasenquiries@phe.gov.uk)

© Crown copyright 2017

You may re-use this information (excluding logos) free of charge in any format or medium, under the terms of the Open Government Licence v3.0. To view this licence, visit [OGL](#) or email [psi@nationalarchives.gsi.gov.uk](mailto:psi@nationalarchives.gsi.gov.uk). Where we have identified any third party copyright information you will need to obtain permission from the copyright holders concerned.

Published June 2017

PHE publications

gateway number: 2017042

PHE supports the UN  
Sustainable Development Goals



SUSTAINABLE DEVELOPMENT GOALS

# Contents

<b>About Public Health England</b>	<b>2</b>
<b>Executive summary</b>	<b>5</b>
<b>Introduction</b>	<b>5</b>
<b>Methods</b>	<b>6</b>
Data Sources	6
Data Quality	7
Methods	8
Populations	9
<b>Key Results</b>	<b>9</b>
Guernsey	11
Jersey	13
All Cancers (C00-C97 excluding C44) – Incidence	20
All Cancers (C00-C97 excluding C44) – Mortality	22
Bladder Cancer (C67) – Incidence	24
Bladder Cancer (C67) – Mortality	26
Brain and CNS Cancer (C70 - C72) – Incidence	28
Brain and CNS Cancer (C70-C72) – Mortality	30
Breast Cancer (females) (C50) – Incidence	32
Breast Cancer (females) (C50) – Mortality	34
Colorectal Cancer (C18-C21) – Incidence	36
Colorectal Cancer (C18-C21) – Mortality	38
Head and Neck Cancer (C00-C14, C30-C32, C73) – Incidence	40
Head and Neck Cancer (C00-C14, C30-C32, C73) – Mortality	42
Hepatobiliary Cancer (C22-C23) – Incidence	44
Hepatobiliary Cancer (C22-C23) – Mortality	46
Kidney and Ureter Cancer (C64-C68) – Incidence	48
Kidney and Ureter Cancer (C64-C68) – Mortality	50
Leukaemia (C91-C95) – Incidence	52
Leukaemia (C91-C95) – Mortality	54
Lung Cancer (C33-C34) – Incidence	56
Lung Cancer (C33-C34) – Mortality	58
Lymphoma (C81-C85, C96) – Incidence	60
Lymphoma (C81-C85, C96) – Mortality	62
Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) – Incidence	64
Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) – Mortality	66
Malignant Melanoma (C43) – Incidence	68
Malignant Melanoma (C43) – Mortality	70
Other Cancers (other 'C' codes excl. C44) – Incidence	72

Other Cancers (other 'C' codes excl. C44) – Mortality	74
Other Gynaecological Cancers (C51-C53, C57-C58) – Incidence	76
Other Gynaecological Cancers (C51-C53, C57-C58) – Mortality	78
Other Skin Cancers (C44) – Incidence	80
Other Skin Cancers (C44) – Mortality	82
Ovarian Cancer (C56) – Incidence	84
Ovarian Cancer (C56) – Mortality	86
Prostate Cancer (C61) – Incidence	88
Prostate Cancer (C61) – Mortality	90
Upper Gastrointestinal Cancers (C15-C16, C25) – Incidence	92
Upper Gastrointestinal Cancers (C15-C16, C25) – Mortality	94
Uterine Cancer (C54-C55) – Incidence	96
Uterine Cancer (C54-C55) – Mortality	98
Paediatric Cancers (0-19 years; C00-C97 excl. C44) – Incidence	100
Paediatric Cancers (0-19 years; C00-C97 excl. C44) – Mortality	102
<b>Staging Completeness</b>	<b>104</b>
<b>Appendix – ICD-10 codes</b>	<b>105</b>

# Executive summary

This report provides basic statistics on cancer in residents of the Channel Islands between 2001 and 2014. Information on age-standardised rates of incident (newly diagnosed) cancer and deaths from cancer are provided for 21 cancer types/sites by three year rolling averages and for the latest five years available (2010-2014).

## Incidence

In Guernsey there was an average of 691 malignant cancers registered each year between 2010 and 2014. Non-melanoma skin cancers (NMSC) account for 45% of the annual mean count of 691 cancers. In Jersey there was an average of 977 malignant cancers registered each year between 2010 and 2014. NMSC account for around 39% of the annual mean count of 977 cancers. The three most commonly registered cancers, after NMSC, were prostate, breast and lung cancer.

The age-standardised rate (ASR) for malignant melanoma and paediatric cancers in Guernsey was higher than in the South West and England. The ASR for lung cancer in Guernsey was higher than in the South West, but similar to the England average. The ASR for kidney and ureter cancer in Guernsey was lower than in the South West and England. The ASR for all cancers (excluding NMSC), head and neck cancer, hepatobiliary cancer, lung cancer, malignant melanoma, prostate cancer and paediatric cancers in Jersey was higher than in the South West and England. The ASR for kidney and ureter cancer in Jersey was lower than in the South West and England.

## Mortality

In Guernsey there was an average of 165 deaths due to malignant cancers registered each year between 2010 and 2014. The three main causes of death due to cancers were prostate, lung and upper gastrointestinal cancer. In Jersey there was an average of 233 deaths due to malignant cancers registered each year between 2010 and 2014. The three main causes of death due to cancers were lung, prostate, and breast cancer.

The ASR for prostate cancer in Guernsey was higher than in the South West and England. The ASR for lung cancer in Guernsey was higher than in the South West, but similar to the England average. The ASR for deaths due to breast cancer and lymphoma in Guernsey were lower than in the South West and England. The ASR due to head and neck cancer was higher in Jersey compared to the South West and England. The ASR due to lung cancer in Jersey was higher than in the South West, but similar to the England average. The ASR for deaths due to colorectal cancer in Jersey was lower than in the South West and England.

# Introduction

Public Health England's National Cancer Registration and Analysis Service (NCRAS) analyses data on cancers diagnosed in residents of the Channel Islands, on behalf of their Public Health departments. This is the 11<sup>th</sup> report from this service to incorporate basic statistics on cancer for Guernsey and Jersey. Data for the South West of England and the whole of England are provided for comparison.

NCRAS holds data on cancer incidence and cancer mortality for the Channel Islands, South West of England and the whole of England for the period 2001 to 2014 inclusive.

# Methods

## Data sources

Data on incidence are supplied by the health departments of Jersey and Guernsey from hospital records and pathology laboratories. Data from Guernsey are supplemented by data from the hospital Multi-Disciplinary Team (MDT), for staging of cancers. Guernsey figures include cancer deaths in residents of Alderney and incident cancers in residents of Alderney and Sark. The data available are for 2001 to 2014 inclusive.

Data on deaths are supplied from deaths registers on each island. The underlying cause is used to identify those dying from cancer. The data available are for 2001 to 2014 inclusive.

Incident cancers and cancer deaths are coded according to the 10<sup>th</sup> revision of the International Classification of Diseases (ICD-10) coding system. The cancers are grouped according to the table below. A full list of ICD codes and descriptions is in the appendix.

## Cancer groups and ICD-10 codes

Cancer Site	ICD-10 codes
All Cancers excluding non-melanoma skin	C00-C97 excl. C44
Bladder	C67
Brain and CNS	C70-C72
Breast	C50
Colorectal	C18-C21
Head & neck	C00-C14, C30-C32, C73
Hepatobiliary	C22-C24
Kidney and ureter	C64-C66
Leukaemia	C91-C95
Lung	C33-C34
Lymphoma	C81-C85, C96
Male urogenital (excl. prostate)	C60-C63 excl. C61
Malignant melanoma	C43
Other skin (non-melanoma skin cancer)	C44
Other cancer	Other Cs
Other gynaecological	C51-C53, C57-C58
Ovary	C56
Paediatric (0-19 years)	C00-C97 excl. C44
Prostate	C61
Upper gastrointestinal	C15-C16, C25
Uterus	C54-C55

## Data quality

The quality of cancer registration data in the UK is amongst the highest in the world, and a substantial amount of time is spent ensuring data are accurate. The introduction of electronic pathology feeds to the cancer registry has brought a higher level of accuracy in diagnosis to the registration process. However, the unique situation regarding registration of data for the Channel Islands does cause some difficulties. Because the health systems in Jersey and Guernsey do not use NHS number it is not possible to link patients who have been diagnosed or had previous cancers when living on the UK mainland, and subsequently moved to the Channel Islands, and vice versa. This means that some cancers which are technically recurrences of a previous cancer; cancers diagnosed many years previously and detected at death; and secondary cancers from previously diagnosed primary cancers, may be registered as if they were new cases. The recurrence rate of many cancers is low which makes this an uncommon occurrence, while better pathology reporting makes it easier to determine if cancers are secondary to another cancer, therefore this is likely to be a relatively small problem.

Data on deaths are based on those living in the Channel Islands at time of death, with the exception of death data for Jersey between 2001 and 2009. There was no postcode recorded at time of death for the 2001 to 2009 records, so this data is based on individuals who were diagnosed with cancer in Jersey some of whom may not have been resident in Jersey at the time of their death. The quality of data will only be affected by the accuracy of the death certificate (ICD-10 codes) completed by the doctor certifying the death.

Due to the continual update of the source database, the data for previously published years (2001-2011) in this report may not perfectly match the data in previous reports.

## Methods

The risk of developing or dying from cancer is strongly influenced by age and sex, and so the makeup of the population in an area will affect the number of cases/deaths. To allow a fair comparison between different areas, or the same area through time, directly age-standardised rates (ASRs) are calculated. This method looks at the occurrence of cancer/death in the population of interest, and calculates what the rate would be in a pre-determined population (known as the standard population), controlling for age. If the same standard population is used for all populations analysed, then the rates are directly comparable with each other. This allows any differences to be assessed to see if they are independent of the population differences. Rates in this report are standardised to the 2013 European Standard Population.

When ASRs are reported, the 95% confidence intervals are also reported (Lower Confidence Interval: LCI, Upper Confidence Interval: UCI). The confidence interval is a statistical concept which defines the degree of variation in a rate which can be considered normal. Occurrence of, or death from, a disease depends on complicated relationships between a multitude of risk factors, so there are fluctuations over time or geography which do not necessarily reflect a real increase or decrease in a rate. As the population of interest becomes smaller, an increase or decrease of just one or two cases/deaths has a larger effect on the rate. Hence the smaller the population and the smaller the number of cases/deaths, the larger the confidence interval.

Generally speaking, if the confidence interval of two ASRs overlap it is not possible to say that there is a statistically significant difference between the area investigated and the comparison area. 95% confidence intervals mean that out of 100 comparisons/tests we could expect five to show a significant difference when none exists, or vice versa.

For some data, more sophisticated statistical tests are used. These report the likelihood that two rates are not significantly different (for example, that the observed differences

could have occurred by chance) as a p-value. It is convention to accept a p-value of 0.05 or less as evidence that the rates are significantly different.

The maximum and minimum values in England are calculated for the former Government Office Regions (of which South West is one). The former GORs are: North East, North West, Yorkshire and the Humber, East Midland, West Midlands, East of England, London, South East and the South West.

Unless otherwise specified, counts and rates are for those aged 20 years and older.

## Populations

Populations used for England and the South West are mid-year estimates supplied by the Office for National Statistics (ONS), based on the 2011 Census and taking into account births, deaths and migration.

Populations used for Guernsey are supplied by the Guernsey Health Department. They are estimated by Guernsey's central policy unit based on social security data and data from the education department.

Populations used for Jersey are supplied by the Jersey Health Department. They are end-of-year estimates produced by the States of Jersey Statistics Unit, who use a population model based on baseline figures from the 2011 Jersey Census and adjusted for population changes by administrative data, such as Social Security and Education department data, and migration information from the Census.

## Key results

This section highlights those cancers which have a high or low rate compared to the South West or England. All comparisons are based on aggregated data for 2010-2014. Risk factors for those cancers are listed.

In all these comparisons, the number of cases/deaths should be taken into account as well as the comparison of rates. As numbers for some cancers are small, a large relative incidence/mortality rate may only reflect a few extra cases/deaths each year and hence are clinically less important.

Where a rate is described as higher or lower, it means that it is statistically significant i.e. the differences seen are unlikely to be just a chance variation. If differences are likely to be only by chance, they are described as 'similar'.

Unless otherwise specified, counts and rates are for those aged 20 years and older.

In tables, '-' indicates that there were no cases/deaths in that time period for that cancer. <5 indicates that there were less than 5 cases/deaths in that time-period for that cancer — to ensure confidentiality only cases/deaths for all persons are shown when there were less than 5 cases/deaths for either males or females.

### **Top 10 incident cancers by age-standardised rate, for Guernsey, Jersey, South West and England (2010-2014)**

Guernsey		Jersey		South West		England	
Cancer Site	ASR						
Other Skin	655.1	Other Skin	566.7	Other Skin	373.4	Other Skin	298.6
Prostate	224.3	Prostate	292.4	Prostate	239.3	Prostate	229.4
Breast	212.0	Breast	232.2	Breast	223.0	Breast	213.6
Lung	101.7	Lung	120.2	Colorectal	99.3	Lung	101.4
Colorectal	101.2	Colorectal	96.6	Lung	84.4	Colorectal	96.8
Malignant Melanoma	69.2	Malignant Melanoma	67.5	Upper Gastrointestinal	53.8	Upper Gastrointestinal	57.3
Upper Gastrointestinal	47.1	Upper Gastrointestinal	61.5	Malignant Melanoma	41.5	Uterus	36.9
Uterus	37.5	Head and Neck	42.9	Uterus	38.1	Lymphoma	33.5
Lymphoma	36.1	Lymphoma	37.8	Lymphoma	35.1	Malignant Melanoma	31.0
Head and Neck	32.5	Uterus	30.5	Ovary	29.2	Head and Neck	30.3

*Note: All cancers and 'other' cancers excluded from list.*

### **Top 10 cancer causes of death by age-standardised rate, for Guernsey, Jersey, South West and England (2010-2014)**

Guernsey		Jersey		South West		England	
Cancer Site	ASR						
Prostate	83.1	Lung	83.6	Lung	65.3	Lung	79.2
Lung	80.3	Prostate	60.4	Prostate	65.1	Prostate	62.8
Upper Gastrointestinal	43.4	Breast	51.1	Upper Gastrointestinal	45.8	Upper Gastrointestinal	47.8
Colorectal	34.9	Upper Gastrointestinal	47.2	Breast	44.6	Breast	46.0
Breast	31.3	Colorectal	26.3	Colorectal	36.4	Colorectal	36.8
Bladder	16.7	Ovary	18.2	Ovary	16.3	Ovary	16.6
Ovary	14.1	Hepatobiliary	15.3	Bladder	12.4	Bladder	12.9
Leukaemia	13.6	Bladder	14.8	Lymphoma	11.4	Hepatobiliary	11.9
Kidney and Ureter	11.3	Head and Neck	12.9	Leukaemia	10.8	Lymphoma	11.5
Uterus	9.5	Lymphoma	12.8	Hepatobiliary	10.7	Leukaemia	10.8

*Note: All cancers and 'other' cancers excluded from list.*

## Guernsey

### Incidence

The rate of kidney and ureter cancer in Guernsey is lower than in the South West and England. The age-standardised rate (ASR) is 18 per 100,000. The rate in the South West is 26 per 100,000, and in England is 25 per 100,000. The rate is similar to the lowest ASR in the England regions, which is 23 per 100,000. Around 9 new cases of kidney and ureter cancer are diagnosed each year in Guernsey. The major risk factors are excessive body weight and smoking.

The rate of lung cancer in Guernsey is higher than in the South West, but similar to the England average. The ASR is 102 per 100,000. The rate in the South West is 84 per 100,000. The average rate in England is 101 per 100,000. Around 46 new cases of lung cancer are diagnosed each year in Guernsey. Smoking is the main risk factor and is responsible for about 86% of lung cancer each year.

The rate of malignant melanoma in Guernsey is higher than in the South West and England. The ASR is 69 per 100,000. The rate in the South West is 42 per 100,000, and in England is 31 per 100,000. The South West has the highest incidence of malignant melanoma in England. Around 33 new cases of malignant melanoma are diagnosed each year in Guernsey, and it is one of the most common cancers in those aged under 40. The major risk factor is UV exposure through sunlight or sunbeds.

The rate of non-melanoma skin cancers in Guernsey is higher than the recorded rate in the South West and England. However, care must be taken as not all parts of England record non-melanoma skin cancer comprehensively. The data registration in the Channel Islands and the South West is comparable, so we can be confident that the ASR is higher than in the South West. The ASR in Guernsey is 655 per 100,000 and in the South West is 373 per 100,000. Around 309 new cases in Guernsey are diagnosed each year. The risk factors are the same as those for malignant melanoma.

The rate of upper gastrointestinal cancers in Guernsey is similar to the South West, but lower than the England average. The ASR is 47 per 100,000. The rate in England is 57 per 100,000. It is similar to the lowest ASR in the England regions, which is 53 per 100,000. Around 22 new cases are diagnosed each year in Guernsey. The main risk factors are smoking, low fruit and vegetable intake, Helicobacter pylori (for stomach cancer), and excess body weight.

The rate of all cancers (excluding non-melanoma skin) among paediatric patients in Guernsey is higher than in the South West and England. The ASR is 31 per 100,000. The rate in the South West is 16 per 100,000, and in England is 16 per 100,000. It is higher than the highest ASR in the England regions, which is 17 per 100,000. Around 5

new cases of paediatric cancers are diagnosed each year. Risk factors for childhood cancer are not well understood, some paediatric cancers have been linked to genetic predispositions or previous radiation treatment.

## Mortality

The death rate from breast cancer in Guernsey is lower than in the South West and in England as a whole. The age-standardised rate (ASR) is 31 per 100,000. The rate in the South West is 45 per 100,000 and in England is 46 per 100,000. It is lower than the lowest ASR in the England regions, which is 44 per 100,000. Around 9 women in Guernsey die from breast cancer each year.

The death rate from lung cancer in Guernsey is higher than in the South West, but similar to the England average. The ASR is 80 per 100,000. The rate in England is 79 per 100,000. The rate in the South West is 65 per 100,000. The South West has the lowest mortality from lung cancer in England. Around 36 people in Guernsey die from lung cancer each year. The high death rate is likely to be reflective of the high incidence.

The death rate from lymphoma in Guernsey is lower than in the South West and England. The ASR is 6 per 100,000. The rate in the South West is 11 per 100,000, and in England is 12 per 100,000. It is lower than the lowest ASR in the England regions, which is 11 per 100,000. Fewer than 5 people a year die from lymphoma in Guernsey.

The death rate from non-melanoma skin cancers is higher in Guernsey than in the South West and England. The ASR is 3 per 100,000. The rate in the South West is 2 per 100,000, and the rate in England is 1 per 100,000. The rate is similar to the highest ASR in the England regions, which is 2 per 100,000. There were less than 5 deaths each year from non-melanoma skin cancers in Guernsey between 2010 and 2014, so these figures should be interpreted in that context.

The death rate from prostate cancer in Guernsey is higher than in the South West and the England average. The ASR is 83 per 100,000. The rate in the South West is 65 per 100,000, and in England is 63 per 100,000. It is higher than the highest ASR in the England regions, which is 66 per 100,000. Around 16 men die from prostate cancer each year.

## Jersey

### Incidence

The rate of all cancers (excluding non-melanoma skin) in Jersey is higher than in the South West and England. The age-standardised rate (ASR) is 893 per 100,000. The rate in the South West is 777 per 100,000. The rate in England is 775 per 100,000. It is higher than the highest ASR in the England regions, which is 822 per 100,000. Around 599 new cases in Jersey are diagnosed each year.

The rate of head and neck cancers in Jersey is higher than in the South West and England. The ASR is 43 per 100,000. The rate in the South West is 28 per 100,000, and in England is 30 per 100,000. It is higher than the highest ASR in the England regions, which is 35 per 100,000. Around 30 new cases of head and neck cancer are diagnosed each year. The main risk factors are smoking and excessive alcohol use, especially when in combination.

The rate of hepatobiliary cancers in Jersey is higher than in the South West and the England average. The ASR is 21 per 100,000. The rate in the South West is 15 per 100,000, and in England is 16 per 100,000. It is similar to the highest ASR in the England regions, which is 20 per 100,000. Around 14 new cases of hepatobiliary cancer in Jersey are diagnosed each year. The main risk factors are smoking, hepatitis B or C infection, and excessive alcohol consumption.

The rate of kidney and ureter cancer in Jersey is lower than in the South West and the England average. The ASR is 16 per 100,000. The rate in the South West is 26 per 100,000 and in England is 25 per 100,000. The rate is lower than the lowest ASR in the England regions, which is 23 per 100,000. Around 11 new cases of kidney and ureter cancer are diagnosed each year in Jersey. The risk of kidney cancer is increased by being overweight or obese, by smoking and by certain genetic conditions.

The rate of lung cancer in Jersey is higher than in the South West and the England average. The ASR is 120 per 100,000. The rate in the South West is 84 per 100,000 and in England is 101 per 100,000. It is lower than the highest ASR in the England regions, which is 143 per 100,000. Around 77 new cases of lung cancer are diagnosed each year. Smoking is responsible for about 86% of lung cancers.

The rate of malignant melanoma in Jersey is higher than in the South West and England. The ASR is 68 per 100,000. The rate in the South West is 42 per 100,000, and in England is 31 per 100,000. The South West has the highest incidence of malignant melanoma in England. Around 47 new cases of malignant melanoma are diagnosed each year. The major risk factor is UV exposure through sunlight or sunbeds.

The rate of male urogenital (excl. Prostate) cancer is similar to the South West, but higher than the England average. The ASR is 17 per 100,000. The rate in England is 12 per 100,000. The rate is similar to the highest ASR in the England regions, which is 13 per 100,000. Around 7 new cases of male urogenital cancer are diagnosed every year in Jersey.

The rate of non-melanoma skin cancers in Jersey is higher than the *recorded* rate in the South West and England. However, care must be taken as not all parts of England record non-melanoma comprehensively. The data registration in the Channel Islands and the South West is comparable, so we can be confident that the ASR is higher than in the South West. The ASR in Jersey is 567 per 100,000 and the rate in the South West is 373 per 100,000. Around 377 new cases are diagnosed each year. The risk factors are the same as those for malignant melanoma.

The rate of prostate cancer in Jersey is higher than in the South West and the England average. The ASR is 292 per 100,000. The rate in the South West is 239 and in England is 229 per 100,000. It is higher than the highest ASR in the England regions, which is 244 per 100,000. Around 89 new cases of prostate cancer are diagnosed each year in Jersey. No major environmental/lifestyle risks for prostate cancer are known; risks are increased in those having a family member with the disease, or in black men.

The rate of all cancers (excluding non-melanoma skin) among paediatric patients in Jersey is higher than in the South West and England. The ASR is 25 per 100,000. The rate in the South West is 16 per 100,000, and in England is 16 per 100,000. It is higher than the highest ASR in the England regions, which is 17 per 100,000. Around 5 new cases of paediatric cancers are diagnosed each year. Risk factors for childhood cancer are not well understood, some paediatric cancers have been linked to genetic predispositions or previous radiation treatment.

## Mortality

The death rate for colorectal cancer is lower in Jersey than in the South West and England. The age-standardised rate (ASR) is 26 per 100,000. The rate in the South West is 36 per 100,000, and in England is 37 per 100,000. It is lower than the lowest ASR in the England regions, which is 34 per 100,000. Around 17 people in Jersey die of colorectal cancer each year.

The death rate for head and neck cancers in Jersey is higher than in the South West and England. The ASR is 13 per 100,000. The rate in the South West is 7 per 100,000, and in England is 8 per 100,000. It is similar to the highest ASR in the England regions, which is 10 per 100,000. Around 9 people in Jersey die from a head and neck cancer each year. The high death rate is likely to be reflective of the high incidence.

The death rate for hepatobiliary cancer in Jersey is higher than in the South West but similar to the England average. The ASR is 15 per 100,000. The rate in the South West is 11 per 100,000. It is similar to the highest ASR in the England regions, which is 15 per 100,000. Around 10 people in Jersey die from hepatobiliary cancer each year. The high death rate is likely to be reflective of the high incidence.

The death rate for lung cancer in Jersey is higher than in the South West but similar to the England average. The ASR is 84 per 100,000. The rate in the South West is 65 per 100,000. It is lower than the highest ASR in the England regions, which is 112 per 100,000. Around 53 people in Jersey die from lung cancer each year. The high death rate is likely to be reflective of the high incidence.

## Age-standardised incidence rates (per 100,000 population) for Guernsey, South West and England (2010-2014)

Age Group	Cancer Site	Guernsey				South West				Guernsey compared to South West		England				Guernsey compared to England		Guernsey compared to Jersey		
		Expected cases*	Actual cases	ASR	ASR LCI	ASR UCI	Cases	ASR	ASR LCI	ASR UCI	p-value	difference	Cases	ASR	ASR LCI	ASR UCI	p-value	difference	p-value	difference
20+	All Cancers excl. C44	1,849	1,910	801.5	765.1	838.0	164,635	776.9	773.1	780.7	0.175-		1,427,882	774.8	773.5	776.1	0.138-		0.000	lower
20+	Bladder	57	66	30.5	23.6	38.8	5,142	25.2	24.5	25.9	0.122-		44,130	25.7	25.5	26.0	0.165-		0.353-	
20+	Brain and CNS	26	19	7.5	4.5	11.8	2,325	11.1	10.7	11.6	0.091-		20,351	10.8	10.6	10.9	0.120-		0.607-	
20+	Breast	284	279	212.0	187.3	236.8	25,308	223.0	220.2	225.8	0.404-		217,358	213.6	212.7	214.5	0.901-		0.234-	
20+	Colorectal	229	238	101.2	88.2	114.1	21,240	99.3	97.9	100.6	0.774-		176,736	96.8	96.3	97.2	0.495-		0.588-	
20+	Head and Neck	75	80	32.5	25.8	40.5	5,788	27.7	27.0	28.5	0.157-		57,183	30.3	30.1	30.6	0.531-		0.044	lower
20+	Hepatobiliary	38	25	11.8	7.7	17.5	3,140	14.8	14.3	15.4	0.260-		28,936	15.9	15.7	16.1	0.138-		0.015	lower
20+	Kidney and Ureter	59	43	18.4	13.3	24.7	5,434	26.0	25.3	26.7	0.024	lower	45,521	25.0	24.8	25.3	0.043	lower	0.569	
20+	Leukaemia	48	45	19.5	14.3	26.1	4,345	20.6	20.0	21.3	0.719-		36,943	20.3	20.1	20.5	0.798-		0.715-	
20+	Lung	236	230	101.7	88.4	115.0	17,809	84.4	83.1	85.6	0.005	higher	182,512	101.4	100.9	101.8	0.962-		0.045	lower
20+	Lymphoma	81	85	36.1	28.8	44.6	7,396	35.1	34.2	35.9	0.792-		62,679	33.5	33.3	33.8	0.499-		0.746-	
20+	Male Urogenital (excl. Prostate)	15	12	9.2	4.8	16.1	1,308	13.3	12.6	14.1	0.203-		11,998	11.9	11.7	12.1	0.369-		0.069-	
20+	Malignant Melanoma	76	165	69.2	58.4	79.9	8,685	41.5	40.7	42.4	0.000	higher	58,755	31.0	30.8	31.3	0.000	higher	0.815-	
20+	Other Cancers	132	144	58.2	48.6	67.8	11,581	54.3	53.3	55.3	0.406-		101,774	55.7	55.3	56.0	0.596-		0.204-	
20+	Other Gynaecological	26	28	21.3	14.1	30.8	2,369	21.7	20.8	22.6	0.923-		20,633	19.8	19.5	20.0	0.696-		0.342-	
20+	Other Skin	696	1,544	655.1	621.8	688.4	77,736	373.4	370.8	376.1	0.000	higher	538,470	298.6	297.8	299.4	0.000	higher	0.000	higher
20+	Ovary	38	42	31.6	22.7	42.7	3,331	29.2	28.2	30.2	0.620-		29,317	29.0	28.6	29.3	0.576-		0.718-	
20+	Prostate	248	250	224.3	196.0	252.6	23,507	239.3	236.2	242.4	0.310-		191,586	229.4	228.4	230.5	0.721-		0.001	lower
20+	Upper Gastrointestinal	134	110	47.1	38.1	56.1	11,428	53.8	52.8	54.9	0.161-		103,413	57.3	56.9	57.6	0.040	lower	0.024	lower
20+	Uterus	47	49	37.5	27.7	49.5	4,324	38.1	36.9	39.2	0.912-		36,533	36.9	36.5	37.2	0.910-		0.295-	
0-19	All Cancers excl. C44	11	21	30.9	19.1	47.3	973	15.9	14.9	16.9	0.003	higher	10,136	15.6	15.3	15.9	0.002	higher	0.493	

Note:

ASR – Directly Age Standardised Incidence Rate (significance testing is at 95% significance level); LCI – 95% Lower Confidence Interval; UCI – 95% Upper Confidence Interval;

Higher – Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

NMSC is non-melanoma skin cancer.

\*Expected cases based on the England average.

## Age-standardised incidence rates (per 100,000 population) for Jersey, South West and England (2010-2014)

Age Group	Cancer Site	Jersey				South West				Jersey compared to South West		England				Jersey compared to England		Jersey compared to Guernsey		
		Expected cases*	Actual cases	ASR	ASR LCI	ASR UCI	Cases	ASR	ASR LCI	ASR UCI	p-value	difference	Cases	ASR	ASR LCI	ASR UCI	p-value	difference	p-value	difference
20+	All Cancers excl. C44	2,583	2,997	892.5	859.9	925.0	164,635	776.9	773.1	780.7	0.000	higher	1,427,882	774.8	773.5	776.1	0.000	higher	0.000	higher
20+	Bladder	77	82	26.2	20.8	32.5	5,142	25.2	24.5	25.9	0.733	-	44,130	25.7	25.5	26.0	0.874	-	0.353	-
20+	Brain and CNS	38	30	8.8	5.9	12.5	2,325	11.1	10.7	11.6	0.194	-	20,351	10.8	10.6	10.9	0.258	-	0.607	-
20+	Breast	408	443	232.2	210.6	253.9	25,308	223.0	220.2	225.8	0.395	-	217,358	213.6	212.7	214.5	0.079	-	0.234	-
20+	Colorectal	315	317	96.6	85.7	107.4	21,240	99.3	97.9	100.6	0.623	-	176,736	96.8	96.3	97.2	0.969	-	0.588	-
20+	Head and Neck	108	155	42.9	36.1	49.8	5,788	27.7	27.0	28.5	0.000	higher	57,183	30.3	30.1	30.6	0.000	higher	0.044	higher
20+	Hepatobiliary	51	70	20.9	16.3	26.4	3,140	14.8	14.3	15.4	0.005	higher	28,936	15.9	15.7	16.1	0.023	higher	0.015	higher
20+	Kidney and Ureter	83	55	16.4	12.3	21.3	5,434	26.0	25.3	26.7	0.001	lower	45,521	25.0	24.8	25.3	0.002	lower	0.569	-
20+	Leukaemia	66	60	18.2	13.9	23.4	4,345	20.6	20.0	21.3	0.333	-	36,943	20.3	20.1	20.5	0.394	-	0.715	-
20+	Lung	322	385	120.2	107.8	132.5	17,809	84.4	83.1	85.6	0.000	higher	182,512	101.4	100.9	101.8	0.001	higher	0.045	higher
20+	Lymphoma	114	128	37.8	31.0	44.5	7,396	35.1	34.2	35.9	0.406	-	62,679	33.5	33.3	33.8	0.180	-	0.746	-
20+	Male Urogenital (excl. Prostate)	23	33	17.0	11.7	23.8	1,308	13.3	12.6	14.1	0.168	-	11,998	11.9	11.7	12.1	0.043	higher	0.069	-
20+	Malignant Melanoma	110	234	67.5	58.6	76.4	8,685	41.5	40.7	42.4	0.000	higher	58,755	31.0	30.8	31.3	0.000	higher	0.815	-
20+	Other Cancers	181	215	66.7	57.7	75.7	11,581	54.3	53.3	55.3	0.003	higher	101,774	55.7	55.3	56.0	0.008	higher	0.204	-
20+	Other Gynaecological	39	32	16.6	11.4	23.5	2,369	21.7	20.8	22.6	0.137	-	20,633	19.8	19.5	20.0	0.330	-	0.342	-
20+	Other Skin	961	1,887	566.7	540.8	592.6	77,736	373.4	370.8	376.1	0.000	higher	538,470	298.6	297.8	299.4	0.000	higher	0.000	lower
20+	Ovary	54	53	29.3	21.9	38.3	3,331	29.2	28.2	30.2	0.986	-	29,317	29.0	28.6	29.3	0.932	-	0.718	-
20+	Prostate	341	447	292.4	264.7	320.1	23,507	239.3	236.2	242.4	0.000	higher	191,586	229.4	228.4	230.5	0.000	higher	0.001	higher
20+	Upper Gastrointestinal	184	203	61.5	52.9	70.1	11,428	53.8	52.8	54.9	0.061	-	103,413	57.3	56.9	57.6	0.312	-	0.024	higher
20+	Uterus	67	55	30.5	23.0	39.7	4,324	38.1	36.9	39.2	0.102	-	36,533	36.9	36.5	37.2	0.160	-	0.295	-
0-19	All Cancers excl. C44	17	27	25.3	16.7	36.9	973	15.9	14.9	16.9	0.017	higher	10,136	15.6	15.3	15.9	0.012	higher	0.493	-

Note:

ASR – Directly Age Standardised Incidence Rate (significance testing is at 95% significance level); LCI – 95% Lower Confidence Interval; UCI – 95% Upper Confidence Interval;

Higher – Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

NMSC is non-melanoma skin cancer.

\*Expected cases based on the England average.

## Age-standardised mortality rates (per 100,000 population) for Guernsey, South West and England (2010-2014)

Age Group	Cancer Site	Guernsey				South West				Guernsey compared to South West		England				Guernsey compared to England		Guernsey compared to Jersey		
		Expected deaths*	Actual deaths	ASR	ASR LCI	ASR UCI	Deaths	ASR	ASR LCI	ASR UCI	p-value	difference	Deaths	ASR	ASR LCI	ASR UCI	p-value	difference	p-value	difference
20+	All Cancers excl. C44	856	819	361.5	336.1	386.8	73,479	345.2	342.6	347.7	0.188-	-	656,826	365.5	364.6	366.4	0.752-	-	0.887-	-
20+	Bladder	28	34	16.7	11.6	23.4	2,525	12.4	11.9	12.9	0.085-	-	21,463	12.7	13.0	12.7	0.127-	-	0.588-	-
20+	Brain and CNS	22	15	6.3	3.5	10.4	1,992	9.5	9.0	9.9	0.116-	-	16,372	8.8	8.7	8.9	0.197-	-	0.390-	-
20+	Breast	64	43	31.3	22.7	42.2	5,431	44.6	43.4	45.8	0.021lower	-	48,075	46.0	45.5	46.4	0.012lower	-	0.008lower	-
20+	Colorectal	87	81	34.9	27.7	43.4	7,874	36.4	35.6	37.3	0.701-	-	66,362	36.8	36.5	37.0	0.642-	-	0.070-	-
20+	Head and Neck	20	18	7.5	4.5	11.9	1,567	7.4	7.0	7.8	0.964-	-	15,170	8.4	8.3	8.5	0.631-	-	0.051-	-
20+	Hepatobiliary	28	20	9.1	5.6	14.1	2,273	10.7	10.2	11.1	0.476-	-	21,567	11.9	11.7	12.0	0.233-	-	0.049lower	-
20+	Kidney and Ureter	22	25	11.3	7.3	16.7	1,959	9.3	8.9	9.7	0.333-	-	16,777	9.4	9.2	9.5	0.355-	-	0.515-	-
20+	Leukaemia	25	30	13.6	9.2	19.4	2,283	10.8	10.4	11.3	0.213-	-	19,224	10.8	10.6	10.9	0.198-	-	0.103-	-
20+	Lung	185	178	80.3	68.3	92.3	13,783	65.3	64.2	66.4	0.006higher	-	141,933	79.2	78.8	79.6	0.853-	-	0.677-	-
20+	Lymphoma	27	15	6.1	3.4	10.1	2,435	11.4	10.9	11.9	0.016lower	-	20,741	11.5	11.3	11.6	0.014lower	-	0.014lower	-
20+	Male Urogenital (excl. Prostate)	<5	-	0.0	0.0	0.0	75	0.8	0.6	1.0	-	-	732	0.9	0.8	0.9	-	-	-	-
20+	Malignant Melanoma	12	17	7.4	4.3	11.9	1,327	6.3	5.9	6.6	0.497-	-	9,529	5.2	5.1	5.3	0.148-	-	0.675-	-
20+	Other Cancers	124	126	52.9	43.6	62.3	10,677	49.3	48.4	50.3	0.437-	-	95,017	52.6	52.3	53.0	0.954-	-	0.293-	-
20+	Other Gynaecological	8	6	4.8	1.8	10.4	734	6.2	5.7	6.7	0.529-	-	6,428	6.2	6.0	6.3	0.535-	-	0.950-	-
20+	Other Skin	<5	8	3.3	1.4	6.6	297	1.5	1.3	1.6	0.022higher	-	2,237	1.4	1.3	1.4	0.012higher	-	0.334-	-
20+	Ovary	22	18	14.1	8.4	22.3	1,933	16.3	15.5	17.0	0.551-	-	16,879	16.6	16.4	16.9	0.491-	-	0.392-	-
20+	Prostate	59	78	83.1	65.7	103.7	5,861	65.1	63.4	66.8	0.032higher	-	46,050	62.8	62.2	63.4	0.014higher	-	0.048higher	-
20+	Upper Gastrointestinal	112	101	43.4	34.7	52.1	9,749	45.8	44.8	46.7	0.595-	-	85,922	47.8	47.4	48.1	0.335-	-	0.513-	-
20+	Uterus	11	13	9.5	5.1	16.3	974	8.0	7.5	8.5	0.536-	-	8,270	8.1	7.9	8.3	0.560-	-	0.390-	-
0-19	All Cancers excl. C44	<5	<5	2.9	0.3	10.4	135	2.3	1.9	2.7	0.722-	-	1,519	2.4	2.3	2.5	0.775-	-	0.719-	-

Note:

ASR – Directly Age Standardised Mortality Rate (significance testing is at 95% significance level); LCI – 95% Lower Confidence Interval; UCI – 95% Upper Confidence Interval;  
Higher – Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

NMSC is non-melanoma skin cancer.

\*Expected cases based on the England average.

**Age-standardised mortality rates (per 100,000 population) for Jersey, South West and England (2010-2014)**

Age Group	Cancer Site	Jersey				South West				Jersey compared to South West		England				Jersey compared to England		Jersey compared to Guernsey		
		Expected deaths*	Actual deaths	ASR	ASR LCI	ASR UCI	Deaths	ASR	ASR LCI	ASR UCI	p-value	difference	Deaths	ASR	ASR LCI	ASR UCI	p-value	difference	p-value	difference
20+	All Cancers excl. C44	1170	1,161	363.8	342.5	385.2	73,479	345.2	342.6	347.7	0.075	-	656,826	365.5	364.6	366.4	0.876	-	0.887	-
20+	Bladder	37	44	14.8	10.7	19.8	2,525	12.4	11.9	12.9	0.254	-	21,463	12.9	12.7	13.0	0.359	-	0.588	-
20+	Brain and CNS	31	28	8.3	5.5	12.0	1,992	9.5	9.0	9.9	0.486	-	16,372	8.8	8.7	8.9	0.759	-	0.390	-
20+	Breast	88	94	51.1	41.3	62.5	5,431	44.6	43.4	45.8	0.192	-	48,075	46.0	45.5	46.4	0.307	-	0.008	higher
20+	Colorectal	117	84	26.3	21.0	32.6	7,874	36.4	35.6	37.3	0.003	lower	66,362	36.8	36.5	37.0	0.002	lower	0.070	-
20+	Head and Neck	28	45	12.9	9.4	17.3	1,567	7.4	7.0	7.8	0.000	higher	15,170	8.4	8.3	8.5	0.004	higher	0.051	-
20+	Hepatobiliary	39	52	15.3	11.4	20.0	2,273	10.7	10.2	11.1	0.011	higher	21,567	11.9	11.7	12.0	0.070	-	0.049	higher
20+	Kidney and Ureter	30	31	9.5	6.4	13.5	1,959	9.3	8.9	9.7	0.914	-	16,777	9.4	9.2	9.5	0.956	-	0.515	-
20+	Leukaemia	34	27	8.8	5.8	12.8	2,283	10.8	10.4	11.3	0.292	-	19,224	10.8	10.6	10.9	0.305	-	0.103	-
20+	Lung	253	265	83.6	73.3	94.0	13,783	65.3	64.2	66.4	0.000	higher	141,933	79.2	78.8	79.6	0.378	-	0.677	-
20+	Lymphoma	37	41	12.8	9.2	17.4	2,435	11.4	10.9	11.9	0.456	-	20,741	11.5	11.3	11.6	0.484	-	0.014	higher
20+	Male Urogenital (excl. Prostate)	<5	<5	1.3	0.2	4.6	75	0.8	0.6	1.0	0.471	-	732	0.9	0.8	0.9	0.568	-	-	-
20+	Malignant Melanoma	17	21	6.5	4.0	9.9	1,327	6.3	5.9	6.6	0.896	-	9,529	5.2	5.1	5.3	0.327	-	0.675	-
20+	Other Cancers	168	147	46.6	39.0	54.2	10,677	49.3	48.4	50.3	0.485	-	95,017	52.6	52.3	53.0	0.138	-	0.293	-
20+	Other Gynaecological	12	9	4.9	2.3	9.4	734	6.2	5.7	6.7	0.502	-	6,428	6.2	6.0	6.3	0.509	-	0.950	-
20+	Other Skin	<5	6	2.0	0.7	4.3	297	1.5	1.3	1.6	0.470	-	2,237	1.4	1.3	1.4	0.371	-	0.334	-
20+	Ovary	30	32	18.2	12.4	25.6	1,933	16.3	15.5	17.0	0.533	-	16,879	16.6	16.4	16.9	0.612	-	0.392	-
20+	Prostate	79	76	60.4	47.6	75.6	5,861	65.1	63.4	66.8	0.522	-	46,050	62.8	62.2	63.4	0.737	-	0.048	lower
20+	Upper Gastrointestinal	154	151	47.2	39.6	54.9	9,749	45.8	44.8	46.7	0.706	-	85,922	47.8	47.4	48.1	0.885	-	0.513	-
20+	Uterus	15	12	6.7	3.5	11.8	974	8.0	7.5	8.5	0.555	-	8,270	8.1	7.9	8.3	0.527	-	0.390	-
0-19	All Cancers excl. C44	<5	<5	4.0	1.1	10.1	135	2.3	1.9	2.7	0.265	-	1,519	2.4	2.3	2.5	0.305	-	0.719	-

**Note:**

ASR – Directly Age Standardised Mortality Rate (significance testing is at 95% significance level); LCI – 95% Lower Confidence Interval; UCI – 95% Upper Confidence Interval;


Higher – Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

NMSC is non-melanoma skin cancer.


\*Expected cases based on the England average.

## All Cancers (C00-C97 excluding C44) – Incidence


### Incidence rates in persons, 2001-2014




### Incidence rates in persons, latest 5-years




### Incidence rates in males, 2001-2014




### Incidence rates in males, latest 5-years



### Incidence rates in females, 2001-2014



### Incidence rates in females, latest 5-years



## All Cancers (C00-C97 excluding C44) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	1234	743.1	700.2	786.0	614	838.5	769.4	907.6	620	647.7	596.8	698.7	875	707.7	659.6	755.8	443	805.7	728.2	883.2	432	609.8	552.7	666.8
2002-2004	1372	824.4	779.2	869.6	710	961.9	888.1	1035.7	662	686.9	634.8	739.1	949	772.4	721.8	822.9	478	882.7	800.6	964.7	471	662.1	603.1	721.1
2003-2005	1412	844.5	798.9	890.1	745	998.5	923.7	1073.3	667	690.5	638.3	742.7	997	807.1	755.8	858.3	488	893.3	811.5	975.2	509	720.8	659.1	782.6
2004-2006	1478	870.1	824.2	916.0	808	1057.4	981.4	1133.5	670	682.8	631.4	734.2	948	754.9	705.7	804.1	460	827.4	749.4	905.3	488	682.4	622.4	742.4
2005-2007	1488	853.9	809.1	898.7	804	1021.5	948.0	1095.0	684	686.3	635.2	737.5	947	738.0	690.1	786.0	483	834.8	758.4	911.2	464	641.3	583.3	699.3
2006-2008	1523	860.0	815.4	904.7	845	1051.0	977.2	1124.9	678	669.0	618.9	719.2	965	735.0	687.8	782.1	507	848.7	773.2	924.1	458	621.3	564.6	678.0
2007-2009	1468	809.0	766.3	851.7	787	960.6	890.8	1030.4	681	657.4	608.1	706.6	1083	819.1	769.1	869.1	592	982.2	900.6	1063.8	491	656.0	598.3	713.7
2008-2010	1630	885.6	841.3	930.0	872	1047.0	974.6	1119.3	758	724.3	672.9	775.8	1117	834.9	784.6	885.1	596	984.6	903.0	1066.2	521	685.1	626.4	743.8
2009-2011	1717	903.0	859.1	946.8	918	1059.3	988.3	1130.4	799	746.6	695.0	798.1	1147	838.4	788.7	888.1	583	942.8	864.0	1021.7	564	734.0	673.4	794.6
2010-2012	1792	918.5	874.9	962.1	955	1068.3	998.2	1138.4	837	768.8	716.9	820.6	1165	826.2	778.0	874.4	564	882.4	808.1	956.8	601	770.0	708.6	831.4
2011-2013	1706	850.1	809.0	891.2	908	983.6	917.8	1049.3	798	716.5	667.2	765.9	1181	822.2	774.7	869.7	582	881.8	808.9	954.7	599	762.5	701.7	823.4
2012-2014	1744	846.0	805.7	886.4	896	940.2	877.2	1003.2	848	751.9	701.5	802.2	1158	795.0	748.7	841.3	590	876.8	804.8	948.8	568	713.3	655.0	771.5

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	68.3	69.2	63.3	68.0
Median	70	70	66	69
5th percentile	42	44	29	43
95th percentile	88	89	87	88

## All Cancers (C00-C97 excluding C44) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## All Cancers (C00-C97 excluding C44) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	495	316.5	287.6	345.4	252	372.6	324.4	420.8	243	260.4	228.7	292.1	441	378.7	341.8	415.6	248	495.8	431.2	560.4	193	261.5	225.9	297.2
2002-2004	495	312.3	283.9	340.8	252	366.4	319.0	413.8	243	258.2	226.8	289.7	463	399.6	361.2	438.0	243	500.0	433.4	566.7	220	299.2	261.1	337.3
2003-2005	531	333.5	304.1	363.0	284	409.8	359.9	459.7	247	257.3	226.1	288.5	480	408.3	370.5	446.2	248	497.1	432.7	561.5	232	319.6	279.8	359.3
2004-2006	580	364.2	333.3	395.1	307	446.8	394.3	499.4	273	281.5	249.1	314.0	457	380.2	344.2	416.2	231	450.1	389.9	510.2	226	310.4	270.9	349.9
2005-2007	622	386.9	355.0	418.7	346	490.7	436.2	545.3	276	283.0	250.2	315.8	435	352.4	318.5	386.3	230	427.6	370.9	484.3	205	277.2	240.1	314.4
2006-2008	595	363.9	333.3	394.5	339	469.1	416.4	521.8	256	258.7	227.6	289.8	411	323.3	291.2	355.5	212	382.8	329.7	435.9	199	263.9	227.7	300.0
2007-2009	570	336.9	308.1	365.6	325	431.6	382.4	480.8	245	242.1	212.3	271.9	471	370.5	335.8	405.2	255	464.0	404.7	523.4	216	277.0	240.9	313.1
2008-2010	626	358.4	329.2	387.6	351	451.5	401.8	501.2	275	265.3	234.6	296.1	473	369.2	334.6	403.8	270	479.3	419.6	539.0	203	259.0	224.1	294.0
2009-2011	675	374.0	344.8	403.2	371	458.8	410.0	507.7	304	289.2	257.2	321.2	491	379.5	344.6	414.3	287	504.0	443.4	564.6	204	254.9	220.5	289.4
2010-2012	702	377.2	348.5	405.9	386	459.8	412.0	507.7	316	294.5	262.9	326.1	491	364.6	331.4	397.7	273	457.8	401.9	513.8	218	271.3	235.8	306.8
2011-2013	672	351.0	324.0	378.0	370	427.0	382.1	471.9	302	275.0	244.9	305.0	500	363.7	331.1	396.4	269	446.0	391.4	500.7	231	281.4	245.6	317.2
2012-2014	699	354.6	327.9	381.2	360	406.2	363.0	449.3	339	303.0	271.7	334.3	510	367.8	335.2	400.4	273	445.2	391.1	499.3	237	290.4	254.1	326.7

## Bladder Cancer (C67) – Incidence


### Incidence rates in persons, 2001-2014




### Incidence rates in persons, latest 5-years




### Incidence rates in males, 2001-2014




### Incidence rates in males, latest 5-years



### Incidence rates in females, 2001-2014



### Incidence rates in females, latest 5-years



## Bladder Cancer (C67) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	52	34.5	25.8	45.3	35	50.1	34.9	69.7	17	18.9	11.0	30.3	31	30.4	20.6	43.1	<5	55.3	36.4	80.4	<5	5.4	1.5	13.9
2002-2004	57	37.0	28.0	47.9	39	55.2	39.2	75.4	18	18.8	11.1	29.7	38	34.7	24.6	47.6	30	57.7	38.9	82.4	8	11.7	5.0	23.0
2003-2005	49	32.3	23.9	42.7	34	49.3	34.2	68.9	15	15.2	8.5	25.1	44	38.9	28.3	52.2	33	62.2	42.8	87.4	11	15.6	7.8	27.9
2004-2006	48	31.0	22.9	41.2	33	47.7	32.8	66.9	15	14.4	8.1	23.8	50	41.5	30.8	54.8	32	58.3	39.8	82.2	18	24.8	14.7	39.2
2005-2007	42	26.5	19.1	35.8	28	39.3	26.1	56.7	14	13.8	7.5	23.1	59	47.9	36.4	61.8	39	70.1	49.8	95.8	20	25.7	15.7	39.7
2006-2008	55	36.2	27.3	47.1	41	58.3	41.8	79.1	14	14.1	7.7	23.6	58	44.3	33.6	57.3	35	59.0	41.1	82.1	23	29.6	18.7	44.3
2007-2009	51	32.8	24.4	43.1	39	54.1	38.5	74.0	12	11.4	5.9	20.0	63	49.3	37.9	63.0	37	64.3	45.3	88.6	26	34.2	22.4	50.2
2008-2010	55	35.1	26.5	45.7	45	60.3	44.0	80.7	10	9.9	4.8	18.2	59	47.4	36.1	61.1	35	62.9	43.8	87.5	24	31.9	20.4	47.4
2009-2011	57	32.2	24.4	41.7	40	48.6	34.7	66.1	17	15.8	9.2	25.4	58	46.3	35.2	59.9	38	66.6	47.2	91.5	20	26.0	15.9	40.1
2010-2012	54	29.3	22.0	38.2	37	42.7	30.1	58.8	17	15.8	9.2	25.4	46	37.2	27.2	49.6	36	61.6	43.1	85.2	10	12.9	6.2	23.6
2011-2013	52	27.7	20.7	36.3	36	41.3	28.9	57.2	16	14.0	8.0	22.7	37	28.3	19.9	39.0	29	46.3	31.0	66.5	8	10.3	4.4	20.3
2012-2014	41	21.4	15.3	29.0	31	34.3	23.3	48.6	10	8.5	4.1	15.7	30	22.5	15.2	32.1	25	38.5	24.9	56.8	5	6.5	2.1	15.3

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	74.6	75.0	72.8	74.2
Median	76	76	75	75
5th percentile	55	55	51	58
95th percentile	90	91	91	89

## Bladder Cancer (C67) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Bladder Cancer (C67) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	25	17.9	11.6	26.4	18	28.7	17.0	45.4	7	7.0	2.8	14.4	17	14.4	8.4	23.1	9	18.5	8.5	35.1	8	10.3	4.5	20.3
2002-2004	25	17.6	11.4	25.9	18	28.2	16.7	44.6	7	6.9	2.8	14.3	14	12.3	6.7	20.7	8	16.7	7.2	32.8	6	8.0	2.9	17.4
2003-2005	29	20.9	14.0	30.0	21	33.7	20.8	51.5	8	8.1	3.5	15.9	17	13.6	7.9	21.7	9	17.0	7.8	32.3	8	10.1	4.4	19.9
2004-2006	31	22.6	15.3	32.1	18	32.6	19.3	51.5	13	12.6	6.7	21.6	17	14.1	8.2	22.5	10	19.7	9.4	36.2	7	8.4	3.4	17.4
2005-2007	27	21.0	13.9	30.6	18	33.5	19.9	53.0	9	8.6	3.9	16.3	19	15.3	9.2	23.9	11	21.2	10.6	37.9	8	9.4	4.0	18.5
2006-2008	21	15.9	9.8	24.3	12	23.2	12.0	40.5	9	8.5	3.9	16.2	16	12.6	7.2	20.5	10	18.3	8.8	33.7	6	6.9	2.5	15.1
2007-2009	10	6.7	3.2	12.3	5	8.6	2.8	20.2	5	4.7	1.5	11.1	17	14.1	8.2	22.5	10	19.8	9.5	36.4	7	8.3	3.3	17.1
2008-2010	15	9.5	5.3	15.6	8	12.2	5.2	24.0	7	6.7	2.7	13.9	20	17.7	10.8	27.3	13	26.5	14.1	45.4	7	8.8	3.5	18.1
2009-2011	20	12.2	7.4	18.8	14	18.7	10.2	31.3	6	5.7	2.1	12.3	17	15.0	8.8	24.1	11	22.3	11.1	39.9	6	7.7	2.8	16.8
2010-2012	29	17.1	11.4	24.5	21	26.8	16.6	41.0	8	7.3	3.1	14.3	20	15.8	9.7	24.5	12	21.6	11.1	37.6	8	10.1	4.4	19.9
2011-2013	27	14.6	9.6	21.2	19	22.2	13.4	34.7	8	7.0	3.0	13.7	18	14.4	8.5	22.8	10	18.8	9.0	34.6	8	10.0	4.3	19.7
2012-2014	27	14.6	9.6	21.2	19	22.4	13.5	34.9	8	6.8	2.9	13.3	22	17.4	10.9	26.4	14	25.0	13.7	42.0	8	9.9	4.3	19.4

## Brain and CNS Cancer (C70 - C72) – Incidence


### Incidence rates in persons, 2001-2014




### Incidence rates in persons, latest 5-years




### Incidence rates in males, 2001-2014




### Incidence rates in males, latest 5-years



### Incidence rates in females, 2001-2014



### Incidence rates in females, latest 5-years



## Brain and CNS Cancer (C70 - C72) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	17	8.4	4.9	13.4	9	9.3	4.3	17.7	8	7.4	3.2	14.7	12	9.1	4.7	16.0	7	11.5	4.6	23.7	5	6.8	2.2	15.8
2002-2004	17	8.5	4.9	13.6	10	10.3	5.0	19.0	7	6.6	2.7	13.6	16	12.4	7.1	20.2	8	13.8	5.9	27.1	8	11.1	4.8	21.8
2003-2005	19	9.8	5.9	15.2	14	14.6	8.0	24.6	5	4.9	1.6	11.4	12	9.7	5.0	16.9	7	11.9	4.8	24.5	5	7.5	2.4	17.5
2004-2006	20	10.6	6.4	16.3	15	16.5	9.2	27.1	5	4.7	1.5	10.9	11	8.2	4.1	14.7	6	9.3	3.4	20.3	5	7.1	2.3	16.6
2005-2007	21	10.8	6.7	16.5	13	13.7	7.3	23.5	8	7.8	3.4	15.3	7	5.1	2.1	10.5	<5	5.7	1.6	14.7	<5	4.5	0.9	13.1
2006-2008	23	11.8	7.5	17.7	11	11.8	5.9	21.1	12	11.8	6.1	20.7	11	8.5	4.2	15.1	<5	11.5	4.6	23.6	<5	5.4	1.5	14.0
2007-2009	19	9.4	5.7	14.7	8	8.1	3.5	16.0	11	10.8	5.4	19.3	20	15.4	9.4	23.8	12	19.2	9.9	33.6	8	11.5	5.0	22.8
2008-2010	21	10.3	6.4	15.7	8	8.3	3.6	16.3	13	12.3	6.6	21.1	22	16.3	10.2	24.7	13	20.2	10.8	34.6	9	12.3	5.6	23.4
2009-2011	15	7.1	4.0	11.7	9	8.7	4.0	16.4	6	5.5	2.0	12.0	17	12.0	7.0	19.2	9	13.2	6.0	25.0	8	10.8	4.7	21.2
2010-2012	20	9.9	6.0	15.2	13	13.1	7.0	22.4	7	6.6	2.7	13.7	7	4.5	1.8	9.2	<5	1.3	0.0	7.2	<5	7.6	2.8	16.6
2011-2013	20	9.9	6.0	15.2	<5	16.3	9.3	26.4	<5	3.4	0.9	8.8	8	5.3	2.3	10.4	-	-	-	-	8	10.5	4.5	20.8
2012-2014	17	8.3	4.8	13.2	10	10.6	5.1	19.4	7	6.0	2.4	12.3	15	9.9	5.5	16.3	<5	4.2	0.9	12.2	<5	15.6	8.0	27.2

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	62.2	64.0	61.2	57.4
Median	64	66	65	58
5th percentile	30	32	31	24
95th percentile	86	86	84	80

## Brain and CNS Cancer (C70-C72) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Brain and CNS Cancer (C70 - C72) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	9	4.7	2.2	9.0	<5	5.3	1.7	12.3	<5	4.2	1.2	10.8	9	7.4	3.4	14.0	<5	8.7	2.8	20.3	<5	6.0	1.6	15.4
2002-2004	9	4.7	2.2	8.9	<5	5.2	1.7	12.2	<5	4.2	1.1	10.7	11	9.0	4.5	16.1	<5	12.0	4.8	24.8	<5	6.0	1.6	15.4
2003-2005	13	6.7	3.6	11.5	8	8.4	3.6	16.6	5	5.0	1.6	11.7	12	9.6	5.0	16.8	6	10.1	3.7	22.0	6	9.1	3.3	19.8
2004-2006	14	7.3	4.0	12.3	<5	10.5	5.1	19.4	<5	4.1	1.1	10.6	7	5.1	2.0	10.5	<5	4.7	1.0	13.8	<5	5.5	1.5	14.0
2005-2007	15	7.9	4.4	13.0	9	9.7	4.4	18.3	6	6.1	2.3	13.4	10	7.1	3.4	13.1	<5	5.9	1.6	15.1	<5	8.3	3.1	18.1
2006-2008	9	4.9	2.2	9.3	<5	6.9	2.5	14.9	<5	2.9	0.6	8.6	9	6.7	3.0	12.6	<5	6.3	1.7	16.2	<5	7.0	2.3	16.3
2007-2009	11	5.4	2.7	9.7	5	5.6	1.8	13.0	6	5.3	1.9	11.5	14	10.2	5.6	17.2	6	9.4	3.4	20.4	8	11.1	4.8	21.9
2008-2010	14	7.1	3.9	11.8	6	6.8	2.5	14.8	8	7.3	3.2	14.4	15	10.9	6.1	18.0	6	9.4	3.5	20.5	9	12.4	5.7	23.6
2009-2011	17	8.0	4.6	12.7	8	7.8	3.4	15.5	9	8.1	3.7	15.3	12	8.5	4.4	14.9	5	7.6	2.5	17.7	7	9.5	3.8	19.5
2010-2012	18	9.1	5.4	14.4	11	11.3	5.7	20.3	7	6.9	2.8	14.2	7	5.0	2.0	10.3	<5	5.7	1.6	14.7	<5	4.2	0.9	12.4
2011-2013	17	8.5	4.9	13.6	<5	14.2	7.8	23.8	<5	2.8	0.6	8.1	<5	2.0	0.4	5.9	<5	1.3	0.0	7.1	<5	2.8	0.3	10.1
2012-2014	17	8.5	4.9	13.5	12	12.4	6.4	21.7	5	4.5	1.5	10.5	9	6.1	2.8	11.5	<5	3.0	0.4	10.7	<5	9.1	3.7	18.8

## Breast Cancer (females) (C50) – Incidence


**Incidence rates in persons, 2001-2014**




**Incidence rates in persons, latest 5-years**




**Incidence rates in males, 2001-2014**




**Incidence rates in males, latest 5-years**



**Incidence rates in females, 2001-2014**



**Incidence rates in females, latest 5-years**



## Breast Cancer (females) (C50) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	217	224.9	195.2	254.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	143	203.0	169.8	236.1
2002-2004	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	204	206.8	178.8	234.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	158	222.6	188.2	257.0
2003-2005	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	189	193.8	166.5	221.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	164	230.3	195.6	265.1
2004-2006	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	195	196.2	168.9	223.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	162	228.0	193.1	263.0
2005-2007	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	206	203.8	176.0	231.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	136	189.6	157.7	221.5
2006-2008	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	217	207.3	179.7	235.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	130	180.9	149.7	212.2
2007-2009	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	236	220.5	192.3	248.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	126	168.5	138.9	198.1
2008-2010	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	252	232.7	203.9	261.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	145	190.7	159.5	221.9
2009-2011	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	257	233.3	204.8	261.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	155	201.2	169.3	233.1
2010-2012	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	268	237.8	209.3	266.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	172	220.5	187.6	253.5
2011-2013	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	265	229.6	202.0	257.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	170	213.1	181.4	244.9
2012-2014	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	267	228.4	201.0	255.9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	169	210.2	178.8	241.7

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	63.3	64.4	61.6	63.6
Median	64	64	61	64
5th percentile	41	42	42	41
95th percentile	88	88	85	89

## Breast Cancer (females) (C50) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Breast Cancer (females) (C50) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey														Guernsey													
	Persons				Males				Females				Persons				Males				Females							
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	55	55.5	41.8	72.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	28	38.5	25.6	55.7	
2002-2004	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	55	55.1	41.5	71.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	25	34.8	22.5	51.4	
2003-2005	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	51	50.8	37.8	66.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	33	46.2	31.8	64.9	
2004-2006	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	47	46.2	34.0	61.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	34	47.4	32.8	66.2	
2005-2007	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	47	46.4	34.1	61.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	34	47.5	32.9	66.3	
2006-2008	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	43	42.0	30.4	56.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	26	36.2	23.7	53.1	
2007-2009	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	43	41.7	30.2	56.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	28	35.9	23.9	51.9	
2008-2010	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	48	45.6	33.6	60.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	25	31.4	20.3	46.4	
2009-2011	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	54	50.3	37.8	65.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	21	24.9	15.4	38.1	
2010-2012	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	58	53.0	40.2	68.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	21	26.6	16.5	40.6	
2011-2013	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	58	52.6	39.9	68.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	24	28.9	18.5	42.9	
2012-2014	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	56	49.9	37.7	64.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	32	38.0	26.0	53.7	

## Colorectal Cancer (C18-C21) – Incidence


**Incidence rates in persons, 2001-2014**




**Incidence rates in persons, latest 5-years**




**Incidence rates in males, 2001-2014**




**Incidence rates in males, latest 5-years**



**Incidence rates in females, 2001-2014**



**Incidence rates in females, latest 5-years**



## Colorectal Cancer (C18-C21) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	135	84.1	69.5	98.6	74	104.0	81.7	130.5	61	64.2	49.1	82.4	103	85.9	68.7	103.1	53	100.9	75.6	132.0	50	71.0	52.7	93.6
2002-2004	150	93.1	77.6	108.6	73	105.5	82.7	132.6	77	80.7	63.7	100.9	106	88.8	71.3	106.3	63	117.9	90.6	150.8	43	59.8	43.3	80.5
2003-2005	158	98.4	82.5	114.3	82	117.4	93.3	145.7	76	79.4	62.6	99.4	116	95.2	77.5	113.0	65	118.3	91.3	150.8	51	72.2	53.8	94.9
2004-2006	176	108.0	91.5	124.5	98	136.6	110.9	166.5	78	79.3	62.7	99.0	122	98.7	80.9	116.6	74	132.2	103.8	166.0	48	65.2	48.1	86.4
2005-2007	189	112.1	95.8	128.4	111	144.5	117.0	172.1	78	79.6	62.9	99.3	129	103.1	85.1	121.2	80	138.8	110.1	172.7	49	67.4	49.9	89.1
2006-2008	185	108.2	92.1	124.3	108	138.8	111.6	166.1	77	77.6	61.3	97.0	120	93.5	76.6	110.4	80	133.2	105.6	165.8	40	53.8	38.4	73.2
2007-2009	175	100.5	85.1	115.9	99	124.1	100.8	151.1	76	76.9	60.6	96.3	128	100.2	82.5	118.0	82	137.5	109.4	170.7	46	62.9	46.1	83.9
2008-2010	192	108.4	92.4	124.4	110	135.4	108.7	162.1	82	81.4	64.7	101.0	118	90.7	74.0	107.3	74	122.4	96.1	153.7	44	58.9	42.8	79.0
2009-2011	190	104.2	88.8	119.6	112	132.6	106.9	158.2	78	75.8	60.0	94.7	129	97.3	80.2	114.4	75	122.4	96.3	153.5	54	72.2	54.2	94.1
2010-2012	196	104.6	89.5	119.7	116	133.9	108.7	159.1	80	75.4	59.8	93.8	150	107.1	89.8	124.3	78	120.9	95.5	150.8	72	93.2	73.0	117.4
2011-2013	175	90.1	76.5	103.6	103	114.5	91.9	137.1	72	65.6	51.3	82.6	151	106.2	89.1	123.3	77	117.9	93.1	147.4	74	94.5	74.2	118.6
2012-2014	184	89.8	76.7	103.0	91	96.5	77.7	118.4	93	83.2	67.1	101.9	148	102.9	86.1	119.7	76	116.2	91.5	145.4	72	89.6	70.1	112.8

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	71.1	71.9	69.0	71.2
Median	73	73	69	73
5th percentile	48	49	48	50
95th percentile	89	90	88	88

## Colorectal Cancer (C18-C21) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Colorectal Cancer (C18-C21) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	57	39.5	29.9	51.2	33	53.9	37.1	75.8	24	25.0	16.0	37.2	61	52.8	40.4	67.8	37	74.1	52.2	102.2	24	31.5	20.2	46.8
2002-2004	57	38.9	29.5	50.4	33	53.0	36.5	74.4	24	24.8	15.9	37.0	55	47.8	36.0	62.3	27	59.7	39.3	86.8	28	36.0	23.9	52.1
2003-2005	60	39.8	30.4	51.3	33	52.7	36.3	74.1	27	26.9	17.7	39.2	44	35.9	26.1	48.2	18	38.4	22.8	60.7	26	33.4	21.8	48.9
2004-2006	60	39.3	30.0	50.5	33	51.8	35.7	72.7	27	26.7	17.6	38.9	42	33.9	24.4	45.8	21	40.9	25.3	62.6	21	26.8	16.6	41.0
2005-2007	62	38.8	29.7	49.7	32	47.8	32.7	67.5	30	29.8	20.1	42.5	40	31.6	22.6	43.0	25	43.8	28.3	64.6	15	19.4	10.9	32.1
2006-2008	50	30.2	22.4	39.9	27	37.8	24.9	55.0	23	22.7	14.4	34.0	35	26.2	18.2	36.4	22	35.7	22.4	54.1	13	16.6	8.9	28.5
2007-2009	51	29.5	22.0	38.8	26	34.8	22.7	51.0	25	24.3	15.7	35.8	35	26.9	18.8	37.4	20	35.3	21.6	54.5	15	18.6	10.4	30.6
2008-2010	58	33.4	25.4	43.2	35	45.2	31.5	62.9	23	21.6	13.7	32.4	32	24.2	16.5	34.1	19	32.9	19.8	51.5	13	15.4	8.2	26.4
2009-2011	60	34.7	26.5	44.7	40	50.4	36.0	68.6	20	19.1	11.6	29.4	44	33.6	24.4	45.1	28	48.7	32.3	70.3	16	18.5	10.6	30.0
2010-2012	52	28.6	21.4	37.5	37	43.2	30.4	59.6	15	14.0	7.8	23.0	49	35.6	26.3	47.1	30	49.6	33.5	70.8	19	21.6	13.0	33.8
2011-2013	43	22.0	15.9	29.6	23	25.5	16.2	38.3	20	18.4	11.2	28.4	49	34.4	25.5	45.5	27	43.8	28.9	63.8	22	25.0	15.7	37.8
2012-2014	45	22.0	16.1	29.5	17	19.0	11.0	30.4	28	25.1	16.7	36.2	49	34.3	25.4	45.3	26	41.4	27.0	60.6	23	27.2	17.3	40.9

## Head and Neck Cancer (C00-C14, C30-C32, C73) – Incidence


**Incidence rates in persons, 2001-2014**




**Incidence rates in persons, latest 5-years**




**Incidence rates in males, 2001-2014**




**Incidence rates in males, latest 5-years**



**Incidence rates in females, 2001-2014**



**Incidence rates in females, latest 5-years**



## Head and Neck Cancer (C00-C14, C30-C32, C73) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	72	40.4	31.6	50.9	46	54.0	39.5	72.0	26	26.8	17.5	39.2	47	36.8	27.0	48.9	32	52.0	35.6	73.4	15	21.6	12.1	35.6
2002-2004	74	41.4	32.5	52.0	44	52.4	38.1	70.3	30	30.4	20.5	43.5	46	36.4	26.7	48.6	33	54.1	37.3	76.0	13	18.8	10.0	32.1
2003-2005	81	44.9	35.7	55.8	51	58.8	43.8	77.3	30	31.1	21.0	44.3	52	40.6	30.3	53.2	35	57.2	39.8	79.5	17	24.0	14.0	38.4
2004-2006	93	50.9	41.1	62.4	66	75.0	58.0	95.4	27	26.9	17.7	39.1	39	29.4	20.9	40.3	24	38.0	24.4	56.6	15	20.8	11.7	34.4
2005-2007	96	51.7	41.9	63.2	69	76.5	59.5	96.9	27	26.9	17.7	39.2	42	30.8	22.2	41.6	24	37.0	23.7	55.1	18	24.6	14.6	38.8
2006-2008	93	49.6	40.1	60.8	71	77.7	60.7	98.0	22	21.6	13.5	32.7	44	31.1	22.6	41.8	28	41.7	27.7	60.3	16	20.5	11.7	33.3
2007-2009	84	44.0	35.1	54.5	61	66.0	50.5	84.7	23	22.0	14.0	33.0	52	36.1	27.0	47.4	33	47.7	32.8	67.0	19	24.6	14.8	38.4
2008-2010	85	43.2	34.5	53.4	65	68.1	52.5	86.8	20	18.2	11.1	28.2	55	38.3	28.8	49.8	38	55.0	38.9	75.5	17	21.5	12.5	34.5
2009-2011	85	41.0	32.8	50.8	63	63.0	48.4	80.6	22	19.1	12.0	28.9	55	37.8	28.5	49.2	35	49.5	34.5	68.9	20	26.1	15.9	40.3
2010-2012	92	42.3	34.1	51.9	65	60.9	47.0	77.6	27	23.8	15.7	34.6	56	39.1	29.5	50.7	34	49.9	34.5	69.7	22	28.3	17.7	42.8
2011-2013	94	42.7	34.5	52.2	59	54.7	41.6	70.5	35	30.7	21.4	42.7	50	33.5	24.9	44.2	27	37.7	24.8	54.8	23	29.3	18.6	44.0
2012-2014	96	43.7	35.4	53.4	59	55.2	42.0	71.2	37	32.2	22.7	44.4	43	29.0	21.0	39.0	24	34.1	21.9	50.8	19	23.8	14.3	37.2

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	61.7	63.0	59.9	64.1
Median	62	63	61	62
5th percentile	35	37	35	39
95th percentile	85	86	81	88

## Head and Neck Cancer (C00-C14, C30-C32, C73) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Head and Neck Cancer (C00-C14, C30-C32, C73) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	23	13.7	8.7	20.5	17	21.2	12.4	34.0	6	6.1	2.2	13.3	12	10.1	5.2	17.6	<5	14.2	6.2	28.1	<5	5.9	1.6	15.0
2002-2004	23	13.5	8.6	20.3	17	21.0	12.2	33.6	6	6.1	2.2	13.2	15	12.7	7.1	20.9	10	17.9	8.6	33.0	5	7.4	2.4	17.3
2003-2005	23	13.5	8.6	20.3	17	20.7	12.0	33.1	6	6.4	2.4	13.9	16	13.9	7.9	22.5	11	20.0	10.0	35.7	5	7.8	2.5	18.2
2004-2006	16	9.0	5.1	14.6	<5	14.7	7.8	25.1	<5	3.3	0.7	9.6	11	9.4	4.7	16.8	<5	14.0	6.1	27.6	<5	4.8	1.0	14.1
2005-2007	23	12.6	8.0	18.9	17	18.5	10.8	29.7	6	6.6	2.4	14.4	8	6.7	2.9	13.3	<5	9.0	2.9	20.9	<5	4.5	0.9	13.2
2006-2008	23	13.2	8.4	19.8	<5	23.1	14.1	35.6	<5	3.3	0.7	9.7	9	6.7	3.1	12.8	<5	7.8	2.5	18.2	<5	5.7	1.5	14.5
2007-2009	23	12.9	8.2	19.3	18	20.4	12.1	32.2	5	5.3	1.7	12.5	13	9.7	5.2	16.6	<5	14.0	6.4	26.6	<5	5.4	1.5	13.8
2008-2010	25	13.4	8.7	19.8	<5	23.6	14.8	35.7	<5	3.2	0.7	9.3	14	9.7	5.3	16.2	<5	14.4	6.9	26.6	<5	4.9	1.3	12.5
2009-2011	22	11.3	7.1	17.1	<5	18.7	11.1	29.6	<5	3.8	1.0	9.8	10	7.0	3.4	12.9	<5	11.7	5.1	23.1	<5	2.3	0.3	8.1
2010-2012	28	13.8	9.2	20.0	<5	25.9	16.9	37.9	<5	1.7	0.2	6.3	10	7.6	3.7	14.0	5	9.0	2.9	20.9	5	6.3	2.1	14.7
2011-2013	23	10.9	6.9	16.3	<5	21.0	13.2	31.8	<5	0.7	0.0	3.9	10	7.4	3.6	13.7	5	8.8	2.9	20.5	5	6.1	2.0	14.2
2012-2014	28	13.0	8.6	18.8	<5	22.4	14.4	33.4	<5	3.5	1.0	9.0	14	9.7	5.3	16.2	7	11.4	4.6	23.5	7	7.9	3.2	16.3

## Hepatobiliary Cancer (C22-C23) – Incidence


**Incidence rates in persons, 2001-2014**




**Incidence rates in persons, latest 5-years**




**Incidence rates in males, 2001-2014**




**Incidence rates in males, latest 5-years**



**Incidence rates in females, 2001-2014**



**Incidence rates in females, latest 5-years**



## Hepatobiliary Cancer (C22-C23) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	12	6.6	3.4	11.5	<5	3.0	0.6	8.6	<5	10.2	4.7	19.4	13	10.8	5.8	18.5	<5	17.5	8.4	32.2	<5	4.1	0.8	12.0
2002-2004	15	8.4	4.7	13.9	7	8.3	3.3	17.0	8	8.6	3.7	17.0	10	9.7	4.7	17.8	<5	16.5	7.1	32.6	<5	2.9	0.3	10.4
2003-2005	14	8.2	4.5	13.7	8	9.8	4.2	19.3	6	6.6	2.4	14.3	5	5.5	1.8	12.9	5	11.0	3.6	25.7	-	-	-	-
2004-2006	16	9.1	5.2	14.8	10	12.1	5.8	22.3	6	6.0	2.2	13.1	5	5.2	1.7	12.1	<5	5.6	0.7	20.3	<5	4.8	1.0	14.0
2005-2007	20	11.1	6.8	17.2	13	14.9	7.9	25.5	7	7.3	2.9	15.1	6	4.7	1.7	10.3	<5	3.2	0.4	11.5	<5	6.3	1.7	16.1
2006-2008	29	17.2	11.5	24.7	19	24.0	14.5	37.5	10	10.4	5.0	19.1	13	10.1	5.4	17.3	7	11.3	4.6	23.4	6	8.9	3.3	19.4
2007-2009	33	19.8	13.6	27.8	23	29.3	18.5	43.9	10	10.3	4.9	19.0	16	12.3	7.0	20.0	<5	19.2	9.9	33.5	<5	5.4	1.5	13.9
2008-2010	36	21.1	14.8	29.2	24	30.5	19.5	45.4	12	11.6	6.0	20.3	17	13.1	7.6	20.9	<5	20.5	10.9	35.1	<5	5.6	1.5	14.4
2009-2011	34	18.1	12.6	25.4	23	26.2	16.6	39.4	11	10.1	5.0	18.0	15	11.6	6.5	19.1	10	15.3	7.3	28.1	5	7.8	2.5	18.2
2010-2012	39	19.1	13.6	26.1	23	23.7	15.0	35.5	16	14.5	8.3	23.5	16	13.1	7.5	21.3	11	19.0	9.5	33.9	5	7.2	2.4	16.9
2011-2013	38	18.8	13.3	25.8	22	23.6	14.8	35.7	16	14.0	8.0	22.8	19	14.9	9.0	23.3	13	21.7	11.5	37.1	6	8.2	3.0	17.9
2012-2014	46	22.3	16.3	29.8	27	28.1	18.5	40.9	19	16.5	9.9	25.7	17	13.2	7.7	21.1	<5	22.8	12.5	38.2	<5	3.6	0.7	10.4

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	71.8	72.4	70.9	72.8
Median	73	74	69	74
5th percentile	50	51	53	59
95th percentile	89	90	91	88

## Hepatobiliary Cancer (C22-C23) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Hepatobiliary Cancer (C22-C23) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	10	6.1	2.9	11.2	5	6.6	2.1	15.4	5	5.6	1.8	13.2	6	4.9	1.8	10.7	<5	8.6	2.8	20.0	<5	1.3	0.0	7.1
2002-2004	10	6.1	2.9	11.1	5	6.5	2.1	15.2	5	5.6	1.8	13.0	6	5.9	2.2	12.9	<5	10.7	3.5	25.1	<5	1.1	0.0	6.3
2003-2005	9	5.7	2.6	10.8	<5	8.3	3.1	18.1	<5	3.1	0.6	8.9	<5	4.2	1.1	10.7	<5	7.3	1.5	21.2	<5	1.1	0.0	6.3
2004-2006	15	8.8	4.9	14.5	8	10.4	4.5	20.6	7	7.1	2.9	14.7	5	4.9	1.6	11.5	<5	4.0	0.1	22.5	<5	5.8	1.6	14.8
2005-2007	13	7.4	3.9	12.7	8	9.9	4.3	19.6	5	4.9	1.6	11.4	<5	2.3	0.5	6.8	-	-	-	-	<5	4.7	1.0	13.7
2006-2008	17	9.3	5.4	15.0	10	11.8	5.7	21.7	7	6.9	2.8	14.1	5	3.9	1.3	9.0	<5	3.0	0.4	10.9	<5	4.7	1.0	13.8
2007-2009	20	12.6	7.7	19.5	14	19.3	10.5	32.3	6	5.9	2.2	12.9	<5	3.4	0.9	8.6	<5	6.7	1.8	17.3	-	-	-	-
2008-2010	28	16.7	11.1	24.2	20	25.5	15.5	39.3	8	8.0	3.5	15.8	7	5.6	2.3	11.6	7	11.2	4.5	23.1	-	-	-	-
2009-2011	28	16.0	10.7	23.2	20	24.5	15.0	37.8	8	7.6	3.3	15.0	9	7.2	3.3	13.6	<5	11.1	4.5	22.9	<5	3.2	0.4	11.5
2010-2012	28	14.3	9.5	20.6	19	20.3	12.2	31.7	9	8.2	3.8	15.6	15	11.6	6.5	19.2	<5	17.7	8.8	31.7	<5	5.6	1.5	14.3
2011-2013	29	14.2	9.5	20.3	16	17.0	9.7	27.6	13	11.3	6.0	19.3	15	11.5	6.4	18.9	10	16.3	7.8	29.9	5	6.7	2.2	15.6
2012-2014	34	16.1	11.1	22.5	17	17.5	10.2	28.0	17	14.7	8.5	23.5	13	9.9	5.3	16.9	<5	14.8	6.8	28.1	<5	5.0	1.4	12.7

## Kidney and Ureter Cancer (C64-C68) – Incidence


**Incidence rates in persons, 2001-2014**




**Incidence rates in persons, latest 5-years**




**Incidence rates in males, 2001-2014**




**Incidence rates in males, latest 5-years**



**Incidence rates in females, 2001-2014**



**Incidence rates in females, latest 5-years**



## Kidney and Ureter Cancer (C64-C68) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	19	11.3	6.8	17.7	10	12.9	6.2	23.7	9	9.8	4.5	18.6	17	14.0	8.2	22.5	11	19.0	9.5	34.0	6	9.0	3.3	19.7
2002-2004	30	17.4	11.8	24.9	13	15.9	8.5	27.3	17	19.0	11.0	30.3	25	19.2	12.5	28.4	12	19.5	10.1	34.1	13	19.0	10.1	32.5
2003-2005	32	18.5	12.6	26.1	17	21.2	12.4	34.0	15	15.7	8.8	25.8	36	29.3	20.5	40.6	19	33.4	20.1	52.1	17	25.3	14.7	40.5
2004-2006	36	20.9	14.6	29.0	22	27.2	17.1	41.3	14	14.6	8.0	24.5	31	24.5	16.6	34.8	14	24.4	13.4	41.0	17	24.5	14.3	39.3
2005-2007	25	15.0	9.7	22.1	19	24.2	14.5	37.7	6	5.8	2.1	12.6	25	19.7	12.8	29.1	13	22.4	11.9	38.3	12	17.0	8.8	29.7
2006-2008	24	14.3	9.2	21.3	19	23.6	14.2	36.8	5	5.1	1.6	11.8	20	14.6	8.9	22.5	11	17.6	8.8	31.6	9	11.5	5.2	21.8
2007-2009	31	18.3	12.5	26.0	23	28.8	18.3	43.2	8	7.9	3.4	15.5	28	21.3	14.2	30.8	21	34.3	21.2	52.4	7	8.4	3.4	17.3
2008-2010	32	17.9	12.2	25.3	22	26.3	16.5	39.7	10	9.6	4.6	17.6	31	23.9	16.3	34.0	23	38.7	24.5	58.1	8	9.2	4.0	18.1
2009-2011	37	20.5	14.4	28.2	23	28.0	17.7	42.0	14	13.0	7.1	21.8	28	21.1	14.0	30.5	20	33.1	20.2	51.1	8	9.1	3.9	17.9
2010-2012	30	15.4	10.4	21.9	17	18.9	11.0	30.3	13	11.9	6.3	20.3	22	16.1	10.1	24.4	14	22.2	12.1	37.2	8	10.0	4.3	19.8
2011-2013	38	19.0	13.5	26.1	24	25.4	16.2	37.7	14	12.7	6.9	21.3	24	17.3	11.1	25.7	17	25.6	14.9	41.0	7	8.9	3.6	18.3
2012-2014	35	16.6	11.6	23.1	23	22.6	14.3	33.8	12	10.6	5.5	18.6	28	19.4	12.9	28.0	22	31.1	19.5	47.1	6	7.7	2.8	16.7

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	68.6	69.4	67.7	68.9
Median	70	71	68	73
5th percentile	45	46	44	49
95th percentile	88	88	89	86

## Kidney and Ureter Cancer (C64-C68) – Mortality


### Mortality rates in persons, 2001-2014




### Mortality rates in persons, latest 5-years




### Mortality rates in males, 2001-2014




### Mortality rates in males, latest 5-years



### Mortality rates in females, 2001-2014



### Mortality rates in females, latest 5-years




## Kidney and Ureter Cancer (C64-C68) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	5	2.9	0.9	6.8	<5	5.0	1.4	12.9	<5	0.8	0.0	4.5	6	5.1	1.9	11.2	<5	6.0	1.2	17.6	<5	4.3	0.9	12.4
2002-2004	5	2.9	0.9	6.7	<5	4.9	1.3	12.7	<5	0.8	0.0	4.5	10	8.5	4.1	15.7	<5	11.5	4.2	25.0	<5	5.6	1.5	14.3
2003-2005	8	4.6	2.0	9.0	<5	7.5	2.8	16.3	<5	1.6	0.2	5.9	9	7.7	3.5	14.6	<5	9.5	3.1	22.1	<5	5.9	1.6	15.1
2004-2006	10	5.6	2.7	10.2	<5	8.4	3.4	17.4	<5	2.7	0.6	7.9	9	8.8	4.0	16.7	<5	13.3	4.9	28.9	<5	4.3	0.9	12.7
2005-2007	14	7.7	4.2	13.0	9	10.5	4.8	19.9	5	5.0	1.6	11.7	6	5.8	2.1	12.5	<5	7.6	1.6	22.3	<5	3.9	0.8	11.3
2006-2008	11	6.3	3.1	11.2	<5	8.4	3.4	17.3	<5	4.1	1.1	10.5	6	5.5	2.0	11.9	<5	8.7	2.4	22.4	<5	2.2	0.3	7.9
2007-2009	16	9.5	5.4	15.4	<5	15.8	8.4	27.1	<5	3.2	0.7	9.4	13	9.6	5.1	16.5	<5	14.9	6.8	28.4	<5	4.3	1.2	11.1
2008-2010	19	10.1	6.1	15.7	13	14.9	7.9	25.5	6	5.2	1.9	11.4	14	10.7	5.9	18.0	<5	18.2	9.1	32.6	<5	3.2	0.7	9.4
2009-2011	24	11.8	7.6	17.6	15	15.8	8.9	26.1	9	7.8	3.6	14.9	20	15.1	9.2	23.3	15	24.7	13.8	40.8	5	5.5	1.8	12.8
2010-2012	22	10.9	6.9	16.6	11	12.3	6.1	22.0	11	9.6	4.8	17.2	15	11.1	6.2	18.4	<5	18.0	9.0	32.2	<5	4.2	1.2	10.9
2011-2013	16	8.5	4.8	13.8	10	11.7	5.6	21.4	6	5.3	1.9	11.5	19	13.6	8.2	21.2	12	18.8	9.7	32.9	7	8.3	3.4	17.2
2012-2014	16	8.9	5.1	14.4	<5	14.0	7.2	24.5	<5	3.7	1.0	9.5	15	11.3	6.3	18.7	10	16.7	8.0	30.8	5	5.9	1.9	13.9

## Leukaemia (C91-C95) – Incidence


**Incidence rates in persons, 2001-2014**




**Incidence rates in persons, latest 5-years**




**Incidence rates in males, 2001-2014**




**Incidence rates in males, latest 5-years**



**Incidence rates in females, 2001-2014**



**Incidence rates in females, latest 5-years**



## Leukaemia (C91-C95) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	17	10.6	6.2	17.0	9	13.5	6.2	25.5	8	7.8	3.4	15.4	18	14.8	8.8	23.4	10	18.4	8.8	33.9	8	11.2	4.8	22.1
2002-2004	21	12.4	7.7	19.0	9	12.2	5.6	23.2	12	12.6	6.5	22.0	17	14.1	8.2	22.6	10	18.6	8.9	34.3	7	9.7	3.9	19.9
2003-2005	28	17.0	11.3	24.5	16	22.0	12.6	35.7	12	11.9	6.2	20.9	17	15.0	8.7	24.0	12	23.0	11.9	40.1	5	7.0	2.3	16.3
2004-2006	28	16.5	10.9	23.8	17	21.2	12.4	34.0	11	11.7	5.9	21.0	16	13.1	7.5	21.3	9	17.1	7.8	32.4	7	9.2	3.7	19.0
2005-2007	34	20.9	14.5	29.2	23	31.0	19.6	46.5	11	10.8	5.4	19.3	16	12.4	7.1	20.1	8	14.2	6.2	28.1	8	10.6	4.6	20.8
2006-2008	48	29.1	21.5	38.6	31	41.5	28.2	58.9	17	16.7	9.7	26.8	21	17.0	10.5	26.0	12	21.7	11.2	37.9	9	12.3	5.6	23.3
2007-2009	55	32.6	24.6	42.4	37	48.0	33.8	66.2	18	17.2	10.2	27.1	28	24.3	16.1	35.1	19	36.5	22.0	57.0	9	12.1	5.5	22.9
2008-2010	58	32.4	24.6	41.8	40	47.5	33.9	64.7	18	17.2	10.2	27.2	30	25.6	17.3	36.5	21	39.7	24.6	60.7	9	11.5	5.2	21.8
2009-2011	46	24.0	17.6	32.1	29	31.9	21.4	45.8	17	16.2	9.4	25.9	37	29.2	20.5	40.2	20	35.9	21.9	55.4	17	22.5	13.1	36.0
2010-2012	35	18.1	12.6	25.2	19	21.6	13.0	33.7	16	14.7	8.4	23.9	33	24.1	16.6	33.9	15	24.4	13.6	40.2	18	23.9	14.1	37.7
2011-2013	31	16.2	11.0	23.0	15	17.8	10.0	29.3	16	14.6	8.3	23.6	34	24.5	17.0	34.2	15	24.0	13.5	39.7	19	24.9	15.0	38.9
2012-2014	30	15.0	10.2	21.5	16	17.8	10.1	28.8	14	12.3	6.7	20.7	21	14.9	9.2	22.7	11	17.0	8.5	30.5	10	12.7	6.1	23.3

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	69.4	70.3	70.1	75.2
Median	72	72	70	75
5th percentile	40	43	48	50
95th percentile	90	90	90	92

## Leukaemia (C91-C95) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Leukaemia (C91-C95) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	14	9.1	5.0	15.3	9	13.3	6.1	25.3	5	5.0	1.6	11.6	14	12.1	6.6	20.3	<5	20.3	10.1	36.3	<5	3.9	0.8	11.4
2002-2004	14	9.0	4.9	15.1	9	13.0	6.0	24.7	5	4.9	1.6	11.5	9	7.5	3.4	14.3	<5	12.8	5.2	26.4	<5	2.3	0.3	8.2
2003-2005	12	7.4	3.8	13.0	7	10.0	4.0	20.5	5	4.9	1.6	11.4	12	10.7	5.5	18.7	<5	20.3	10.1	36.3	<5	1.1	0.0	6.3
2004-2006	18	11.2	6.6	17.7	10	14.2	6.8	26.1	8	8.2	3.6	16.2	11	9.8	4.9	17.6	<5	18.5	8.9	34.1	<5	1.1	0.0	6.3
2005-2007	19	11.7	7.0	18.2	11	15.5	7.7	27.6	8	7.9	3.4	15.5	11	9.0	4.5	16.2	<5	15.5	7.1	29.5	<5	2.6	0.3	9.2
2006-2008	24	16.2	10.4	24.2	16	24.8	14.2	40.2	8	7.7	3.3	15.2	7	6.6	2.7	13.7	<5	10.8	3.5	25.2	<5	2.5	0.3	9.1
2007-2009	23	14.7	9.3	22.1	15	22.3	12.5	36.8	8	7.1	3.1	14.0	12	11.1	5.7	19.3	7	15.5	6.2	32.0	5	6.6	2.1	15.4
2008-2010	23	14.5	9.2	21.8	15	21.9	12.3	36.1	8	7.1	3.1	14.0	13	11.7	6.2	20.0	8	16.9	7.3	33.4	5	6.5	2.1	15.2
2009-2011	17	8.8	5.1	14.1	8	9.8	4.2	19.3	9	7.8	3.6	14.9	17	13.6	7.9	21.7	7	14.6	5.9	30.0	10	12.6	6.0	23.1
2010-2012	13	7.6	4.0	12.9	6	8.6	3.1	18.7	7	6.5	2.6	13.5	14	10.4	5.7	17.5	5	9.4	3.1	22.0	9	11.5	5.2	21.7
2011-2013	15	8.5	4.8	14.1	8	10.1	4.4	20.0	7	6.9	2.8	14.3	21	15.6	9.7	23.9	9	16.3	7.5	31.0	12	14.9	7.7	26.1
2012-2014	17	9.3	5.4	14.9	10	11.7	5.6	21.6	7	6.9	2.8	14.1	21	15.8	9.8	24.1	11	19.1	9.5	34.2	10	12.5	6.0	22.9

## Lung Cancer (C33-C34) – Incidence


**Incidence rates in persons, 2001-2014**




**Incidence rates in persons, latest 5-years**




**Incidence rates in males, 2001-2014**




**Incidence rates in males, latest 5-years**



**Incidence rates in females, 2001-2014**



**Incidence rates in females, latest 5-years**



## Lung Cancer (C33-C34) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	139	91.4	75.7	107.1	89	127.2	102.2	156.6	50	55.6	41.3	73.3	89	73.9	59.4	90.9	59	106.4	81.0	137.2	30	41.4	27.9	59.1
2002-2004	156	100.8	84.5	117.1	96	135.5	109.8	165.5	60	66.1	50.4	85.1	117	97.4	79.5	115.4	75	136.7	107.5	171.3	42	58.2	42.0	78.7
2003-2005	179	114.0	96.7	131.3	108	150.7	121.1	180.2	71	77.3	60.4	97.6	132	110.4	91.1	129.7	76	141.4	111.4	177.0	56	79.4	60.0	103.1
2004-2006	190	119.4	101.8	137.0	114	156.3	126.4	186.3	76	82.4	64.9	103.1	128	105.6	86.9	124.4	75	136.7	107.6	171.4	53	74.5	55.8	97.5
2005-2007	188	116.4	99.1	133.6	121	161.3	131.3	191.2	67	71.5	55.4	90.7	109	88.7	71.7	105.7	65	114.2	88.1	145.5	44	63.2	45.9	84.9
2006-2008	184	111.0	94.4	127.6	119	154.0	125.2	182.7	65	68.0	52.5	86.7	115	90.5	73.8	107.3	75	125.2	98.5	156.9	40	55.9	39.9	76.1
2007-2009	163	95.0	80.0	110.0	102	127.7	102.2	153.3	61	62.4	47.7	80.1	120	94.0	76.9	111.1	72	120.1	94.0	151.3	48	67.9	50.1	90.0
2008-2010	211	121.3	104.3	138.3	118	148.6	120.5	176.7	93	94.0	75.8	115.1	130	104.3	85.8	122.8	77	134.0	105.7	167.4	53	74.6	55.9	97.6
2009-2011	225	124.7	107.8	141.5	117	143.3	116.2	170.4	108	106.0	85.9	126.1	130	103.0	84.8	121.2	72	124.2	97.1	156.3	58	81.8	62.1	105.7
2010-2012	240	128.7	111.9	145.5	131	152.3	125.1	179.5	109	105.1	85.3	125.0	144	109.3	91.1	127.5	79	129.9	102.8	161.9	65	88.8	68.5	113.2
2011-2013	202	103.8	89.1	118.4	110	121.3	97.9	144.6	92	86.3	69.6	105.8	143	103.3	86.3	120.4	79	121.6	96.2	151.5	64	85.1	65.5	108.7
2012-2014	210	105.7	91.1	120.3	115	124.5	101.1	147.8	95	86.9	70.3	106.2	140	99.5	82.9	116.0	76	115.1	90.7	144.1	64	83.8	64.5	107.0

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	72.3	72.6	69.6	71.9
Median	73	73	71	71
5th percentile	53	54	50	57
95th percentile	89	89	88	87

## Lung Cancer (C33-C34) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Lung Cancer (C33-C34) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	102	68.0	54.4	81.5	62	90.3	69.2	115.8	40	45.6	32.6	62.1	80	72.3	57.3	90.0	53	108.6	81.3	142.0	27	36.0	23.7	52.4
2002-2004	102	67.0	53.7	80.4	62	88.9	68.2	114.0	40	45.2	32.3	61.5	87	75.1	60.1	92.6	55	107.3	80.8	139.6	32	42.9	29.3	60.5
2003-2005	116	74.8	60.8	88.8	74	104.0	81.6	130.5	42	45.7	32.9	61.8	104	88.4	71.0	105.9	67	126.1	97.7	160.1	37	50.8	35.8	70.1
2004-2006	136	87.5	72.2	102.7	80	114.4	90.7	142.3	56	60.6	45.7	78.6	110	90.5	73.3	107.7	66	120.3	93.0	153.0	44	60.8	44.1	81.6
2005-2007	156	98.1	82.1	114.1	97	133.1	107.9	162.3	59	63.1	48.0	81.4	100	80.5	64.5	96.6	60	106.5	81.3	137.1	40	54.5	39.0	74.2
2006-2008	145	89.0	73.9	104.0	90	120.0	96.5	147.5	55	58.0	43.7	75.4	100	78.6	63.0	94.3	59	101.9	77.5	131.4	41	55.4	39.7	75.1
2007-2009	132	78.5	64.7	92.3	87	110.4	88.4	136.2	45	46.6	34.0	62.3	99	79.3	64.4	96.5	64	110.8	85.4	141.5	35	47.7	33.2	66.3
2008-2010	134	77.0	63.5	90.5	79	99.0	78.4	123.4	55	55.0	41.4	71.6	105	85.6	68.6	102.6	67	117.6	91.1	149.3	38	53.6	37.9	73.5
2009-2011	161	90.1	75.8	104.5	92	111.9	90.2	137.2	69	68.4	53.2	86.6	102	82.6	65.9	99.2	62	109.3	83.8	140.1	40	55.9	39.9	76.1
2010-2012	164	89.1	75.1	103.2	89	105.3	84.5	129.5	75	73.0	57.4	91.5	113	87.5	71.0	104.1	62	104.9	80.4	134.4	51	70.2	52.3	92.3
2011-2013	157	83.6	70.2	97.1	90	103.5	83.2	127.2	67	63.8	49.5	81.1	103	76.0	61.1	90.9	56	89.7	67.7	116.5	47	62.3	45.8	82.9
2012-2014	152	77.8	65.1	90.4	80	89.1	70.6	110.9	72	66.5	52.0	83.7	109	79.4	64.4	94.4	64	98.0	75.4	125.1	45	60.9	44.4	81.4

## Lymphoma (C81-C85, C96) – Incidence


### Incidence rates in persons, 2001-2014




### Incidence rates in persons, latest 5-years




### Incidence rates in males, 2001-2014




### Incidence rates in males, latest 5-years



### Incidence rates in females, 2001-2014



### Incidence rates in females, latest 5-years



## Lymphoma (C81-C85, C96) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	29	17.3	11.6	24.8	15	19.7	11.0	32.4	14	14.9	8.1	25.0	47	37.3	27.4	49.7	23	41.0	26.0	61.5	24	33.7	21.6	50.1
2002-2004	39	22.9	16.3	31.3	19	24.2	14.6	37.8	20	21.5	13.2	33.3	45	35.2	25.7	47.1	22	38.1	23.9	57.7	23	32.2	20.4	48.4
2003-2005	51	28.3	21.0	37.2	21	25.5	15.8	39.0	30	31.0	20.9	44.3	41	31.4	22.5	42.6	20	32.9	20.1	50.9	21	29.8	18.4	45.5
2004-2006	56	30.7	23.2	39.9	25	29.5	19.1	43.5	31	32.0	21.7	45.4	40	29.9	21.3	40.7	22	35.2	22.1	53.3	18	24.6	14.6	38.8
2005-2007	60	31.4	24.0	40.4	29	31.6	21.2	45.4	31	31.2	21.2	44.3	44	32.8	23.8	44.0	29	45.7	30.6	65.6	15	19.9	11.2	32.9
2006-2008	62	32.1	24.6	41.2	36	37.5	26.2	51.9	26	26.8	17.5	39.2	39	28.9	20.5	39.5	22	34.6	21.7	52.4	17	23.2	13.5	37.1
2007-2009	60	30.6	23.4	39.4	36	37.1	26.0	51.3	24	24.2	15.5	36.0	54	40.8	30.7	53.2	28	45.0	29.9	65.1	26	36.6	23.9	53.6
2008-2010	54	28.9	21.7	37.7	35	38.1	26.6	53.0	19	19.7	11.9	30.7	51	38.3	28.5	50.4	22	37.4	23.4	56.6	29	39.3	26.3	56.5
2009-2011	60	31.8	24.3	41.0	39	43.6	31.0	59.6	21	20.0	12.4	30.6	57	41.4	31.3	53.6	25	40.9	26.5	60.4	32	41.8	28.6	59.0
2010-2012	71	36.0	28.1	45.4	46	48.7	35.7	65.0	25	23.2	15.0	34.3	50	35.3	26.2	46.6	25	38.8	25.1	57.3	25	31.9	20.6	47.0
2011-2013	82	39.6	31.5	49.1	46	46.9	34.4	62.6	36	32.2	22.6	44.6	57	39.9	30.2	51.7	30	44.2	29.8	63.1	27	35.6	23.4	51.8
2012-2014	82	39.0	31.0	48.4	48	48.0	35.4	63.6	34	30.0	20.8	42.0	55	38.7	29.2	50.4	34	49.6	34.3	69.3	21	27.9	17.3	42.7

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	65.3	67.0	64.0	66.1
Median	68	69	68	69
5th percentile	32	35	30	34
95th percentile	87	88	87	86

## Lymphoma (C81-C85, C96) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Lymphoma (C81-C85, C96) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	14	9.2	5.0	15.4	7	10.3	4.1	21.2	7	8.0	3.2	16.5	21	17.5	10.8	26.7	8	16.0	6.9	31.4	13	19.0	10.1	32.5
2002-2004	14	9.0	4.9	15.1	7	10.1	4.1	20.8	7	7.9	3.2	16.3	18	14.6	8.7	23.1	6	12.1	4.4	26.3	12	17.2	8.9	30.1
2003-2005	14	8.9	4.9	14.9	7	10.3	4.1	21.2	7	7.5	3.0	15.4	16	12.9	7.4	21.0	6	12.1	4.5	26.4	10	13.7	6.6	25.1
2004-2006	15	9.9	5.5	16.3	9	13.3	6.1	25.3	6	6.4	2.4	14.0	15	10.9	6.1	18.0	5	9.0	2.9	21.1	10	12.8	6.2	23.6
2005-2007	15	9.2	5.1	15.1	7	9.9	4.0	20.3	8	8.5	3.7	16.8	12	8.4	4.3	14.6	<5	7.0	1.9	17.9	<5	9.7	4.2	19.2
2006-2008	17	9.9	5.8	15.8	10	12.0	5.7	22.0	7	7.8	3.1	16.1	13	9.2	4.9	15.7	6	10.0	3.7	21.8	7	8.4	3.4	17.2
2007-2009	22	12.3	7.7	18.6	13	15.5	8.2	26.4	9	9.2	4.2	17.4	9	6.6	3.0	12.6	<5	8.3	2.7	19.4	<5	4.9	1.3	12.5
2008-2010	21	12.3	7.6	18.8	13	16.6	8.8	28.4	8	8.0	3.4	15.7	11	7.9	3.9	14.0	<5	11.2	4.5	23.2	<5	4.5	1.2	11.4
2009-2011	22	13.2	8.2	19.9	14	18.5	10.1	31.0	8	7.9	3.4	15.5	8	5.8	2.5	11.3	<5	8.0	2.6	18.8	<5	3.5	0.7	10.2
2010-2012	18	10.6	6.3	16.7	10	13.2	6.3	24.3	8	7.9	3.4	15.6	9	6.2	2.8	11.8	<5	6.4	1.7	16.3	<5	6.1	2.0	14.1
2011-2013	20	10.3	6.3	15.9	12	13.2	6.8	23.1	8	7.4	3.2	14.6	9	6.5	3.0	12.3	<5	6.5	1.8	16.6	<5	6.5	2.1	15.1
2012-2014	30	14.7	9.9	20.9	11	12.0	6.0	21.4	19	17.4	10.5	27.2	9	5.9	2.7	11.3	<5	4.7	1.0	13.7	<5	7.2	2.6	15.7

## Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Incidence


**Incidence rates in persons, 2001-2014**




**Incidence rates in persons, latest 5-years**




**Incidence rates in males, 2001-2014**




**Incidence rates in males, latest 5-years**



**Incidence rates in females, 2001-2014**



**Incidence rates in females, latest 5-years**



## Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	N/A	N/A	N/A	N/A	22	22.1	13.9	33.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10	14.6	7.0	26.8	N/A	N/A	N/A	N/A
2002-2004	N/A	N/A	N/A	N/A	23	22.7	14.4	34.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10	13.9	6.7	25.5	N/A	N/A	N/A	N/A
2003-2005	N/A	N/A	N/A	N/A	23	21.7	13.8	32.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9	12.4	5.7	23.5	N/A	N/A	N/A	N/A
2004-2006	N/A	N/A	N/A	N/A	22	20.1	12.6	30.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7	9.2	3.7	18.9	N/A	N/A	N/A	N/A
2005-2007	N/A	N/A	N/A	N/A	18	16.5	9.8	26.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10	13.1	6.3	24.1	N/A	N/A	N/A	N/A
2006-2008	N/A	N/A	N/A	N/A	16	12.8	7.3	20.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8	10.2	4.4	20.2	N/A	N/A	N/A	N/A
2007-2009	N/A	N/A	N/A	N/A	10	7.9	3.8	14.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9	11.4	5.2	21.7	N/A	N/A	N/A	N/A
2008-2010	N/A	N/A	N/A	N/A	10	8.9	4.2	16.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7	9.1	3.7	18.7	N/A	N/A	N/A	N/A
2009-2011	N/A	N/A	N/A	N/A	17	15.1	8.8	24.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8	10.3	4.5	20.4	N/A	N/A	N/A	N/A
2010-2012	N/A	N/A	N/A	N/A	22	19.4	12.2	29.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6	7.8	2.9	17.0	N/A	N/A	N/A	N/A
2011-2013	N/A	N/A	N/A	N/A	23	19.5	12.4	29.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7	8.9	3.6	18.3	N/A	N/A	N/A	N/A
2012-2014	N/A	N/A	N/A	N/A	20	16.5	10.1	25.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8	10.1	4.4	19.9	N/A	N/A	N/A	N/A

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	44.7	45.6	43.6	42.8
Median	41	41	38	43
5th percentile	23	23	24	31
95th percentile	79	81	84	62

## Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey															Guernsey														
	Persons				Males				Females				Persons				Males				Females									
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI		
2001-2003	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2002-2004	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2003-2005	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2004-2006	N/A	N/A	N/A	N/A	<5	1.6	0.0	9.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2005-2007	N/A	N/A	N/A	N/A	<5	1.5	0.0	8.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2006-2008	N/A	N/A	N/A	N/A	<5	1.5	0.0	8.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2007-2009	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2008-2010	N/A	N/A	N/A	N/A	<5	0.9	0.0	4.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2009-2011	N/A	N/A	N/A	N/A	<5	2.3	0.3	8.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2010-2012	N/A	N/A	N/A	N/A	<5	2.2	0.3	7.9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2011-2013	N/A	N/A	N/A	N/A	<5	1.3	0.0	7.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	
2012-2014	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	-	-	-	-	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	

## Malignant Melanoma (C43) – Incidence


### Incidence rates in persons, 2001-2014




### Incidence rates in persons, latest 5-years




### Incidence rates in males, 2001-2014




### Incidence rates in males, latest 5-years



### Incidence rates in females, 2001-2014



### Incidence rates in females, latest 5-years



## Malignant Melanoma (C43) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	109	59.9	48.3	71.4	51	63.0	46.9	82.8	58	56.7	43.1	73.3	42	32.1	23.1	43.4	19	31.4	18.9	49.0	23	32.8	20.8	49.2
2002-2004	114	61.7	49.9	73.5	54	64.9	48.7	84.7	60	58.4	44.6	75.2	43	34.2	24.8	46.1	16	29.7	17.0	48.2	27	38.7	25.5	56.4
2003-2005	104	55.9	44.7	67.1	48	56.8	41.9	75.3	56	55.0	41.5	71.4	47	38.1	28.0	50.7	20	37.0	22.6	57.1	27	39.2	25.8	57.1
2004-2006	92	49.3	39.7	60.4	42	50.1	36.1	67.7	50	48.5	36.0	63.9	47	37.3	27.4	49.6	21	36.5	22.6	55.8	26	38.0	24.9	55.8
2005-2007	96	50.0	40.5	61.1	43	49.9	36.1	67.2	53	50.1	37.5	65.5	46	36.5	26.7	48.7	21	37.4	23.2	57.2	25	35.6	23.1	52.6
2006-2008	103	52.9	42.4	63.3	48	54.3	40.0	72.0	55	51.4	38.8	67.0	44	34.2	24.8	45.9	17	30.8	17.9	49.3	27	37.5	24.7	54.6
2007-2009	119	60.8	49.6	72.0	60	67.9	51.8	87.4	59	53.6	40.8	69.2	60	46.0	35.1	59.1	31	53.1	36.1	75.4	29	38.8	26.0	55.7
2008-2010	121	62.2	50.9	73.6	60	67.4	51.4	86.7	61	57.1	43.7	73.3	78	55.4	43.8	69.2	43	66.5	48.1	89.5	35	44.4	30.9	61.7
2009-2011	124	62.4	51.0	73.8	67	73.2	56.7	93.0	57	51.5	39.0	66.8	101	71.2	57.1	85.4	51	79.1	58.9	104.0	50	63.4	47.0	83.6
2010-2012	117	57.2	46.4	67.9	60	63.1	48.2	81.3	57	51.2	38.8	66.3	100	69.0	55.3	82.7	49	73.6	54.5	97.3	51	64.4	47.9	84.6
2011-2013	128	61.9	50.9	73.0	70	73.1	57.0	92.3	58	50.8	38.6	65.6	101	70.4	56.4	84.4	46	69.8	51.1	93.0	55	71.1	53.5	92.5
2012-2014	153	72.5	60.7	84.3	79	80.6	63.8	100.4	74	64.4	50.6	80.9	94	65.4	52.9	80.0	50	74.4	55.3	98.1	44	56.4	41.0	75.7

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	62.1	64.7	62.1	64.8
Median	64	66	64	67
5th percentile	32	36	36	36
95th percentile	87	88	84	89

## Malignant Melanoma (C43) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Malignant Melanoma (C43) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	14	6.8	3.7	11.5	<5	3.9	1.1	9.9	<5	9.8	4.7	18.0	8	6.5	2.8	12.9	<5	9.2	3.0	21.5	<5	3.9	0.8	11.3
2002-2004	14	6.8	3.7	11.4	<5	3.8	1.0	9.8	<5	9.7	4.7	17.9	8	6.7	2.9	13.2	<5	10.8	3.9	23.4	<5	2.7	0.3	9.6
2003-2005	13	6.3	3.3	10.7	5	5.3	1.7	12.3	8	7.2	3.1	14.2	5	4.3	1.4	10.1	<5	7.4	2.0	18.9	<5	1.2	0.0	6.8
2004-2006	13	7.1	3.8	12.1	6	7.6	2.8	16.6	7	6.5	2.6	13.4	5	3.8	1.2	8.9	<5	3.5	0.4	12.6	<5	4.2	0.9	12.2
2005-2007	13	7.5	4.0	12.9	<5	11.1	5.1	21.1	<5	4.0	1.1	10.1	5	3.8	1.2	8.8	<5	3.5	0.4	12.6	<5	4.1	0.8	11.9
2006-2008	15	8.5	4.8	14.0	10	12.4	6.0	22.8	5	4.6	1.5	10.7	9	6.6	3.0	12.6	<5	5.1	1.1	15.0	<5	8.1	3.0	17.6
2007-2009	14	7.5	4.1	12.6	9	10.6	4.9	20.2	5	4.5	1.4	10.4	7	5.2	2.1	10.7	<5	5.0	1.0	14.5	<5	5.5	1.5	14.0
2008-2010	15	8.3	4.6	13.7	9	11.1	5.1	21.0	6	5.5	2.0	12.0	8	5.3	2.3	10.5	<5	1.7	0.0	9.5	<5	8.9	3.6	18.4
2009-2011	13	7.3	3.9	12.4	8	9.6	4.2	19.0	5	4.9	1.6	11.4	7	5.7	2.3	11.8	<5	6.8	1.4	19.8	<5	4.7	1.3	12.0
2010-2012	17	8.8	5.1	14.1	10	11.0	5.3	20.3	7	6.5	2.6	13.5	10	7.7	3.7	14.2	<5	11.1	4.1	24.1	<5	4.4	1.2	11.3
2011-2013	14	6.7	3.7	11.2	8	8.2	3.6	16.2	6	5.2	1.9	11.2	12	9.2	4.8	16.1	<5	13.6	5.9	26.8	<5	4.9	1.3	12.5
2012-2014	12	5.6	2.9	9.8	7	7.0	2.8	14.5	5	4.2	1.4	9.8	11	7.5	3.8	13.5	5	7.4	2.4	17.3	6	7.7	2.8	16.7

## Other Cancers (other 'C' codes excl. C44) – Incidence


### Incidence rates in persons, 2001-2014




### Incidence rates in persons, latest 5-years




### Incidence rates in males, 2001-2014




### Incidence rates in males, latest 5-years



### Incidence rates in females, 2001-2014



### Incidence rates in females, latest 5-years



## Other Cancers (other 'C' codes excl. C44) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	98	63.5	51.5	77.4	54	78.2	58.8	102.1	44	48.7	35.4	65.4	67	54.7	42.4	69.5	42	73.9	53.3	99.9	25	35.5	23.0	52.4
2002-2004	112	71.9	57.9	85.8	62	87.2	66.9	111.8	50	56.5	41.9	74.4	68	56.5	43.9	71.6	41	75.6	54.2	102.5	27	37.4	24.7	54.5
2003-2005	112	69.7	56.4	83.0	57	78.4	59.4	101.6	55	61.1	46.0	79.5	66	54.4	42.1	69.2	36	67.8	47.5	93.9	30	40.9	27.6	58.4
2004-2006	96	59.4	48.1	72.5	49	68.3	50.5	90.3	47	50.5	37.1	67.2	73	58.0	45.5	72.9	38	69.0	48.8	94.7	35	47.0	32.7	65.3
2005-2007	91	55.3	44.5	67.9	46	63.9	46.8	85.2	45	46.7	34.1	62.5	76	57.4	45.2	71.8	40	67.6	48.3	92.1	36	47.1	33.0	65.2
2006-2008	73	44.4	34.8	55.8	40	55.1	39.3	75.0	33	33.7	23.2	47.3	83	60.6	48.3	75.1	43	70.8	51.2	95.4	40	50.4	36.0	68.6
2007-2009	75	43.7	34.4	54.8	42	54.1	39.0	73.1	33	33.3	22.9	46.8	85	61.2	48.9	75.7	50	80.2	59.6	105.8	35	42.2	29.4	58.8
2008-2010	99	55.2	44.9	67.2	52	66.0	49.3	86.5	47	44.4	32.6	59.1	88	64.4	51.7	79.4	47	77.6	57.0	103.1	41	51.3	36.8	69.5
2009-2011	128	70.3	57.8	82.9	72	87.8	68.7	110.6	56	52.8	39.9	68.6	95	69.4	56.1	84.8	52	84.8	63.4	111.2	43	53.9	39.0	72.6
2010-2012	131	71.1	58.6	83.6	73	88.5	69.4	111.3	58	53.6	40.7	69.3	93	63.6	51.4	78.0	40	61.9	44.2	84.3	53	65.4	49.0	85.5
2011-2013	122	63.3	52.0	74.7	66	75.5	58.4	96.1	56	51.2	38.7	66.5	96	63.9	51.8	78.1	45	67.5	49.3	90.4	51	60.3	44.9	79.3
2012-2014	115	56.9	46.4	67.3	58	62.8	47.7	81.2	57	51.0	38.6	66.0	79	51.3	40.6	64.0	34	49.4	34.2	69.0	45	53.3	38.9	71.3

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	71.2	72.2	55.6	68.5
Median	73	74	59	70
5th percentile	44	47	23	42
95th percentile	90	91	86	89

## Other Cancers (other 'C' codes excl. C44) – Mortality


### Mortality rates in persons, 2001-2014




### Mortality rates in persons, latest 5-years




### Mortality rates in males, 2001-2014




### Mortality rates in males, latest 5-years



### Mortality rates in females, 2001-2014



### Mortality rates in females, latest 5-years




## Other Cancers (other 'C' codes excl. C44) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	60	38.5	29.3	49.5	29	41.4	27.7	59.4	31	35.5	24.1	50.4	56	45.5	34.4	59.1	30	56.2	37.9	80.3	26	34.7	22.7	50.9
2002-2004	60	38.0	29.0	48.9	29	40.7	27.3	58.5	31	35.2	23.9	50.0	63	52.2	40.1	66.8	34	65.3	45.2	91.2	29	39.2	26.3	56.3
2003-2005	59	36.3	27.7	46.9	29	39.1	26.2	56.1	30	33.6	22.7	47.9	72	58.8	46.0	74.0	39	72.5	51.6	99.1	33	45.0	31.0	63.2
2004-2006	60	36.6	27.9	47.1	27	37.6	24.8	54.7	33	35.6	24.5	50.0	67	54.4	42.1	69.0	33	61.4	42.3	86.3	34	47.3	32.7	66.1
2005-2007	59	35.4	26.9	45.6	27	37.3	24.6	54.3	32	33.4	22.8	47.1	78	61.8	48.9	77.2	40	73.9	52.8	100.6	38	49.8	35.3	68.4
2006-2008	53	31.2	23.4	40.9	25	34.2	22.2	50.6	28	28.3	18.8	40.8	67	51.8	40.2	65.8	31	58.7	39.9	83.4	36	45.0	31.5	62.2
2007-2009	43	23.8	17.2	32.0	17	22.1	12.9	35.4	26	25.5	16.6	37.3	84	64.1	51.1	79.3	39	74.0	52.6	101.1	45	54.2	39.5	72.5
2008-2010	52	29.2	21.8	38.3	23	30.9	19.6	46.3	29	27.5	18.4	39.5	76	58.1	45.8	72.8	40	71.8	51.3	97.8	36	44.5	31.2	61.6
2009-2011	72	40.1	31.4	50.5	32	42.2	28.9	59.6	40	38.0	27.2	51.8	78	57.7	45.6	72.0	42	71.3	51.4	96.4	36	44.1	30.9	61.1
2010-2012	85	46.5	37.1	57.5	47	58.5	43.0	77.7	38	34.5	24.4	47.3	75	51.2	40.3	64.2	37	57.9	40.8	79.8	38	44.5	31.5	61.0
2011-2013	90	47.4	38.1	58.2	50	60.0	44.6	79.2	40	34.7	24.8	47.3	76	50.8	40.0	63.5	33	53.6	36.9	75.3	43	47.9	34.7	64.6
2012-2014	91	46.2	37.2	56.8	51	58.3	43.4	76.6	40	34.2	24.4	46.6	82	55.6	44.2	69.0	40	64.0	45.7	87.1	42	47.2	34.0	63.7

## Other Gynaecological Cancers (C51-C53, C57-C58) – Incidence


**Incidence rates in persons, 2001-2014**




**Incidence rates in persons, latest 5-years**




**Incidence rates in males, 2001-2014**




**Incidence rates in males, latest 5-years**



**Incidence rates in females, 2001-2014**



**Incidence rates in females, latest 5-years**



## Other Gynaecological Cancers (C51-C53, C57-C58) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	22	21.8	13.7	33.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	23	31.7	20.1	47.5
2002-2004	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	22	20.8	13.0	31.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	22	30.7	19.2	46.5
2003-2005	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	28	25.3	16.8	36.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	23	32.6	20.7	48.9
2004-2006	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	21	18.6	11.5	28.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18	23.8	14.1	37.6
2005-2007	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	24	21.7	13.9	32.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19	25.0	15.1	39.1
2006-2008	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17	15.7	9.2	25.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	20	26.6	16.3	41.1
2007-2009	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	22	20.1	12.6	30.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17	22.4	13.0	35.8
2008-2010	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	20	18.2	11.1	28.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18	23.0	13.6	36.4
2009-2011	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	23	20.5	13.0	30.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19	24.2	14.6	37.8
2010-2012	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17	15.3	8.9	24.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	20	25.6	15.7	39.6
2011-2013	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16	14.1	8.0	22.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13	17.4	9.3	29.8
2012-2014	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17	14.5	8.5	23.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12	15.2	7.8	26.5

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	55.8	57.2	58.1	56.0
Median	55	57	61	56
5th percentile	26	26	34	27
95th percentile	88	89	86	87

## Other Gynaecological Cancers (C51-C53, C57-C58) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Other Gynaecological Cancers (C51-C53, C57-C58) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey														Guernsey													
	Persons				Males				Females				Persons				Males				Females							
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5	5.0	1.6	11.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6	8.3	3.0	18.0	
2002-2004	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5	5.0	1.6	11.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9	12.3	5.6	23.4
2003-2005	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6	5.9	2.2	12.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7	9.7	3.9	20.0
2004-2006	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8	7.4	3.2	14.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5	6.7	2.2	15.6
2005-2007	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6	5.5	2.0	11.9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	1.1	0.0	6.2
2006-2008	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5	4.5	1.5	10.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	1.1	0.0	5.9
2007-2009	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	2.8	0.6	8.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	2.4	0.3	8.8
2008-2010	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	2.8	0.6	8.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	3.4	0.7	9.8
2009-2011	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5	4.8	1.6	11.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5	6.6	2.1	15.4
2010-2012	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5	4.9	1.6	11.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5	6.9	2.2	16.1
2011-2013	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8	7.3	3.1	14.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	5.5	1.5	14.2
2012-2014	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6	5.0	1.9	11.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	4.1	0.8	12.0

## Other Skin Cancers (C44) – Incidence


### Incidence rates in persons, 2001-2014




### Incidence rates in persons, latest 5-years




### Incidence rates in males, 2001-2014




### Incidence rates in males, latest 5-years



### Incidence rates in females, 2001-2014



### Incidence rates in females, latest 5-years



## Other Skin Cancers (C44) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014

Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	708	430.2	397.6	462.8	369	507.9	454.1	561.6	339	352.5	315.6	389.4	589	492.9	451.8	534.1	330	629.8	559.1	700.6	259	356.0	314.0	398.0
2002-2004	728	441.4	408.3	474.4	380	518.6	464.2	572.9	348	364.2	326.6	401.8	712	593.7	548.7	638.6	391	738.3	662.3	814.2	321	449.1	401.0	497.2
2003-2005	773	465.1	431.2	499.1	420	562.6	506.1	619.1	353	367.7	330.2	405.3	691	573.8	529.5	618.1	367	690.6	616.9	764.3	324	457.0	407.8	506.1
2004-2006	813	473.9	440.5	507.4	435	556.4	501.8	611.0	378	391.5	352.7	430.4	595	478.0	438.5	517.6	300	539.5	476.1	602.8	295	416.6	369.4	463.8
2005-2007	844	482.4	448.9	515.8	451	566.3	512.0	620.6	393	398.4	359.5	437.3	597	476.8	437.2	516.3	311	558.6	493.9	623.2	286	395.0	349.5	440.5
2006-2008	886	490.9	457.9	524.0	462	563.8	510.6	617.0	424	418.0	378.9	457.2	627	487.0	447.7	526.3	335	579.9	515.4	644.3	292	394.0	349.1	439.0
2007-2009	922	502.1	468.9	535.4	468	565.0	511.8	618.2	454	439.2	399.4	479.1	734	564.6	522.6	606.7	420	711.9	641.5	782.2	314	417.4	371.4	463.4
2008-2010	955	509.1	476.1	542.1	498	583.2	530.1	636.3	457	435.1	395.8	474.3	758	564.1	523.0	605.2	420	685.9	618.6	753.3	338	442.3	395.2	489.4
2009-2011	996	521.6	488.5	554.7	521	594.4	541.7	647.0	475	448.7	408.6	488.9	752	546.9	507.1	586.7	410	654.3	589.5	719.1	342	439.4	393.1	485.8
2010-2012	1090	554.8	521.3	588.2	581	639.3	586.0	692.6	509	470.2	429.7	510.7	844	604.8	563.1	646.5	434	692.5	625.7	759.4	410	517.0	467.2	566.8
2011-2013	1163	580.3	546.4	614.1	619	667.2	613.4	721.1	544	493.3	452.3	534.4	937	657.8	614.9	700.8	493	766.2	696.9	835.4	444	549.5	498.7	600.3
2012-2014	1208	591.5	557.8	625.3	645	681.9	628.2	735.7	563	501.1	460.3	541.9	1075	748.1	702.6	793.7	582	889.7	815.9	963.6	493	606.5	553.1	660.0

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	71.3	71.7	68.3	70.9
Median	73	73	70	73
5th percentile	46	47	44	47
95th percentile	90	90	88	89

## Other Skin Cancers (C44) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Other Skin Cancers (C44) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	5	3.6	1.2	8.4	<5	6.2	1.7	16.0	<5	1.0	0.0	5.6	5	4.5	1.5	10.5	<5	6.5	1.3	19.0	<5	2.5	0.3	8.9
2002-2004	5	3.5	1.2	8.3	<5	6.1	1.7	15.6	<5	1.0	0.0	5.6	<5	3.6	1.0	9.2	<5	4.4	0.5	15.8	<5	2.8	0.3	10.2
2003-2005	<5	2.0	0.4	5.8	<5	2.8	0.3	10.0	<5	1.2	0.0	6.6	<5	3.1	0.8	7.9	<5	2.1	0.1	11.9	<5	4.1	0.8	11.9
2004-2006	<5	1.8	0.4	5.4	<5	1.6	0.0	9.0	<5	2.1	0.3	7.5	<5	2.4	0.5	7.1	<5	2.0	0.1	11.2	<5	2.8	0.3	10.2
2005-2007	8	6.8	2.9	13.3	<5	10.6	3.4	24.7	<5	2.9	0.6	8.6	<5	2.6	0.5	7.6	<5	4.1	0.5	14.6	<5	1.1	0.0	6.4
2006-2008	8	6.6	2.9	13.1	<5	11.5	4.2	25.1	<5	1.7	0.2	6.3	<5	3.9	1.1	10.1	<5	5.7	0.7	20.5	<5	2.2	0.3	8.0
2007-2009	8	6.5	2.8	12.9	<5	11.3	4.1	24.5	<5	1.8	0.2	6.4	<5	3.9	1.1	10.0	<5	5.5	0.7	20.0	<5	2.2	0.3	8.1
2008-2010	<5	1.1	0.1	3.8	<5	1.2	0.0	6.8	<5	0.9	0.0	5.1	5	4.1	1.3	9.6	<5	3.6	0.1	19.9	<5	4.6	1.3	11.8
2009-2011	<5	1.0	0.1	3.7	-	-	-	-	<5	2.0	0.2	7.3	5	3.4	1.1	7.9	<5	3.5	0.4	12.5	<5	3.3	0.7	9.7
2010-2012	<5	1.0	0.1	3.5	-	-	-	-	<5	2.0	0.2	7.1	6	4.2	1.5	9.1	<5	5.0	1.0	14.7	<5	3.3	0.7	9.7
2011-2013	<5	2.2	0.6	5.6	<5	2.4	0.3	8.6	<5	2.0	0.2	7.1	<5	3.0	0.8	7.6	<5	5.0	1.0	14.6	<5	0.9	0.0	5.3
2012-2014	5	2.6	0.9	6.1	<5	3.6	0.7	10.5	<5	1.6	0.2	5.9	<5	2.2	0.5	6.5	<5	3.4	0.4	12.3	<5	1.1	0.0	6.0

## Ovarian Cancer (C56) – Incidence


**Incidence rates in persons, 2001-2014**




**Incidence rates in persons, latest 5-years**




**Incidence rates in males, 2001-2014**




**Incidence rates in males, latest 5-years**



**Incidence rates in females, 2001-2014**



**Incidence rates in females, latest 5-years**



## Ovarian Cancer (C56) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	27	28.6	18.9	41.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	34	47.1	32.6	65.8
2002-2004	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	28	29.6	19.7	42.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	32	45.1	30.8	63.6
2003-2005	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	27	28.2	18.6	41.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	28	39.9	26.5	57.6
2004-2006	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	34	34.6	24.0	48.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19	28.0	16.9	43.7
2005-2007	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	38	38.0	26.9	52.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	24	34.6	22.2	51.5
2006-2008	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	38	37.7	26.7	51.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	25	34.4	22.3	50.9
2007-2009	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29	27.7	18.5	39.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	25	33.6	21.7	49.6
2008-2010	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	30	28.6	19.3	40.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	21	28.8	17.8	44.1
2009-2011	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29	26.9	18.0	38.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17	22.9	13.4	36.7
2010-2012	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	33	30.2	20.8	42.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	20	25.1	15.3	38.8
2011-2013	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29	26.2	17.6	37.6	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	21	26.0	16.1	39.8
2012-2014	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	33	29.9	20.6	42.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	31	38.0	25.8	53.9

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	64.2	66.1	68.0	67.9
Median	66	67	69	70
5th percentile	35	39	47	45
95th percentile	87	89	84	85

## Ovarian Cancer (C56) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Ovarian Cancer (C56) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10	11.3	5.4	20.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19	26.2	15.8	41.0
2002-2004	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10	11.1	5.3	20.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	27	38.1	25.1	55.4
2003-2005	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11	12.2	6.1	21.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	25	36.1	23.3	53.2
2004-2006	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12	12.6	6.5	22.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	20	29.6	18.1	45.7
2005-2007	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11	11.5	5.7	20.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	13	19.8	10.6	33.9
2006-2008	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11	11.0	5.5	19.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18	25.7	15.2	40.7
2007-2009	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15	15.2	8.5	25.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19	24.7	14.9	38.5
2008-2010	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	21	20.8	12.9	31.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18	22.6	13.4	35.8
2009-2011	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	26	25.3	16.5	37.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	12	14.5	7.5	25.4
2010-2012	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19	18.1	10.9	28.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8	10.3	4.5	20.4
2011-2013	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19	18.2	11.0	28.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10	12.5	6.0	23.0
2012-2014	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15	14.2	7.9	23.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	11	14.4	7.2	25.8

## Prostate Cancer (C61) – Incidence


### Incidence rates in persons, 2001-2014




### Incidence rates in persons, latest 5-years




### Incidence rates in males, 2001-2014




### Incidence rates in males, latest 5-years



### Incidence rates in females, 2001-2014



### Incidence rates in females, latest 5-years



## Prostate Cancer (C61) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	N/A	N/A	N/A	N/A	161	232.0	195.3	268.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	101	195.3	155.9	234.8	N/A	N/A	N/A	N/A
2002-2004	N/A	N/A	N/A	N/A	217	308.5	266.2	350.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	102	198.7	158.5	238.9	N/A	N/A	N/A	N/A
2003-2005	N/A	N/A	N/A	N/A	222	313.3	270.5	356.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	105	196.1	157.7	234.5	N/A	N/A	N/A	N/A
2004-2006	N/A	N/A	N/A	N/A	232	315.2	273.0	357.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	92	172.0	138.7	210.9	N/A	N/A	N/A	N/A
2005-2007	N/A	N/A	N/A	N/A	210	276.3	237.3	315.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	107	194.5	156.5	232.6	N/A	N/A	N/A	N/A
2006-2008	N/A	N/A	N/A	N/A	219	281.0	242.5	319.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	116	204.3	166.3	242.4	N/A	N/A	N/A	N/A
2007-2009	N/A	N/A	N/A	N/A	192	241.1	206.0	276.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	138	234.9	194.4	275.4	N/A	N/A	N/A	N/A
2008-2010	N/A	N/A	N/A	N/A	222	270.6	234.2	307.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	136	226.0	186.7	265.2	N/A	N/A	N/A	N/A
2009-2011	N/A	N/A	N/A	N/A	242	282.5	245.9	319.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	122	194.9	159.1	230.7	N/A	N/A	N/A	N/A
2010-2012	N/A	N/A	N/A	N/A	262	299.1	262.0	336.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	134	207.0	171.1	242.9	N/A	N/A	N/A	N/A
2011-2013	N/A	N/A	N/A	N/A	243	266.5	232.1	300.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	156	233.7	196.4	271.0	N/A	N/A	N/A	N/A
2012-2014	N/A	N/A	N/A	N/A	259	272.5	238.7	306.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	176	255.8	217.4	294.3	N/A	N/A	N/A	N/A

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	71.1	71.9	68.8	69.2
Median	71	72	68	68
5th percentile	55	57	53	53
95th percentile	87	88	86	87

## Prostate Cancer (C61) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Prostate Cancer (C61) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	N/A	N/A	N/A	N/A	30	52.7	35.6	75.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	36	83.1	58.2	115.1	N/A	N/A	N/A	N/A
2002-2004	N/A	N/A	N/A	N/A	30	51.7	34.9	73.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	30	73.8	49.8	105.4	N/A	N/A	N/A	N/A
2003-2005	N/A	N/A	N/A	N/A	35	59.5	41.5	82.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	31	74.7	50.7	106.0	N/A	N/A	N/A	N/A
2004-2006	N/A	N/A	N/A	N/A	43	72.6	52.5	97.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	27	59.3	39.1	86.3	N/A	N/A	N/A	N/A
2005-2007	N/A	N/A	N/A	N/A	51	87.5	65.2	115.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	34	73.5	50.9	102.7	N/A	N/A	N/A	N/A
2006-2008	N/A	N/A	N/A	N/A	54	90.4	67.9	118.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	31	65.3	44.4	92.7	N/A	N/A	N/A	N/A
2007-2009	N/A	N/A	N/A	N/A	56	87.2	65.9	113.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	43	88.8	64.2	119.5	N/A	N/A	N/A	N/A
2008-2010	N/A	N/A	N/A	N/A	54	78.4	58.9	102.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	46	89.6	65.6	119.6	N/A	N/A	N/A	N/A
2009-2011	N/A	N/A	N/A	N/A	49	68.1	50.4	90.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	52	98.3	73.4	128.9	N/A	N/A	N/A	N/A
2010-2012	N/A	N/A	N/A	N/A	40	54.9	39.2	74.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	49	88.7	65.6	117.3	N/A	N/A	N/A	N/A
2011-2013	N/A	N/A	N/A	N/A	43	55.2	39.9	74.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	50	90.0	66.8	118.7	N/A	N/A	N/A	N/A
2012-2014	N/A	N/A	N/A	N/A	46	58.3	42.7	77.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	47	83.3	61.2	110.7	N/A	N/A	N/A	N/A

## Upper Gastrointestinal Cancers (C15-C16, C25) – Incidence


**Incidence rates in persons, 2001-2014**




**Incidence rates in persons, latest 5-years**




**Incidence rates in males, 2001-2014**




**Incidence rates in males, latest 5-years**



**Incidence rates in females, 2001-2014**



**Incidence rates in females, latest 5-years**



## Upper Gastrointestinal Cancers (C15-C16, C25) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	70	43.4	33.9	54.9	38	52.3	37.0	71.8	32	34.5	23.6	48.7	61	49.8	38.1	64.0	38	66.8	47.3	91.7	23	32.8	20.8	49.1
2002-2004	80	48.9	38.8	60.9	46	61.6	45.1	82.1	34	36.2	25.1	50.6	78	67.0	53.0	83.6	47	90.6	66.6	120.5	31	43.4	29.5	61.6
2003-2005	86	51.9	41.5	64.1	46	61.8	45.2	82.4	40	42.1	30.1	57.3	81	69.3	55.0	86.1	46	88.7	65.0	118.4	35	49.8	34.7	69.3
2004-2006	112	66.5	53.8	79.2	64	83.4	64.2	106.5	48	49.7	36.6	65.8	74	63.1	49.5	79.2	44	83.7	60.8	112.4	30	42.4	28.6	60.5
2005-2007	111	64.7	52.2	77.2	62	79.3	60.8	101.7	49	50.1	37.0	66.2	74	58.2	45.7	73.0	41	70.7	50.7	95.9	33	45.6	31.4	64.1
2006-2008	115	64.5	52.4	76.6	67	81.0	62.8	102.8	48	48.1	35.4	63.7	78	59.7	47.2	74.6	46	76.7	56.1	102.2	32	42.8	29.3	60.5
2007-2009	91	50.9	41.0	62.5	55	66.3	49.9	86.3	36	35.5	24.8	49.1	87	64.5	51.7	79.6	48	78.8	58.1	104.5	39	50.2	35.7	68.6
2008-2010	106	56.8	45.9	67.7	60	69.7	53.2	89.7	46	43.9	32.1	58.5	82	59.1	47.0	73.4	47	74.9	55.0	99.6	35	43.4	30.2	60.3
2009-2011	116	59.9	48.9	70.8	65	73.2	56.5	93.3	51	46.5	34.6	61.1	78	55.4	43.8	69.2	46	72.8	53.3	97.1	32	38.1	26.0	53.7
2010-2012	132	67.0	55.4	78.6	70	78.6	61.3	99.3	62	55.4	42.5	71.0	71	49.6	38.7	62.5	42	64.4	46.4	87.0	29	34.7	23.3	49.9
2011-2013	122	62.8	51.4	74.2	75	84.0	66.1	105.3	47	41.6	30.5	55.3	66	47.0	36.3	59.8	41	63.0	45.2	85.5	25	30.9	20.0	45.7
2012-2014	114	57.7	46.9	68.5	64	70.8	54.6	90.5	50	44.5	33.0	58.7	59	42.5	32.4	54.8	37	58.5	41.2	80.6	22	26.6	16.6	40.2

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	72.2	73.1	70.7	70.6
Median	73	74	72	72
5th percentile	51	52	48	46
95th percentile	90	90	89	90

## Upper Gastrointestinal Cancers (C15-C16, C25) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Upper Gastrointestinal Cancers (C15-C16, C25) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	58	35.6	27.1	46.1	29	39.9	26.7	57.3	29	31.4	21.0	45.0	58	49.7	37.7	64.2	38	72.3	51.2	99.3	20	27.0	16.5	41.7
2002-2004	58	35.2	26.7	45.5	29	39.3	26.3	56.4	29	31.1	20.9	44.7	69	63.2	49.2	80.0	42	89.6	64.6	121.1	27	36.8	24.3	53.6
2003-2005	68	42.1	32.7	53.3	36	50.3	35.2	69.6	32	33.9	23.2	47.8	68	61.7	47.9	78.2	37	80.4	56.6	110.8	31	43.1	29.3	61.2
2004-2006	75	45.7	36.0	57.3	42	57.0	41.1	77.1	33	34.4	23.7	48.3	67	59.9	46.4	76.0	38	79.9	56.6	109.7	29	39.8	26.6	57.1
2005-2007	82	48.9	38.9	60.7	50	64.8	48.1	85.5	32	33.0	22.6	46.6	59	47.8	36.4	61.7	32	58.9	40.3	83.1	27	36.8	24.2	53.5
2006-2008	85	48.3	38.6	59.7	50	61.2	45.4	80.7	35	35.4	24.6	49.2	57	43.4	32.9	56.2	30	51.0	34.4	72.9	27	35.7	23.5	52.0
2007-2009	77	43.9	34.7	54.9	45	56.4	41.1	75.4	32	31.5	21.5	44.5	69	52.5	40.8	66.4	36	61.5	43.1	85.2	33	43.4	29.9	61.0
2008-2010	87	48.5	38.9	59.8	51	62.1	46.2	81.6	36	34.9	24.5	48.4	63	46.3	35.6	59.3	35	57.6	40.1	80.2	28	35.0	23.3	50.6
2009-2011	78	42.7	33.7	53.3	50	59.3	44.0	78.2	28	26.0	17.3	37.6	68	50.2	39.0	63.7	42	69.6	50.1	94.0	26	30.9	20.2	45.2
2010-2012	98	51.8	42.1	63.1	57	66.4	50.3	86.0	41	37.2	26.7	50.5	63	43.8	33.6	56.0	37	58.0	40.8	79.9	26	29.5	19.3	43.3
2011-2013	87	46.4	37.2	57.3	54	63.9	48.0	83.4	33	29.0	19.9	40.7	69	49.0	38.1	62.1	44	68.5	49.8	92.0	25	29.6	19.1	43.6
2012-2014	98	50.2	40.8	61.2	54	62.2	46.7	81.1	44	38.2	27.8	51.3	57	41.1	31.1	53.2	35	56.5	39.4	78.6	22	25.7	16.1	38.9

## Uterine Cancer (C54-C55) – Incidence


### Incidence rates in persons, 2001-2014




### Incidence rates in persons, latest 5-years




### Incidence rates in males, 2001-2014




### Incidence rates in males, latest 5-years



### Incidence rates in females, 2001-2014



### Incidence rates in females, latest 5-years



## Uterine Cancer (C54-C55) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19	21.4	12.9	33.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	16	22.5	12.8	36.5
2002-2004	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18	20.3	12.0	32.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	15	20.7	11.6	34.2
2003-2005	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17	18.7	10.9	29.9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	19	27.1	16.3	42.3
2004-2006	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	17	18.7	10.9	29.9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	14	19.6	10.7	32.8
2005-2007	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	25	26.4	17.1	39.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	18	24.7	14.6	39.0
2006-2008	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	26	26.8	17.5	39.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	20	27.5	16.8	42.4
2007-2009	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	28	27.8	18.5	40.2	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	27	36.6	24.1	53.3
2008-2010	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	26	25.3	16.5	37.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	29	38.9	26.0	55.8
2009-2011	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	32	31.2	21.3	44.1	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	26	32.5	21.2	47.6
2010-2012	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	31	29.2	19.8	41.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	25	30.6	19.8	45.2
2011-2013	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	27	24.6	16.2	35.7	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	28	36.4	24.2	52.6
2012-2014	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	31	27.9	18.9	39.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	33	42.7	29.4	60.0

Age at diagnosis, 2010-2014 combined data


	England	South West	Jersey	Guernsey
Mean	66.8	68.1	65.0	64.5
Median	67	68	66	64
5th percentile	47	49	45	48
95th percentile	86	87	85	83

## Uterine Cancer (C54-C55) – Mortality


**Mortality rates in persons, 2001-2014**




**Mortality rates in persons, latest 5-years**




**Mortality rates in males, 2001-2014**




**Mortality rates in males, latest 5-years**



**Mortality rates in females, 2001-2014**



**Mortality rates in females, latest 5-years**




## Uterine Cancer (C54-C55) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014


Years of Death	Jersey														Guernsey													
	Persons				Males				Females				Persons				Males				Females							
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	4.5	1.2	11.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	4.8	1.3	12.3	
2002-2004	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	4.5	1.2	11.5	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7	8.9	3.6	18.3	
2003-2005	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	4.6	1.3	11.9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	5.3	1.4	13.5	
2004-2006	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6	7.0	2.6	15.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	5.2	1.4	13.2	
2005-2007	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8	8.8	3.8	17.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	1.1	0.0	6.2	
2006-2008	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	10	11.0	5.3	20.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	2.7	0.3	9.8	
2007-2009	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9	9.4	4.3	17.8	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	4.0	0.8	11.6	
2008-2010	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6	6.0	2.2	13.0	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	2.9	0.4	10.5	
2009-2011	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	<5	3.6	1.0	9.3	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8	9.7	4.2	19.2	
2010-2012	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6	5.3	1.9	11.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	7	8.3	3.3	17.1	
2011-2013	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	5	4.5	1.4	10.4	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	8	9.5	4.1	18.8	
2012-2014	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	9	8.4	3.8	15.9	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	6	7.7	2.8	16.8	

## Paediatric Cancers (0-19 years; C00-C97 excl. C44) – Incidence


### Incidence rates in persons, 2001-2014




### Incidence rates in persons, latest 5-years




### Incidence rates in males, 2001-2014




### Incidence rates in males, latest 5-years



### Incidence rates in females, 2001-2014



### Incidence rates in females, latest 5-years



## Paediatric Cancers (0-19 years; C00-C97 excl. C44) – Incidence

Age-standardised incidence rates (per 100,000 population), 2001-2014


Years of Diagnosis	Jersey												Guernsey											
	Persons				Males				Females				Persons				Males				Females			
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI
2001-2003	11	18.6	9.3	33.3	<5	23.4	9.4	48.3	<5	13.8	3.8	35.5	<5	9.4	2.6	24.2	<5	4.5	0.1	25.1	<5	14.4	3.0	42.0
2002-2004	17	29.0	16.9	46.4	9	30.2	13.8	57.3	8	27.8	12.0	54.7	5	11.5	3.7	26.8	<5	9.0	1.1	32.3	<5	14.0	2.9	41.0
2003-2005	18	30.5	18.1	48.3	10	33.0	15.8	60.8	8	28.0	12.1	55.2	6	13.7	5.0	29.8	<5	17.9	4.9	45.8	<5	9.5	1.2	34.4
2004-2006	19	31.9	19.2	49.8	10	32.7	15.7	60.1	9	31.2	14.2	59.2	5	11.4	3.7	26.5	<5	18.1	4.9	46.2	<5	4.6	0.1	25.9
2005-2007	17	28.3	16.5	45.2	7	22.6	9.1	46.5	10	33.9	16.3	62.4	6	13.6	5.0	29.6	6	27.2	10.0	59.2	-	-	-	-
2006-2008	16	26.7	15.2	43.3	<5	12.9	3.5	33.0	<5	40.5	20.9	70.7	6	13.6	5.0	29.7	6	27.3	10.0	59.4	-	-	-	-
2007-2009	15	25.0	14.0	41.2	<5	6.5	0.8	23.5	<5	43.4	23.1	74.3	8	18.3	7.9	36.0	<5	31.3	12.6	64.5	<5	5.3	0.1	29.3
2008-2010	13	21.4	11.4	36.6	<5	9.7	2.0	28.3	<5	33.1	15.9	60.9	11	25.8	12.9	46.2	<5	36.9	15.9	72.8	<5	14.7	3.0	42.9
2009-2011	13	21.0	11.2	35.9	6	19.2	7.0	41.8	7	22.8	9.2	46.9	11	26.6	13.3	47.6	<5	32.9	13.2	67.7	<5	20.3	5.5	52.0
2010-2012	17	27.0	15.7	43.2	9	28.4	13.0	53.8	8	25.6	11.0	50.4	12	29.6	15.3	51.6	7	33.9	13.6	69.9	5	25.2	8.2	58.7
2011-2013	15	23.6	13.2	39.0	8	24.9	10.8	49.1	7	22.4	9.0	46.1	10	24.9	11.9	45.8	<5	19.4	5.3	49.6	<5	30.4	11.2	66.2
2012-2014	19	29.0	17.4	45.2	11	32.6	16.3	58.3	8	25.3	10.9	49.9	13	31.7	16.9	54.2	<5	19.1	5.2	48.9	<5	44.3	20.2	84.0

Age at diagnosis, 2010-2014 combined data






	England	South West	Jersey	Guernsey
Mean	9.5	9.7	10.1	10.1
Median	10	10	11	11
5th percentile	0	0	0	0
95th percentile	19	19	19	18

## Paediatric Cancers (0-19 years; C00-C97 excl. C44) – Mortality

**Mortality rates in persons, 2001-2014**



**Mortality rates in persons, latest 5-years**



## Paediatric Cancers (0-19 years; C00-C97 excl. C44) – Mortality

Age-standardised mortality rates (per 100,000 population), 2001-2014

Years of Death	Jersey														Guernsey														
	Persons				Males				Females				Persons				Males				Females								
	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	Count	ASR	LCI	UCI	
2001-2003	<5	1.6	0.0	9.1	<5	3.3	0.1	18.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2002-2004	<5	1.6	0.0	9.1	<5	3.3	0.1	18.2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2003-2005	<5	1.6	0.0	9.1	<5	3.3	0.1	18.2	-	-	-	-	<5	4.5	0.5	16.3	<5	9	1.1	32.7	-	-	-	-	-	-	-	-	-
2004-2006	<5	1.7	0.0	9.3	<5	3.4	0.1	18.7	-	-	-	-	<5	4.6	0.6	16.7	<5	9.2	1.1	33.3	-	-	-	-	-	-	-	-	-
2005-2007	<5	1.6	0.0	9.1	<5	3.3	0.1	18.3	-	-	-	-	<5	4.7	0.6	17.1	<5	9.5	1.1	34.3	-	-	-	-	-	-	-	-	-
2006-2008	<5	1.6	0.0	8.9	<5	3.2	0.1	17.8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2007-2009	<5	1.7	0.0	9.4	<5	3.4	0.1	18.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2008-2010	<5	1.7	0.0	9.5	<5	3.4	0.1	18.9	-	-	-	-	<5	2.4	0.1	13.6	<5	4.9	0.1	27.3	-	-	-	-	-	-	-	-	-
2009-2011	<5	3.3	0.4	12.0	<5	3.4	0.1	19.1	<5	3.2	0.1	18.1	<5	2.4	0.1	13.6	<5	4.9	0.1	27.2	-	-	-	-	-	-	-	-	-
2010-2012	<5	3.3	0.4	11.9	<5	3.4	0.1	18.9	<5	3.2	0.1	17.9	<5	2.5	0.1	13.7	<5	4.9	0.1	27.4	-	-	-	-	-	-	-	-	-
2011-2013	<5	6.6	1.8	16.9	<5	6.7	0.8	24.2	<5	6.5	0.8	23.5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2012-2014	<5	4.9	1.0	14.4	<5	6.6	0.8	23.7	<5	3.3	0.1	18.5	<5	2.3	0.1	13	<5	4.7	0.1	26.1	-	-	-	-	-	-	-	-	-

# Staging completeness

## Percentage of cancers with valid stage, for main five cancers, in Guernsey

Site	Year				
	2010	2011	2012	2013	2014
Breast	5%	26%	85%	56%	77%
Prostate	2%	13%	35%	31%	56%
Lung	18%	36%	57%	75%	81%
Colorectal	13%	23%	87%	79%	84%
Malignant Melanoma	28%	31%	72%	62%	84%

## Percentage of cancers with valid stage, for main five cancers, in Jersey

Site	Year				
	2010	2011	2012	2013	2014
Breast	34%	56%	42%	44%	62%
Prostate	8%	4%	5%	10%	22%
Lung	16%	29%	26%	47%	51%
Colorectal	14%	33%	17%	34%	21%
Malignant Melanoma	23%	17%	39%	86%	84%

## Appendix – ICD-10 codes

<b>ICD-10 code</b>	<b>Site description</b>
C00	Malignant neoplasm of lip
C01	Malignant neoplasm of base of tongue
C02	Malignant neoplasm of other and unspecified parts of tongue
C03	Malignant neoplasm of gum
C04	Malignant neoplasm of floor of mouth
C05	Malignant neoplasm of palate
C06	Malignant neoplasm of other and unspecified parts of mouth
C07	Malignant neoplasm of parotid gland
C08	Malignant neoplasm of other and unspecified major salivary glands
C09	Malignant neoplasm of tonsil
C10	Malignant neoplasm of oropharynx
C11	Malignant neoplasm of nasopharynx
C12	Malignant neoplasm of pyriform sinus
C13	Malignant neoplasm of hypopharynx
C14	Malignant neoplasm of other ill-defined sites of lip/oral cavity/pharynx
C15	Malignant neoplasm of oesophagus
C16	Malignant neoplasm of stomach
C17	Malignant neoplasm of small intestine
C18	Malignant neoplasm of colon
C19	Malignant neoplasm of rectosigmoid junction
C20	Malignant neoplasm of rectum
C21	Malignant neoplasm of anus and anal canal
C22	Malignant neoplasm of liver and intrahepatic bile ducts
C23	Malignant neoplasm of gallbladder
C24	Malignant neoplasm of other and unspecified parts of biliary tract
C25	Malignant neoplasm of pancreas
C26	Malignant neoplasm of other and ill-defined digestive organs
C30	Malignant neoplasm of nasal cavity and middle ear
C31	Malignant neoplasm of accessory sinuses
C32	Malignant neoplasm of larynx

C33	Malignant neoplasm of trachea
C34	Malignant neoplasm of bronchus and lung
C37	Malignant neoplasm of thymus
C38	Malignant neoplasm of heart, mediastinum and pleura
C39	Malignant neoplasm of other and ill-defined sites of respiratory system and intrathoracic organs
C40	Malignant neoplasm of bone and articular cartilage of limbs
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites
C43	Malignant melanoma of skin
C44	Other malignant neoplasm of skin
C45	Mesothelioma
C46	Kaposi's sarcoma
C47	Malignant neoplasm of peripheral nerves and autonomic nervous system
C48	Malignant neoplasm of retroperitoneum and peritoneum
C49	Malignant neoplasm of other connective and soft tissue
C50	Malignant neoplasm of breast
C51	Malignant neoplasm of vulva
C52	Malignant neoplasm of vagina
C53	Malignant neoplasm of cervix uteri
C54	Malignant neoplasm of corpus uteri
C55	Malignant neoplasm of uterus, unspecified
C56	Malignant neoplasm of ovary
C57	Malignant neoplasm of other and unspecified female genital organs
C58	Malignant neoplasm of placenta
C60	Malignant neoplasm of penis
C61	Malignant neoplasm of prostate
C62	Malignant neoplasm of testis
C63	Malignant neoplasm of other and unspecified male genital organs
C64	Malignant neoplasm of kidney, except renal pelvis
C65	Malignant neoplasm of renal pelvis
C66	Malignant neoplasm of ureter
C67	Malignant neoplasm of bladder
C68	Malignant neoplasm of other and unspecified urinary organs
C69	Malignant neoplasm of eye and adnexa
C70	Malignant neoplasm of meninges

C71	Malignant neoplasm of brain
C72	Malignant neoplasm of spinal cord, cranial nerves and other parts of CNS
C73	Malignant neoplasm of thyroid gland
C74	Malignant neoplasm of adrenal gland
C75	Malignant neoplasm of other endocrine glands and related structures
C76	Malignant neoplasm of other and ill-defined sites
C77	Secondary and unspecified malignant neoplasm of lymph nodes
C78	Secondary malignant neoplasm of respiratory and digestive organs
C79	Secondary malignant neoplasm of other sites
C80	Malignant neoplasm without specification of site
C81	Hodgkin lymphoma
C82	Follicular [nodular] non-Hodgkin lymphoma
C83	Diffuse non-Hodgkin lymphoma
C84	Peripheral and cutaneous T-cell lymphomas
C85	Other and unspecified types of non-Hodgkins lymphoma
C88	Malignant immunoproliferative diseases
C90	Multiple myeloma and malignant plasma cell neoplasms
C91	Lymphoid leukaemia
C92	Myeloid leukaemia
C93	Monocytic leukaemia
C94	Other leukaemias of specified cell type
C95	Leukaemia of unspecified cell type
C96	Other and unspecified malignant neoplasm of lymphoid, haematopoietic and reticular tissue
C97	Malignant neoplasms of independent (primary) multiple sites