



Bathing Water Quality Results 2018

Cobo	2017 Classification: SUFFICIENT		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
14/05/2018	7	13	Excellent
21/05/2018	1	150	Good
29/05/2018	3	3	Excellent
04/06/2018	8	11	Excellent
11/06/2018	84	35	Excellent
18/06/2018	6	5	Excellent
25/06/2018	0	0	Excellent
02/07/2018	4	1	Excellent
09/07/2018	1	0	Excellent
16/07/2018	4	3	Excellent
23/07/2018	0	0	Excellent
30/07/2018	6	13	Excellent
06/08/2018	6	5	Excellent
13/08/2018	22	51	Excellent
20/08/2018	320	41	Good
28/08/2018	93	92	Excellent
03/09/2018	49	32	Excellent
10/09/2018	67	110	Good
17/09/2018	200	56	Good
24/09/2018	13	18	Excellent

Grandes Rocques		2017 Classification: GOOD	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
14/05/2018	4	6	Excellent
21/05/2018	5	7	Excellent
29/05/2018	3	3	Excellent
04/06/2018	0	1	Excellent
11/06/2018	6	9	Excellent
18/06/2018	4	3	Excellent
25/06/2018	0	4	Excellent
02/07/2018	2	0	Excellent
09/07/2018	1	1	Excellent
16/07/2018	1	5	Excellent
23/07/2018	0	0	Excellent
30/07/2018	8	3	Excellent
06/8/2018	1	8	Excellent
13/08/2018	170	33	Excellent
20/08/2018	0	0	Excellent
28/08/2018	16	14	Excellent
03/09/2018	1	0	Excellent
10/09/2018	50	35	Excellent
17/09/2018	7	97	Excellent
24/09/2018	7	9	Excellent

Port Soif		2017 Classification: EXCELLENT	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
14/05/2018	0	0	Excellent
21/05/2018	0	0	Excellent
29/05/2018	3	1	Excellent
04/06/2018	1	1	Excellent
11/06/2018	0	0	Excellent
18/06/2018	14	1	Excellent
25/06/2018	0	0	Excellent
02/07/2018	0	0	Excellent
09/07/2018	2	0	Excellent
16/07/2018	0	0	Excellent
23/07/2018	0	0	Excellent
30/07/2018	6	15	Excellent
06/08/2018	3	0	Excellent
13/08/2018	2	1	Excellent
20/08/2018	8	1	Excellent
28/08/2018	0	4	Excellent
03/09/2018	0	6	Excellent
10/09/2018	6	4	Excellent
17/09/2018	3	19	Excellent
24/09/2018	2	0	Excellent

Ladies Bay		2017 Classification: GOOD	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
15/05/2018	3800	260	Poor
22/05/2018	14	15	Excellent
30/05/2018	20	20	Excellent
05/06/2018	4	0	Excellent
12/06/2018	130	26	Excellent
19/06/2018	1	0	Excellent
26/06/2018	53	25	Excellent
03/07/2018	8	1	Excellent
10/07/2018	6	7	Excellent
17/07/2018	31	33	Excellent
24/07/2018	2	4	Excellent
31/07/2018	9	2	Excellent
07/08/2018	31	16	Excellent
14/08/2018	13	9	Excellent
21/08/2018	12	3	Excellent
29/08/2018	33	28	Excellent
04/09/2018	16	30	Excellent
11/09/2018	24	17	Excellent
18/09/2018	28	22	Excellent
25/09/2018	2	5	Excellent

Pembroke		2017 Classification: POOR	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
15/05/2018	90	47	Excellent
22/05/2018	1	8	Excellent
30/05/2018	140	230	Poor
05/06/2018	500	420	Poor
12/06/2018	33	2	Excellent
19/06/2018	33	14	Excellent
26/06/2018	15	26	Excellent
02/07/2018	960	1000	Poor
10/07/2018	4	1	Excellent
17/07/2018	3	0	Excellent
24/07/2017	1	3	Excellent
31/07/2018	0	3	Excellent
07/08/2018	0	0	Excellent
14/08/2018	2	3	Excellent
21/08/2018	1	1	Excellent
29/08/2018	2	0	Excellent
04/09/2018	21	16	Excellent
11/09/2018	15	16	Excellent
18/09/2018	2340	1000	Poor
25/09/2018	39	27	Excellent

Bordeaux	2017 Classification: EXCELLENT		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
15/05/2018	28	37	Excellent
22/05/2018	3	3	Excellent
30/05/2018	52	33	Excellent
05/06/2018	31	8	Excellent
12/06/2018	36	24	Excellent
19/06/2018	25	8	Excellent
26/06/2018	7	4	Excellent
03/07/2018	25	28	Excellent
10/07/2018	21	55	Excellent
17/07/2018	42	46	Excellent
24/07/2018	28	34	Excellent
31/07/2018	5	4	Excellent
07/08/2018	88	23	Excellent
14/08/2018	34	9	Excellent
21/08/2018	32	11	Excellent
28/08/2018	32	20	Excellent
04/09/2018	66	54	Excellent
11/09/2018	27	5	Excellent
17/09/2018	120	88	Excellent
25/09/2018	34	16	Excellent

Havelet	2017 Classification: EXCELLENT		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
16/05/2018	0	2	Excellent
22/05/2018	8	1	Excellent
30/05/2018	40	10	Excellent
05/06/2018	7	6	Excellent
12/06/2018	0	0	Excellent
19/06/2018	46	2	Excellent
26/06/2018	15	5	Excellent
03/07/2018	34	17	Excellent
10/07/2018	40	22	Excellent
17/07/2018	12	2	Excellent
24/07/2018	1	2	Excellent
31/07/2018	13	1	Excellent
07/08/2018	16	7	Excellent
14/08/2018	12	3	Excellent
21/08/2018	26	2	Excellent
29/08/2018	150	10	Excellent
04/09/2018	110	13	Excellent
11/09/2018	32	3	Excellent
18/09/2018	20	10	Excellent
25/09/2018	86	11	Excellent

Fermain	2017 Classification: EXCELLENT		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
16/05/2018	20	6	Excellent
22/05/2018	5	2	Excellent
30/05/2018	70	20	Excellent
05/06/2018	35	6	Excellent
12/06/2018	38	14	Excellent
19/06/2018	65	3	Excellent
26/06/2018	20	4	Excellent
03/07/2018	24	7	Excellent
10/07/2018	36	10	Excellent
17/07/2018	25	0	Excellent
24/07/2018	22	17	Excellent
31/07/2018	30	3	Excellent
07/08/2017	12	1	Excellent
14/08/2018	41	0	Excellent
21/08/2018	19	5	Excellent
29/08/2018	65	10	Excellent
04/09/2018	24	8	Excellent
11/09/2018	62	13	Excellent
18/09/2018	34	8	Excellent
25/09/2018	66	8	Excellent

Saints	2017 Classification: EXCELLENT		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
14/05/2018	1	3	Excellent
21/05/2018	90	150	Good
29/05/2018	3	7	Excellent
04/06/2018	56	28	Excellent
11/06/2018	60	20	Excellent
18/06/2018	50	10	Excellent
25/06/2018	20	8	Excellent
02/07/2018	42	7	Excellent
09/07/2018	6	22	Excellent
16/07/2018	2	4	Excellent
23/07/2018	0	68	Excellent
30/07/2018	52	42	Excellent
06/08/2018	5	4	Excellent
13/08/2018	8	7	Excellent
20/08/2018	3	3	Excellent
28/08/2018	5	4	Excellent
03/09/2018	104	19	Excellent
10/09/2018	29	6	Excellent
17/09/2018	590	30	Poor
24/09/2018	7	3	Excellent

Petit Bot	2017 Classification: POOR		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
01/05/2018	15	5	Excellent
14/05/2018	252	110	Good
21/05/2018	220	64	Excellent
29/05/2018	27	57	Excellent
04/06/2018	160	53	Excellent
11/06/2018	14	10	Excellent
18/06/2018	438	740	Poor
25/06/2018	140	100	Excellent
02/07/2018	96	7	Excellent
09/07/2018	0	400	Poor
16/07/2018	62	13	Excellent
23/07/2018	40	62	Excellent
30/07/2018	300	370	Poor
06/08/2018	6	0	Excellent
13/08/2018	70	66	Excellent
20/08/2018	31	12	Excellent
28/08/2018	23	30	Excellent
03/09/2018	14	6	Excellent
10/09/2018	39	38	Excellent
17/09/2018	160	47	Excellent
24/09/2018	23	17	Excellent
Portelet	2017 Classification: GOOD		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
01/05/2018	21	9	Excellent
14/05/2018	279	49	Good
21/05/2018	1	0	Excellent
29/05/2018	5	0	Excellent
06/05/2018	8	5	Excellent
11/06/2018	41	16	Excellent
18/06/2018	200	320	Poor
25/06/2018	10	4	Excellent
02/07/2018	6	26	Excellent
09/07/2018	66	10	Excellent
16/07/2018	57	18	Excellent
23/07/2018	7	0	Excellent
30/07/2018	40	65	Excellent
06/08/2018	0	0	Excellent
13/08/2018	56	920	Poor
20/08/2018	25	66	Excellent
28/08/2018	24	28	Excellent
03/09/2018	8	3	Excellent
10/09/2018	23	18	Excellent
17/09/2018	32	10	Excellent
24/09/2018	41	70	Excellent

L'Eree	2017 Classification: EXCELLENT		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
01/05/2018	0	0	Excellent
14/05/2018	1	3	Excellent
21/05/2018	1	0	Excellent
29/05/2018	5	2	Excellent
04/06/2018	2	3	Excellent
11/06/2018	0	0	Excellent
18/06/2018	3	0	Excellent
25/06/2018	1	1	Excellent
02/07/2018	0	1	Excellent
09/07/2018	1	0	Excellent
16/07/2018	18	12	Excellent
23/07/2018	8	0	Excellent
30/07/2018	140	10	Excellent
06/08/2018	0	0	Excellent
13/08/2018	35	40	Excellent
20/08/2018	1	6	Excellent
28/08/2018	3	3	Excellent
03/09/2018	1	1	Excellent
10/09/2018	3	0	Excellent
17/09/2018	30	6	Excellent
24/09/2018	3	0	Excellent

Vazon (North)		2017 Classification: GOOD	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
01/05/2018	0	0	Excellent
14/05/2018	3	0	Excellent
21/05/2018	8	1	Excellent
29/05/2018	1	3	Excellent
04/06/2018	170	3	Excellent
11/06/2018	1	1	Excellent
18/06/2018	3	2	Excellent
25/06/2018	4	0	Excellent
02/07/2018	2	0	Excellent
09/07/2018	12	4	Excellent
16/07/2018	6	6	Excellent
23/07/2018	18	7	Excellent
30/07/2018	1	2	Excellent
06/08/2018	220	3	Excellent
13/08/2018	13	62	Excellent
20/08/2018	10	3	Excellent
28/08/2018	16	10	Excellent
03/09/2018	8	1	Excellent
10/09/2018	30	13	Excellent
17/09/2018	4	4	Excellent
24/09/2018	12	3	Excellent

Bathing water quality parameters

Excellent Water Quality: Indicates this sample meets the following standard:
 less than or equal to 250 *Escherichia coli* per 100ml;
 less than or equal to 100 Intestinal enterococci per 100ml

Good Water Quality: Indicates this sample meets the following standard:
 less than or equal to 500 *Escherichia coli* per 100ml;
 less than or equal to 200 Intestinal enterococci per 100ml

Poor Water Quality: Values are above 500 *Escherichia coli* per 100ml and
 above 200 Intestinal enterococci per 100ml

EXTRACT FROM ENVIRONMENT AGENCY

Directive 2006/7EC of The European Parliament and of the Council of 15 February 2006 concerning the management of bathing water quality and repealing Directive 76/160/EEC

<http://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32006L0007>