

COVID-19

Guidance - Shielding

This guidance is for people, including children, who are at very high risk of severe illness from coronavirus (COVID-19) because of an underlying health condition, and for their family, friends and carers. It is intended for use in situations where the extremely vulnerable person is living in their own home, with or without additional support. This includes the extremely clinically vulnerable people living in long-term care facilities, either for the elderly or persons with special needs.

What is shielding

Shielding is a measure to protect extremely vulnerable people by minimising interaction between those who are extremely vulnerable and others. This means that those who are extremely vulnerable should not leave their homes, and within their homes should minimise all non-essential contact with other members of their household. This is to protect those who are at very high risk of severe illness from coronavirus (COVID-19) from coming into contact with the virus.

If you think you have a condition which makes you extremely vulnerable or have received a letter from Primary Care you are strongly advised to shield yourself, to reduce the chance of getting coronavirus (COVID-19) and follow the face-to-face distancing measures below.

The measures are:

- 1. Strictly avoid contact with someone who is displaying symptoms of coronavirus (COVID-19). These symptoms include high temperature and/or new and continuous cough.
- 2. Do not leave your house.
- 3. Do not attend any gatherings. This includes gatherings of friends and families in private spaces for example family homes, weddings and religious services.
- 4. Do not go out for shopping, leisure or travel and, when arranging food or medication deliveries, these should be left at the door to minimise contact.
- 5. Keep in touch using remote technology such as phone, internet, and social media.

Do use telephone or online services to contact your GP or other essential services.

We know that stopping these activities will be difficult. You should try to identify ways of staying in touch with others and participating in your normal activities remotely from your home. However, you must not participate in alternative activities if they involve any contact with other people.

This advice will be in place for at least 12 weeks from the day you receive your letter.



Shielding is a measure to protect people who are clinically extremely vulnerable by minimising all interaction between those who are extremely vulnerable and others. We are strongly advising people with serious underlying health conditions (listed below) which put them at very high risk of severe illness from coronavirus (COVID-19) to rigorously follow shielding measures in order to keep themselves safe.

Who is part of the 'extremely vulnerable' category?

People falling into this extremely vulnerable group include:

- 1. Solid organ transplant recipients
- 2. People with specific cancers:
 - people with cancer who are undergoing active chemotherapy or radical radiotherapy for lung cancer
 - people with cancers of the blood or bone marrow such as leukaemia, lymphoma or myeloma who are at any stage of treatment
 - o people having immunotherapy or other continuing antibody treatments for cancer
 - people having other targeted cancer treatments which can affect the immune system,
 such as protein kinase inhibitors or PARP inhibitors
 - people who have had bone marrow or stem cell transplants in the last 6 months, or who are still taking immunosuppression drugs
- 3. People with severe respiratory conditions including cystic fibrosis, severe asthma and severe COPD.
- 4. People with rare diseases and inborn errors of metabolism that significantly increase the risk of infections (such as SCID, homozygous sickle cell).
- 5. People on immunosuppression therapies sufficient to significantly increase risk of infection.
- 6. Women who are pregnant with significant heart disease, congenital or acquired.

Shielding is for your personal protection, it is your choice to decide whether to follow the measures we advise. Individuals who have been given a prognosis of less than 6 months to live, and some others in special circumstances, could decide not to undertake shielding. This will be a deeply personal decision. We advise calling your GP or specialist to discuss this.

Primary Care is directly contacting people with these conditions to provide further advice.

If you think you fall into one of the categories of extremely vulnerable people listed above and you have not received a letter or been contacted by your GP, you should discuss your concerns with your GP or hospital clinician.



We understand this is an anxious time and people considered extremely vulnerable will understandably have questions and concerns. Plans are being readied to make sure you can rely on a wide range of help and support.

How does this impact you?

If you have an underlying health condition listed above, you are at very high risk of severe illness as a result of coronavirus (COVID-19) requiring admission to hospital.

Shielding is a practice used to protect extremely vulnerable people from coming into contact with coronavirus.

You are strongly advised to stay at home at all times and avoid any face-to-face contact for a period of at least 12 weeks from the day you receive your letter. Please note that this period of time could change.

Visits from people who provide essential support to you such as healthcare, personal support with your daily needs or social care should continue, but carers and care workers must stay away if they have any of the symptoms of coronavirus (COVID-19). All people coming to your home should wash their hands with soap and water for at least 20 seconds on arrival to your house and often whilst they are there.

You should have an alternative list of people who can help you with your care if your main carer becomes unwell. You can also contact your Primary Care Practice for advice on how to access care.

If you think you have developed symptoms of COVID-19 such as a new, continuous cough or fever, and have **any clinical questions** regarding the coronavirus please call the **dedicated helpline on 01481 756938 or 01481 756969**. These two numbers will be manned between **8am and 10pm** every day by trained call handlers from the Joint Emergency Services Call Centre (JESCC). Do this as soon as you get symptoms. If it is an emergency please phone 999.

If you have someone else living with you, they are not required to adopt these protective shielding measures for themselves. They should do what they can to support you in shielding and they should stringently follow guidance on social distancing, reducing their contact outside the home. If you care for but don't actually live with someone who is extremely vulnerable you should still stringently follow guidance on social distancing on www.gov.gg/coronavirus.

How is this different from existing social distancing for vulnerable people?

You are strongly advised to stay at home at all times and avoid any face-to-face contact for a period of at least 12 weeks from the day you receive your letter.

People who are not clinically extremely vulnerable who have contracted coronavirus (COVID-19) and recovered will be able to go about their normal business. If you are in this group we strongly advise that you should remain at home at all times.



What should others who live with you do?

Whilst the rest of your household are not required to adopt these protective shielding measures for themselves, we would expect them to do what they can to support you in shielding and to stringently follow guidance on social distancing on www.gov.gg/coronavirus.

- 1. Minimise as much as possible the time other family members spend in shared spaces such as kitchens, bathrooms and sitting areas, and keep shared spaces well ventilated.
- 2. Aim to keep 2 metres (3 steps) away from people you live with and encourage them to sleep in a different bed where possible. If you can, you should use a separate bathroom from the rest of the household. Make sure you use separate towels from the other people in your house, both for drying themselves after bathing or showering and for hand-hygiene purposes.
- 3. If you do share a toilet and bathroom with others, it is important that they are cleaned after use every time (for example, wiping surfaces you have come into contact with). Another tip is to consider drawing up a rota for bathing, with you using the facilities first.
- 4. If you share a kitchen with others, avoid using it while they are present. If you can, you should take your meals back to your room to eat. If you have one, use a dishwasher to clean and dry the family's used crockery and cutlery. If this is not possible, wash them using your usual washing up liquid and warm water and dry them thoroughly. If you are using your own utensils, remember to use a separate tea towel for drying these.
- 5. We understand that it will be difficult for some people to separate themselves from others at home. You should do your very best to follow this guidance and everyone in your household should regularly wash their hands, avoid touching their face, and clean frequently touched surfaces.

If the rest of your household stringently follow advice on social distancing and minimise the risk of spreading the virus within the home by following the advice above, there is no need for them to also shield alongside you.

Handwashing and Respiratory Hygiene

There are general principles you should follow to help prevent the spread of airway and chest infections caused by respiratory viruses, including:

- wash your hands more often with soap and water for at least 20 seconds or use a hand sanitiser. Do this after you blow your nose, sneeze or cough, and before you eat or handle food
- avoid touching your eyes, nose, and mouth with unwashed hands
- avoid close contact with people who have symptoms



- cover your cough or sneeze with a tissue, then throw the tissue in a bin
- clean and disinfect frequently touched objects and surfaces in the home

Symptoms

The most common symptoms of coronavirus (COVID-19) are recent onset of:

- New and continuous cough and/or
- High temperature (above 37.8°C)
- Shortness of breath

What should you do if you develop symptoms?

If you develop symptoms of COVID-19 (high temperature above 37.8 °C and/or new and continuous cough and/or shortness of breath), seek clinical advice using the the **dedicated helpline on 01481 756938 or 01481 756969**. These two numbers will be manned between **8am and 10pm** every day by trained call handlers from the Joint Emergency Services Call Centre (JESCC). Do this as soon as you get symptoms. If it is an emergency please phone 999.

Do not visit the GP, pharmacy, or hospital.

To help the Health Services provide you with the best care if you need to go to hospital as a result of catching coronavirus, we ask that you prepare a single hospital bag. This should include your emergency contact, a list of the medications you take (including dose and frequency), any information on your planned care appointments and things you would need for an overnight stay (snacks, pyjamas, toothbrush, medication etc). If you have an advanced care plan, please include that.

How can you get assistance with food and medicines?

Ask family, friends and neighbours to support you and use online services. If this is not possible, then the public sector, business, charities, and the general public are gearing up to help those advised to stay at home. Please discuss your daily needs during this period of staying at home with carers, family, friends, neighbours or local community groups to see how they can support you.

If you do not currently have your prescriptions collected or delivered, you can arrange this by:

- 1. Asking someone who can pick up your prescription from the local pharmacy, (this is the best option, if possible).
- 2. Contacting your pharmacy to ask them to help you find a volunteer (who will have been ID checked) or deliver it to you.



You may also need to arrange for collection or delivery of hospital specialist medication that is prescribed to you by your hospital care team.

If you receive support from health and social care organisations, for example, if you have care provided for you through the health care system, this will continue as normal. Your health or social care provider will be asked to take additional precautions to make sure that you are protected.

What if you have hospital/GP appointments?

We advise everyone to access medical assistance remotely, wherever possible. However, if you have a scheduled hospital or other medical appointment during this period, talk to your GP or specialist to ensure you continue to receive the care you need and determine which of these are absolutely essential.

It is possible that the hospital may need to cancel or postpone some clinics and appointments. Please contact the hospital to confirm appointments before attending.

Advice for visitors, including those who provide care

Contact regular visitors to your home, such as friends and family to let them know that you are shielding and that they should not visit you during this time unless they are providing essential care for you. Essential care only includes things like help with washing, dressing, or feeding.

If you receive regular health or social care from an organisation, either through HSC or paid for by yourself, inform your care providers that you are shielding and agree a plan for continuing your care.

If you receive essential care from friends or family members, speak to your carers about extra precautions they can take to keep you safe.

What is the advice for informal carers who care for someone extremely vulnerable?

If you are caring for someone who is extremely vulnerable due to severe illness from COVID-19, there are some simple steps that you can take to protect them and to reduce their risk at the current time. Ensure you follow advice on good hygiene.

- only care that is essential should be provided
- wash your hands on arrival and often, using soap and water for at least 20 seconds or use hand sanitiser.
- cover your mouth and nose with a tissue or your sleeve (not your hands) when you cough or sneeze
- put used tissues in the bin immediately and wash your hands afterwards
- do not visit or provide care if you are unwell and make alternative arrangements for their care



provide information on who they should call if they feel unwell: call the dedicated helpline on 01481 756938 or 01481 756969. These two numbers will be manned between 8am and 10pm every day by trained call handlers from the Joint Emergency Services Call Centre (JESCC). Do this as soon as you get symptoms. If it is an emergency please phone 999.look after your own well-being and physical health during this time.

How to care for your mental well-being

Social isolation, reduction in physical activity, unpredictability and changes in routine can all contribute to increasing stress. Many people including those without existing mental health needs may feel anxious about this impact including support with daily living, ongoing care arrangements with health providers, support with medication and changes in their daily routines.

If you are receiving services for your mental health, learning disability or autism and are worried about the impact of isolation please contact your keyworker/care coordinator or provider to review your care plan. If you have additional needs please contact your key worker or care coordinator to develop a safety or crisis plan.

Understandably, you may find that shielding and distancing can be boring or frustrating. You may find your mood and feelings are affected and you may feel low, worried or have problems sleeping and you might miss being outside with other people.

At times like these, it can be easy to fall into unhealthy patterns of behaviour which in turn can make you feel worse. There are simple things you can do that may help, to stay mentally and physically active during this time such as:

- look for ideas of exercises you can do at home
- spend time doing things you enjoy this might include reading, cooking, other indoor hobbies or listening to favourite radio programmes or watching TV
- try to eat healthy, well-balanced meals, drink enough water, exercise regularly, and try to avoid smoking, alcohol and drugs
- try spending time with the windows open to let in the fresh air, arranging space to sit and see
 a nice view (if possible) and get some natural sunlight, or get out into any private space,
 keeping at least 2 metres away from your neighbours and household members if you are
 sitting on your doorstep

Constantly watching the news can make you feel more worried. If you think it is affecting you, try to limit the time you spend watching, reading, or listening to media coverage of the outbreak. It may help to only check the news at set times or limiting this to a couple of times a day.

Try to focus on the things you can control, such as your behaviour, who you speak to and who you get information from. Some simple tips and advice to start taking better care of your mental health while shielding can be found on www.gov.gg/coronavirus.



How can stay connected with family and friends?

Draw on support you might have through your friends, family and other networks during this time. Try to stay in touch with those around you over the phone, by post, or online. Let people know how you would like to stay in touch and build that into your routine. This is also important in looking after your mental wellbeing and you may find it helpful to talk to them about how you are feeling if you want to.

Remember it is okay to share your concerns with others you trust and in doing so you may end up providing support to them too.

Advice for those living in long-term care facilities, both elderly and persons with special needs.

The advice also applies to extremely vulnerable persons living in long-term care facilities. Care providers should carefully discuss this advice with the families, carers and specialist doctors caring for such persons to ensure this guidance is strictly adhered to.

Advice for parents and schools with extremely vulnerable children.

The advice also applies to extremely vulnerable children in mainstream and special schools.