



## Bathing Water Quality Results 2019

<b>Saints</b>	<b>2018 Classification: Good</b>		
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
13/05/2019	21	4	Excellent
20/05/2019	17	7	Excellent
28/05/2019	6	4	Excellent
03/06/2019	150	2	Excellent
10/06/2019	6	6	Excellent
17/06/2019	12	5	Excellent
24/06/2019	150	27	Excellent
01/07/2019	41	14	Excellent
08/07/2019	4000	37	Poor
15/07/2019	95	20	Excellent
22/07/2019	1170	240	Poor
29/07/2019	36	6	Excellent
05/08/2019	93	34	Excellent
12/08/2019	44	13	Excellent
19/08/2019	5	6	Excellent
27/08/2019	5	1	Excellent
02/09/2019	3	2	Excellent
09/09/2019	3	6	Excellent
16/09/2019	9	3	Excellent
23/09/2019	34	18	Excellent

<b>Petit Bot</b>	<b>2018 Classification: Poor</b>		
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
13/05/2019	200	18	Excellent
20/05/2019	40	22	Excellent
28/05/2019	3	1	Excellent
03/06/2019	150	37	Excellent
10/06/2019	31	14	Excellent
17/06/2019	62	31	Excellent
24/06/2019	300	250	Poor
01/07/2019	7	1	Excellent
08/07/2019	430	150	Good
15/07/2019	60	20	Excellent
22/07/2019	270	120	Good
29/07/2019	17	3	Excellent
05/08/2019	234	66	Excellent
12/08/2019	180	150	Good
19/08/2019	4000	77	Poor
27/08/2019	1	5	Excellent
02/09/2019	44	17	Excellent
09/09/2019	150	38	Excellent
16/09/2019	91	30	Excellent
23/09/2019	60	28	Excellent

BWQ Results 2019

<b>Portelet</b>		<b>2018 Classification: Good</b>	
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
13/05/2019	0	0	Excellent
20/05/2019	3	3	Excellent
28/05/2019	0	0	Excellent
03/06/2019	31	140	Good
10/06/2019	0	1	Excellent
17/06/2019	23	16	Excellent
24/06/2019	17	1	Excellent
01/07/2019	65	25	Excellent
08/07/2019	2	8	Excellent
15/07/2019	18	6	Excellent
22/07/2019	3	1	Excellent
29/07/2019	0	0	Excellent
05/08/2019	340	510	Poor
12/08/2019	8	3	Excellent
19/08/2019	66	22	Excellent
27/08/2019	30	10	Excellent
02/09/2019	10	10	Excellent
09/09/2019	66	43	Excellent
16/09/2019	21	22	Excellent
23/09/2019	6	3	Excellent

<b>L'Eree</b>		<b>2018 Classification: Excellent</b>	
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
13/05/2019	1	0	Excellent
20/05/2019	0	1	Excellent
28/05/2019	0	0	Excellent
03/06/2019	4	4	Excellent
10/06/2019	0	0	Excellent
17/06/2019	5	17	Excellent
24/06/2019	36	17	Excellent
01/07/2019	8	4	Excellent
08/07/2019	62	67	Excellent
15/07/2019	7	1	Excellent
22/07/2019	29	12	Excellent
29/07/2019	13	2	Excellent
05/08/2019	15	3	Excellent
12/08/2019	17	0	Excellent
19/08/2019	5	1	Excellent
27/08/2019	8	6	Excellent
02/09/2019	14	12	Excellent
09/09/2019	230	160	Good
16/09/2019	17	14	Excellent
23/09/2019	12	4	Excellent

BWQ Results 2019

<b>Vazon (North)</b>		<b>2018 Classification: Excellent</b>	
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
13/05/2019	43	15	Excellent
20/05/2019	0	1	Excellent
28/05/2019	0	0	Excellent
03/06/2019	1	3	Excellent
10/06/2019	22	22	Excellent
17/06/2019	4	1	Excellent
24/06/2019	18	22	Excellent
01/07/2019	1	0	Excellent
08/07/2019	4	6	Excellent
15/07/2019	1	1	Excellent
22/07/2019	15	4	Excellent
29/07/2019	3	1	Excellent
05/08/2019	6	6	Excellent
12/08/2019	10	7	Excellent
19/08/2019	9	1	Excellent
27/08/2019	5	2	Excellent
02/09/2019	2	7	Excellent
09/09/2019	0	9	Excellent
16/09/2019	14	12	Excellent
23/09/2019	1	3	Excellent

<b>Cobo</b>		<b>2018 Classification: Poor</b>	
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
13/05/19	1	3	Excellent
20/05/2019	10	13	Excellent
28/05/2019	0	0	Excellent
03/06/2019	0	0	Excellent
10/06/2019	0	1	Excellent
17/06/2019	76	160	Good
24/06/2019	5	1	Excellent
01/07/2019	75	36	Excellent
08/07/2019	1	10	Excellent
15/07/2019	3	13	Excellent
22/07/2019	12	16	Excellent
29/07/2019	7	3	Excellent
05/08/2019	170	740	Poor
12/08/2019	17	27	Excellent
19/08/2019	2	1	Excellent
27/08/2019	320	41	Good
02/09/2019	9	9	Excellent
09/09/2019	960	31	Poor
16/09/2019	320	200	Good
23/09/2019	130	71	Excellent

BWQ Results 2019

<b>Grandes Rocques</b>		<b>2018 Classification: Good</b>	
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
13/05/2019	0	0	Excellent
20/05/2019	0	8	Excellent
28/05/2019	33	55	Excellent
03/06/2019	3	2	Excellent
10/06/2019	2	0	Excellent
17/06/2019	8	4	Excellent
24/06/2019	17	2	Excellent
01/07/2019	39	25	Excellent
08/07/2019	19	6	Excellent
15/07/2019	0	0	Excellent
22/07/2019	0	0	Excellent
29/07/2019	52	5	Excellent
05/08/2019	320	>1000	Poor
12/08/2019	80	7	Excellent
19/08/2019	16	14	Excellent
27/08/2019	37	6	Excellent
02/09/2019	10	21	Excellent
09/09/2019	0	1	Excellent
16/09/2019	16	7	Excellent
23/09/2019	3	10	Excellent

<b>Port Soif</b>		<b>2018 Classification: Excellent</b>	
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
13/05/19	0	0	Excellent
20/05/2019	0	0	Excellent
28/05/2019	0	0	Excellent
03/06/2019	16	3	Excellent
10/06/2019	0	0	Excellent
17/06/2019	1	0	Excellent
24/06/2019	0	0	Excellent
01/07/2019	2	0	Excellent
08/07/2019	10	0	Excellent
16/07/2019	5	3	Excellent
22/07/2019	1	0	Excellent
29/07/2019	4	5	Excellent
05/08/2019	7	1	Excellent
12/08/2019	20	48	Excellent
19/08/2019	16	14	Excellent
27/08/2019	9	7	Excellent
02/09/2019	5	2	Excellent
09/09/2019	14	5	Excellent
16/09/2019	5	6	Excellent
23/09/2019	13	24	Excellent

BWQ Results 2019

<b>Ladies Bay</b>		<b>2018 Classification: Sufficient</b>	
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
14/05/2019	1	0	Excellent
21/05/2019	3	16	Excellent
29/05/2019	0	0	Excellent
04/06/2019	5	14	Excellent
11/06/2019	33	84	Excellent
18/06/2019	180	200	Good
25/06/2019	16	16	Excellent
02/07/2019	68	36	Excellent
09/07/2019	32	74	Excellent
16/07/2019	29	10	Excellent
23/07/2019	1	4	Excellent
31/07/2019	9	3	Excellent
06/08/2019	160	170	Good
13/08/2019	10	16	Excellent
20/08/2019	2	5	Excellent
28/08/2019	15	10	Excellent
03/09/2019	17	8	Excellent
10/09/2019	3	0	Excellent
17/09/2019	26	14	Excellent
24/09/2019	56	46	Excellent

<b>Pembroke</b>		<b>2018 Classification: Poor</b>	
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
14/05/2019	2	0	Excellent
21/05/2019	0	4	Excellent
29/05/2019	7	0	Excellent
04/06/2019	35	18	Excellent
11/06/2019	36	15	Excellent
18/06/2019	120	41	Excellent
25/06/2019	25	1750	Poor
02/07/2019	6	5	Excellent
09/07/2019	61	4	Excellent
16/07/2019	190	55	Excellent
23/07/2019	15	10	Excellent
31/07/2019	7	3	Excellent
06/08/2019	140	64	Excellent
13/08/2019	196	46	Excellent
20/08/2019	3	3	Excellent
28/08/2019	10	8	Excellent
03/09/2019	84	8	Excellent
10/09/2019	3	4	Excellent
17/09/2019	13	8	Excellent
24/09/2019	31	20	Excellent

BWQ Results 2019

<b>Bordeaux</b>		<b>2018 Classification: Excellent</b>	
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
14/05/2019	7	2	Excellent
21/05/2019	2	2	Excellent
29/05/2019	53	9	Excellent
04/06/2019	35	9	Excellent
11/06/2019	46	36	Excellent
18/06/2019	64	260	Poor
25/06/2019	69	46	Excellent
02/07/2019	75	24	Excellent
09/07/2019	3	0	Excellent
16/07/2019	4	2	Excellent
23/07/2019	5	15	Excellent
31/07/2019	8	3	Excellent
06/08/2019	8	1	Excellent
13/08/2019	40	18	Excellent
20/08/2019	9	7	Excellent
28/08/2019	36	17	Excellent
03/09/2019	12	7	Excellent
10/09/2019	28	22	Excellent
17/09/2019	140	14	Excellent
24/09/2019	130	170	Good

<b>Havelet</b>		<b>2018 Classification: Excellent</b>	
<b>Sampling date</b>	<b>Escherichia coli (no. per 100ml)</b>	<b>Intestinal enterococci (no. per 100ml)</b>	<b>Standard</b>
14/05/2019	3	1	Excellent
21/05/2019	8	3	Excellent
29/05/2019	10	5	Excellent
04/06/2019	31	11	Excellent
11/06/2019	22	22	Excellent
18/06/2019	190	52	Excellent
25/06/2019	8	1	Excellent
02/07/2019	7	1	Excellent
09/07/2019	37	2	Excellent
16/07/2019	1	0	Excellent
23/07/2019	150	11	Excellent
31/07/2019	20	4	Excellent
06/08/2019	27	3	Excellent
13/08/2019	7	3	Excellent
20/08/2019	20	6	Excellent
28/08/2019	66	16	Excellent
03/09/2019	100	13	Excellent
10/09/2019	31	9	Excellent
17/09/2019	30	8	Excellent
24/09/2019	41	39	Excellent

Fermain	2018 Classification: Excellent		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
14/05/2019	190	280	Poor
21/05/2019	4	2	Excellent
29/05/2019	11	2	Excellent
04/06/2019	60	8	Excellent
11/06/2019	24	22	Excellent
18/06/2019	342	220	Poor
25/06/2019	170	10	Excellent
02/07/2019	26	6	Excellent
09/07/2019	2	2	Excellent
16/07/2019	3	1	Excellent
23/07/2019	20	7	Excellent
31/07/2019	13	3	Excellent
06/08/2019	28	3	Excellent
13/08/2019	47	16	Excellent
20/08/2019	36	19	Excellent
28/08/2019	60	6	Excellent
03/09/2019	99	110	Good
10/09/2019	53	7	Excellent
17/09/2019	70	17	Excellent
24/09/2019	260	210	Poor

## Bathing water quality parameters

**Excellent Water Quality:** Indicates this sample meets the following standard:  
less than or equal to 250 *Escherichia coli* per 100ml;  
less than or equal to 100 Intestinal enterococci per 100ml

**Good Water Quality:** Indicates this sample meets the following standard:  
less than or equal to 500 *Escherichia coli* per 100ml;  
less than or equal to 200 Intestinal enterococci per 100ml

**Poor Water Quality:** Values are above 500 *Escherichia coli* per 100ml and  
above 200 Intestinal enterococci per 100ml

EXTRACT FROM ENVIRONMENT AGENCY

Directive 2006/7EC of The European Parliament and of the Council of 15 February 2006 concerning the management of bathing water quality and repealing Directive 76/160/EEC

<http://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32006L0007>