



Public Health  
England

Protecting and improving the nation's health

# Channel Islands Cancer Report 2020

## Incorporating data up to 2016

Produced by the Public Health England National Cancer Registration and Analysis Service  
for the Guernsey and Jersey Medical Officers of Health

PUBLIC REPORT (numbers less than 5 are suppressed for confidentiality)

## About Public Health England

Public Health England exists to protect and improve the nation's health and wellbeing, and reduce health inequalities. We do this through world-leading science, knowledge and intelligence, advocacy, partnerships and the delivery of specialist public health services. We are an executive agency of the Department of Health and Social Care, and a distinct delivery organisation with operational autonomy. We provide government, local government, the NHS, Parliament, industry and the public with evidence-based professional, scientific and delivery expertise and support.

Public Health England Wellington House  
133-155 Waterloo Road London  
SE1 8UG  
Tel: 020 7654 8000  
[www.gov.uk/phe](http://www.gov.uk/phe) Twitter: @PHE\_uk  
Facebook: [www.facebook.com/PublicHealthEngland](https://www.facebook.com/PublicHealthEngland)

Prepared by: Isobel Tudge and Thomas Higgins; Cancer Intelligence Analysts, National Cancer Registration & Analysis Service.

For queries relating to this document, please contact: [ncrasenquiries@phe.gov.uk](mailto:ncrasenquiries@phe.gov.uk).

# Table of Contents

|  |           |
|--|-----------|
| <b>About Public Health England .....</b>                       | <b>2</b>  |
| <b>Table of Contents .....</b>                                 | <b>3</b>  |
| <b>Executive summary.....</b>                                  | <b>5</b>  |
| Incidence .....  | 5         |
| Mortality .....  | 5         |
| <b>Introduction .....</b>                                      | <b>7</b>  |
| <b>Methods .....</b>   | <b>7</b>  |
| Data sources .....   | 7         |
| Data quality.....  | 8         |
| Methods.....   | 9         |
| Populations.....   | 10        |
| <b>Key results.....</b>  | <b>10</b> |
| Guernsey.....  | 12        |
| Incidence.....   | 12        |
| Mortality .....  | 12        |
| Jersey.....  | 13        |
| Incidence.....   | 13        |
| Mortality .....  | 14        |
| All Cancers (C00-C97 excluding C44) - Incidence .....          | 20        |
| All Cancers (C00-C97 excluding C44) - Mortality.....           | 22        |
| Bladder Cancer (C67) - Incidence.....                          | 24        |
| Bladder Cancer (C67) - Mortality .....                         | 26        |
| Brain and CNS Cancer (C70 - C72) - Incidence.....              | 28        |
| Brain and CNS Cancer (C70 - C72) - Mortality .....             | 30        |
| Breast Cancer (C50) - Incidence.....                           | 32        |
| Breast Cancer (C50) - Mortality .....                          | 34        |
| Colorectal Cancer (C18-C21) - Incidence .....                  | 36        |
| Colorectal Cancer (C18-C21) - Mortality .....                  | 38        |
| Head and Neck Cancer (C00-C14, C30-C32, C73) - Incidence ..... | 40        |
| Head and Neck Cancer (C00-C14, C30-C32, C73) - Mortality.....  | 42        |
| Hepatobiliary Cancer (C22-C23) - Incidence.....                | 44        |

|   |            |
|---|------------|
| Hepatobiliary Cancer (C22-C23) - Mortality .....                            | 46         |
| Kidney and Ureter Cancer (C64-C68) - Incidence.....                         | 48         |
| Kidney and Ureter Cancer (C64-C68) - Mortality .....                        | 50         |
| Leukaemia Cancer (C91-C95) - Incidence.....                                 | 52         |
| Leukaemia Cancer (C91-C95) - Mortality.....                                 | 54         |
| Lung Cancer (C33-C34) - Incidence .....                                     | 56         |
| Lung Cancer (C33-C34) - Mortality .....                                     | 58         |
| Lymphoma Cancer (C81-C85, C96) - Incidence .....                            | 60         |
| Lymphoma Cancer (C81-C85, C96) - Mortality .....                            | 62         |
| Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Incidence ..... | 64         |
| Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Mortality ..... | 66         |
| Malignant Melanoma Cancer (C43) - Incidence .....                           | 68         |
| Malignant Melanoma Cancer (C43) - Mortality.....                            | 70         |
| Other Cancers (other 'C' codes excl. C44) - Incidence .....                 | 72         |
| Other Cancers (other 'C' codes excl. C44) - Mortality .....                 | 74         |
| Other Gynaecological Cancers (C51-C53, C57-C58) - Incidence .....           | 76         |
| Other Gynaecological Cancers (C51-C53, C57-C58) - Mortality .....           | 78         |
| Other Skin Cancers (C44) - Incidence .....                                  | 80         |
| Other Skin Cancers (C44) - Mortality .....                                  | 82         |
| Ovarian Cancer (C56) - Incidence .....                                      | 84         |
| Ovarian Cancer (C56) - Mortality .....                                      | 86         |
| Prostate Cancer (C61) - Incidence.....                                      | 88         |
| Prostate Cancer (C61) - Mortality .....                                     | 90         |
| Upper Gastrointestinal Cancers (C15-C16, C25) - Incidence.....              | 92         |
| Upper Gastrointestinal Cancers (C15-C16, C25) - Mortality.....              | 94         |
| Uterine Cancer (C54-C55) - Incidence.....                                   | 96         |
| Uterine Cancer (C54-C55) - Mortality.....                                   | 98         |
| Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Incidence.....     | 100        |
| Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Mortality .....    | 102        |
| Staging completeness .....  | 104        |
| <b>Appendix - ICD-10 codes .....</b>  | <b>105</b> |

## Executive summary

This report provides basic statistics on cancer in residents of the Channel Islands between 2003 and 2016. Information on age-standardised rates of incident (newly diagnosed) cancer and deaths from cancer are provided for 21 cancer types/sites as three year rolling averages and for the latest five years available (2012-2016). Rates are compared to the South West region and to England as a whole.

### Incidence

In Guernsey there were an average of 731 malignant cancers registered each year between 2012 and 2016. Non-melanoma skin cancers (NMSC) account for 48% of the annual mean count of 731 cancers. In Jersey there were an average of 1,013 malignant cancers registered each year between 2012 and 2016. NMSC account for around 42% of the annual mean count of 1,013 cancers. In Guernsey, the three most commonly registered cancers, after NMSC, were prostate, breast and colorectal cancer. In Jersey, the three most commonly registered cancers, after NMSC, were prostate, breast and lung cancer.

In Guernsey, the age-standardised incidence rate (ASR) for malignant melanoma and non-melanoma skin cancer was higher than in the South West and England. The ASR for kidney and ureter cancer was lower than in the South West, though did not differ significantly from the England average. The ASR for leukaemia was lower than the South West and England. The ASR for upper gastrointestinal was lower than England though did not differ significantly to the South West.

In Jersey, the ASR for all cancers excluding non-melanoma skin cancer, head and neck cancers, malignant melanoma, non-melanoma skin cancer, and prostate cancer was higher than the South West and England. The ASR for lung cancer was higher than the South West but similar to England. The ASR for male urogenital (excluding prostate) was higher than England though did not differ significantly from the South West average. The ASR for brain and central nervous system (CNS) cancers, kidney and ureter cancers, leukaemia, and uterus cancer was lower than the South West and England. The ASR for other gynaecological cancers (excluding ovary and uterus) was lower than the South West though did not differ significantly from the England average.

### Mortality

In Guernsey there were an average of 164 deaths due to malignant cancers registered each year between 2012 and 2016. In Jersey there were an average of 242 deaths due to malignant cancers registered each year between 2012 and 2016. In both Guernsey and Jersey, the three main causes of death due to cancers were lung, prostate and upper gastrointestinal cancer.

In Guernsey, the age standardised mortality rate (ASMR) for lung cancer was higher than the South West but similar to the England average. The ASMR for breast cancer and lymphoma in Guernsey was lower than in the South West and England.

In Jersey, the ASMR for head and neck cancer was higher than in the South West and England. The ASMR for lung cancer was higher than in the South West but similar to the England average. The ASMR for colorectal cancer was lower than in the South West and England.

# Introduction

Public Health England's National Cancer Registration and Analysis Service (NCRAS) collates and analyses data on cancers diagnosed in residents of the Channel Islands, on behalf of their Public Health departments. This is the 12th report from this service to incorporate basic statistics on cancer for Guernsey and Jersey. Data for the South West of England and the whole of England are provided for comparison.

NCRAS holds data on cancer incidence and cancer mortality for the Channel Islands for the period 2003 to 2016 inclusive, with data for the South West of England and the whole of England available from 1995 to 2018.

# Methods

## Data sources

Data on incidence are supplied by the health departments of Jersey and Guernsey and are registered on the NCRAS Cancer Analysis System.

Data on deaths are supplied from deaths registers on each island. The underlying cause is used to identify those dying from cancer. The data available are for 2003 to 2016 inclusive.

Guernsey figures include cancer deaths in residents of Alderney and incident cancers in residents of Alderney and Sark. The data available are for 2003 to 2016 inclusive.

Incident cancers and cancer deaths are coded according to the 10th revision of the International Classification of Diseases (ICD-10) coding system. The cancers are grouped according to the table below. A full list of ICD codes and descriptions is in the appendix.

## Cancer groups and ICD-10 codes

| Cancer Site                             | ICD-10 codes          |
|---|-----------------------|
| All Cancers excluding non-melanoma skin | C00-C97 excl. C44     |
| Bladder                                 | C67                   |
| Brain and CNS                           | C70-C72               |
| Breast                                  | C50                   |
| Colorectal                              | C18-C21               |
| Head & neck                             | C00-C14, C30-C32, C73 |
| Hepatobiliary                           | C22-C24               |
| Kidney and ureter                       | C64-C66               |
| Leukaemia                               | C91-C95               |
| Lung                                    | C33-C34               |
| Lymphoma                                | C81-C85, C96          |
| Male urogenital (excl. prostate)        | C60-C63 excl. C61     |
| Malignant melanoma                      | C43                   |
| Other skin (non-melanoma skin cancer)   | C44                   |
| Other cancer                            | Other Cs              |
| Other gynaecological                    | C51-C53, C57-C58      |
| Ovary                                   | C56                   |
| Paediatric (0-19 years)                 | C00-C97 excl. C44     |
| Prostate                                | C61                   |
| Upper gastrointestinal                  | C15-C16, C25          |
| Uterus                                  | C54-C55               |

## Data quality

The quality of cancer registration data in the UK is amongst the highest in the world, and a substantial amount of time is spent ensuring data are accurate. The introduction of electronic pathology feeds to the cancer registry has brought a higher level of accuracy in diagnosis to the registration process. However, the unique situation regarding registration of data for the Channel Islands does cause some difficulties. Because the health systems in Jersey and Guernsey do not use NHS numbers it is not possible to link patients who have been diagnosed or had previous cancers when living on the UK mainland, and subsequently moved to the Channel Islands, and vice versa. This means that some cancers which are technically recurrences of a previous cancer; cancers diagnosed many years previously and detected at death; and secondary cancers from previously diagnosed primary cancers, may be registered as if they were new cases. The recurrence rate of many cancers is low which makes this an uncommon occurrence,

while better pathology reporting makes it easier to determine if cancers are secondary to another cancer, therefore this is likely to be a relatively small problem.

Non melanoma skin cancer (NMSC) is not recorded comprehensively in England. Only the first basal cell carcinoma (BCC) and squamous cell carcinoma (SCC) per patient is recorded as a minimum and therefore the incidence will be an underestimate of cases. Regional differences exist in the recording of NMSC, however the data registration in the Channel Islands and the South West is comparable, so we can be confident in comparing data to this region.

Data on deaths are based on those living in the Channel Islands at time of death, with the exception of death data for Jersey between 2001 and 2009. There was no postcode recorded at time of death for the 2001 to 2009 records, so this data is based on individuals who were diagnosed with cancer in Jersey some of whom may not have been resident in Jersey at the time of their death. The quality of data will only be affected by the accuracy of the death certificate (ICD-10 codes) completed by the doctor certifying the death.

Due to the continual update of the source database, the data for previously published years (2003-2014) in this report may not perfectly match the data in previous reports.

## Methods

The risk of developing or dying from cancer is strongly influenced by age and sex, and so the makeup of the population in an area will affect the number of cases/deaths. To allow a fair comparison between different areas, or the same area through time, directly age-standardised rates (ASRs) are calculated. This method looks at the occurrence of cancer/death in the population of interest, and calculates what the rate would be in a pre-determined population (known as the standard population), controlling for age. If the same standard population is used for all populations analysed, then the rates are directly comparable with each other. This allows any differences to be assessed to see if they are independent of the population differences. Rates in this report are standardised to the 2013 European Standard Population, and reported per 100,000 people.

When ASRs are reported, the 95% confidence intervals are also reported (Lower Confidence Interval: LCI, Upper Confidence Interval: UCI). The confidence interval is a statistical concept which defines the degree of variation in a rate which can be considered normal. Occurrence of, or death from, a disease depends on complicated relationships between a multitude of risk factors, so there are fluctuations over time or geography which do not necessarily reflect a real increase or decrease in a rate. As the population of interest becomes smaller, an increase or decrease of just one or two cases/deaths has a larger effect on the rate. Hence the smaller the population and the smaller the number of cases/deaths, the larger the confidence interval.

Generally speaking, if the confidence interval of two ASRs overlap it is not possible to say that there is a statistically significant difference between the area investigated and the comparison area. 95% confidence intervals mean that out of 100 comparisons/tests we could expect five to show a significant difference when none exists, or vice versa.

For some data, more sophisticated statistical tests are used. These report the likelihood that two rates are not significantly different (for example, that the observed differences could have occurred by chance) as a p-value. It is convention to accept a p-value of 0.05 or less as evidence that the rates are significantly different.

The maximum and minimum values in England are calculated for the former Government Office Regions (of which South West is one). The former GORs are: North East, North West, Yorkshire and the Humber, East Midland, West Midlands, East of England, London, South East and the South West.

Unless otherwise specified, counts and rates are for those aged 20 years and older.

## Populations

Populations used for England and the South West are mid-year estimates supplied by the Office for National Statistics (ONS), based on the 2011 Census and taking into account births, deaths and migration.

Populations used for Guernsey are supplied by the Guernsey Health Department. They are estimated by Guernsey's central policy unit based on social security data and data from the education department.

Populations used for Jersey are supplied by the Jersey Health Department. They are end-of-year estimates produced by the States of Jersey Statistics Unit, who use a population model based on baseline figures from the 2011 Jersey Census and adjusted for population changes by administrative data, such as Social Security and Education department data, and migration information from the Census.

## Key results

This section highlights those cancers which have a high or low rate compared to the South West or England. All comparisons are based on aggregated data for 2012-2016. Risk factors for those cancers are listed.

In all these comparisons, the number of cases/deaths should be taken into account as well as the comparison of rates. As numbers for some cancers are small, a large relative incidence/mortality rate may only reflect a few extra cases/deaths each year and hence are clinically less important.

Where a rate is described as higher or lower, it means that it is statistically significant i.e. the differences seen are unlikely to be just a chance variation. If differences are likely to be only by chance, they are described as 'similar'.

Unless otherwise specified, counts and rates are for those aged 20 years and older.

In tables, ‘-’ indicates that there were no cases/deaths in that time period for that cancer.

**Top 10 incident cancers by age-standardised rate, for Guernsey, Jersey, South West and England (2012-2016)**

| Guernsey               |       | Jersey                 |       | South West             |       | England                |       |
|------------------------|-------|------------------------|-------|------------------------|-------|------------------------|-------|
| Cancer Site            | ASR   |
| Other Skin             | 713.7 | Other Skin             | 605.6 | Other Skin             | 386.5 | Other Skin             | 320.9 |
| Prostate               | 239.1 | Prostate               | 274.5 | Prostate               | 239.7 | Prostate               | 232.8 |
| Breast                 | 201.8 | Breast                 | 230.8 | Breast                 | 227.3 | Breast                 | 216.6 |
| Colorectal             | 99.8  | Lung                   | 102.9 | Colorectal             | 97.0  | Lung                   | 101.8 |
| Lung                   | 94.3  | Colorectal             | 98.3  | Lung                   | 84.9  | Colorectal             | 95.0  |
| Malignant Melanoma     | 53.4  | Malignant Melanoma     | 72.2  | Upper Gastrointestinal | 53.8  | Upper Gastrointestinal | 56.9  |
| Upper Gastrointestinal | 45.3  | Upper Gastrointestinal | 55.4  | Malignant Melanoma     | 43.6  | Uterus                 | 37.2  |
| Uterus                 | 43.5  | Head and Neck          | 43.1  | Uterus                 | 38.0  | Lymphoma               | 34.4  |
| Lymphoma               | 39.0  | Lymphoma               | 38.1  | Lymphoma               | 36.2  | Malignant Melanoma     | 33.0  |
| Head and Neck          | 32.8  | Uterus                 | 28.6  | Head and Neck          | 29.3  | Head and Neck          | 31.8  |

Note: All cancers and 'other' cancers excluded from list.

**Top 10 cancer causes of death by age-standardised rate, for Guernsey, Jersey, South West and England (2012-2016)**

| Guernsey               |      | Jersey                 |      | South West             |      | England                |      |
|------------------------|------|------------------------|------|------------------------|------|------------------------|------|
| Cancer Site            | ASR  |
| Lung                   | 75.3 | Lung                   | 78.4 | Prostate               | 63.7 | Lung                   | 76.7 |
| Prostate               | 72.4 | Prostate               | 58.5 | Lung                   | 63.1 | Prostate               | 61.7 |
| Upper Gastrointestinal | 39.3 | Upper Gastrointestinal | 49.6 | Upper Gastrointestinal | 44.7 | Upper Gastrointestinal | 46.9 |
| Colorectal             | 30.2 | Breast                 | 47.1 | Breast                 | 43.7 | Breast                 | 44.5 |
| Breast                 | 28.9 | Colorectal             | 26.9 | Colorectal             | 35.3 | Colorectal             | 35.8 |
| Ovary                  | 15.6 | Lymphoma               | 14.6 | Ovary                  | 15.8 | Ovary                  | 16.1 |
| Bladder                | 15.1 | Bladder                | 14.4 | Bladder                | 11.7 | Hepatobiliary          | 12.7 |
| Leukaemia              | 13.0 | Ovary                  | 13.8 | Hepatobiliary          | 11.3 | Bladder                | 12.6 |
| Hepatobiliary          | 12.8 | Head and Neck          | 13.8 | Lymphoma               | 11.3 | Lymphoma               | 11.4 |
| Head and Neck          | 10.7 | Hepatobiliary          | 13.4 | Leukaemia              | 10.7 | Leukaemia              | 10.5 |

Note: All cancers and 'other' cancers excluded from list.

## Guernsey

### Incidence

The rate of kidney and ureter cancer in Guernsey is lower than in the South West however there is no significant difference when compared to England. The age-standardised rate (ASR) is 21 per 100,000. The rate in the South West is 28 per 100,000, and in England is 27 per 100,000. Around 10 new cases of kidney and ureter cancer are diagnosed each year in Guernsey. The major risk factors are excessive body weight and smoking.

The rate of leukaemia in Guernsey is lower than in the South West and England. The ASR is 14 per 100,000 in Guernsey in comparison to 22 and 21 per 100,000 for the South West and England respectively.

The rate of malignant melanoma in Guernsey is higher than in the South West and England. The ASR is 53 per 100,000. The rate in the South West is 44 per 100,000, and in England is 33 per 100,000. Around 26 new cases of malignant melanoma are diagnosed each year in Guernsey, and it is one of the most common cancers in those aged under 40. The major risk factor is UV exposure through sunlight or sunbeds.

The rate of non-melanoma skin cancers in Guernsey is higher than the recorded rate in the South West and England. However, care must be taken as not all parts of England record non-melanoma skin cancer comprehensively. The data registration in the Channel Islands and the South West is comparable, so we can be confident that the ASR is higher than in the South West. The ASR in Guernsey is 714 per 100,000 and in the South West is 387 per 100,000. Around 350 new cases in Guernsey are diagnosed each year. The risk factors are the same as those for malignant melanoma.

The rate of upper gastrointestinal cancers in Guernsey is lower than England however is not statistically different from the South West. The ASR is 45 per 100,000 in comparison to the rate in England of 57 per 100,000. The rate in the South West is 54 per 100,000. Around 22 new cases are diagnosed each year in Guernsey. The main risk factors are smoking, low fruit and vegetable intake, *Helicobacter pylori* (for stomach cancer), and excess body weight.

There is no significant difference in the rates of other cancers included in this report in Guernsey in comparison to the South West and England.

### Mortality

The death rate from breast cancer in Guernsey is lower than in the South West and in England. The ASMR is 29 per 100,000 in comparison to 44 per 100,000 in the South West and England. It is lower than the lowest ASMR in the England regions, which is 43 per 100,000. Around 8 women in Guernsey die from breast cancer each year.

The death rate from lung cancer in Guernsey is higher than in the South West, however, is not statistically different to England. The ASMR is 75 per 100,000. The rate in the South West is 63 per 100,000. The rate in England is 77 per 100,000. The South West has the lowest mortality from lung cancer in England. Around 35 people in Guernsey die from lung cancer each year.

The death rate from lymphoma in Guernsey is lower than in the South West and England. The ASMR is 5 per 100,000 in comparison to 11 per 100,000 in the South West and England. It is lower than the lowest ASMR in the England regions, which is 11 per 100,000. Fewer than 5 people a year die from lymphoma in Guernsey.

There is no significant difference in the rates of mortality for other cancers included in this report in Guernsey in comparison to the South West and England.

## Jersey

### Incidence

The rate of all cancers (excluding non-melanoma skin) in Jersey is higher than in the South West and England. The age-standardised rate (ASR) is 838 per 100,000. The rate in the South West is 787 per 100,000. The rate in England is 784 per 100,000. It is higher than the highest ASR in the England regions, which is 834 per 100,000. Around 593 new cases in Jersey are diagnosed each year.

The rate of brain and CNS cancers in Jersey is lower than in the South West and England. The ASR is 7 per 100,000 in comparison to 12 and 11 per 100,000 for the South West and England respectively. Approximately 5 cases are diagnosed in Jersey per year.

The rate of head and neck cancers in Jersey is higher than in the South West and England. The ASR is 43 per 100,000. The rate in the South West is 29 per 100,000, and in England is 32 per 100,000. It is higher than the highest ASR in the England regions, which is 37 per 100,000. Around 32 new cases of head and neck cancer are diagnosed each year. The main risk factors are smoking and excessive alcohol use, especially when in combination.

The rate of kidney and ureter cancer in Jersey is lower than in the South West and the England average. The ASR is 17 per 100,000. The rate in the South West is 28 per 100,000 and in England is 27 per 100,000. The rate is lower than the lowest ASR in the England regions, which is 25 per 100,000. Around 12 new cases of kidney and ureter cancer are diagnosed each year in Jersey. The risk of kidney cancer is increased by being overweight or obese, by smoking and by certain genetic conditions.

The rate of leukaemia in Jersey is lower than in the South West or England. The ASR is 15 per 100,000 in comparison to 22 and 21 per 100,000 in the South West and England respectively. There are around 10 cases diagnosed in Jersey per year.

The rate of lung cancer in Jersey is higher than in the South West however is not statistically different to the England average. The ASR is 103 per 100,000. The rate in the South West is 85 per 100,000 and in England is 102 per 100,000. It is lower than the highest ASR in the England regions, which is 143 per 100,000. Around 70 new cases of lung cancer are diagnosed each year. Smoking is responsible for about 86% of lung cancers.

The rate of malignant melanoma in Jersey is higher than in the South West and England. The ASR is 72 per 100,000. The rate in the South West is 44 per 100,000, and in England is 33 per 100,000. Around 52 new cases of malignant melanoma are diagnosed each year. The major risk factor is UV exposure through sunlight or sunbeds.

The rate of other gynaecological cancer (excluding ovary and uterus) in Jersey is lower than the South West however is not statistically significantly different to England. The ASR is 15 per 100,000 in comparison to 23 and 20 per 100,000 for the South West and England respectively. Approximately 6 cases are diagnosed in Jersey per year.

The rate of non-melanoma skin cancers in Jersey is higher than the recorded rate in the South West and England. However, care must be taken as not all parts of England record non-melanoma comprehensively. The data registration in the Channel Islands and the South West is comparable, so we can be confident that the ASR is higher than in the South West. The ASR in Jersey is 606 per 100,000 and the rate in the South West is 387 per 100,000. Around 421 new cases are diagnosed each year. The risk factors are the same as those for malignant melanoma.

The rate of prostate cancer in Jersey is higher than in the South West and the England average. The ASR is 275 per 100,000. The rate in the South West is 240 and in England is 233 per 100,000. It is higher than the highest ASR in the England regions, which is 250 per 100,000. Around 90 new cases of prostate cancer are diagnosed each year in Jersey. No major environmental/lifestyle risks for prostate cancer are known; risks are increased in those having a family member with the disease, or in black men.

## Mortality

The death rate for colorectal cancer is lower in Jersey than in the South West and England. The ASMR is 27 per 100,000 in comparison to 35 and 36 per 100,000 for the South West and England respectively. It is lower than the lowest ASMR in the England regions, which is 33 per 100,000. Around 18 people in Jersey die of colorectal cancer each year.

The death rate for head and neck cancers in Jersey is higher than in the South West and England. The ASMR is 14 per 100,000. The rate in the South West is 8 per 100,000, and in England is 9 per 100,000. Around 10 people in Jersey die from a head and neck cancer each year. The high death rate is likely to be reflective of the high incidence.

The death rate for lung cancer in Jersey is higher than in the South West, however, it is not statistically significantly different to England. The ASMR is 78 per 100,000. The rate

in the South West is 63 per 100,000. It is lower than the highest ASMR in the England regions, which is 109 per 100,000. Around 53 people in Jersey die from lung cancer each year. The high death rate is likely to be reflective of the higher incidence than the South West.

**Age-standardised incidence rates (per 100,000 population) for Guernsey, South West and England (2012-2016)**

| Age group | Cancer Site                      | Guernsey         |              |       |       |       | South West |       |       |       | Guernsey compared to South West |            | England   |       |       |       | Guernsey compared to England |            | Guernsey compared to Jersey |            |
|-----------|----------------------------------|------------------|--------------|-------|-------|-------|------------|-------|-------|-------|---------------------------------|------------|-----------|-------|-------|-------|------------------------------|------------|-----------------------------|------------|
|           |                                  | Expected cases * | Actual cases | ASR   | LCI   | UCI   | Cases      | ASR   | LCI   | UCI   | p value                         | difference | Cases     | ASR   | LCI   | UCI   | p value                      | difference | p value                     | difference |
| 0-19      | All cancers excl. C44            | 11               | 16           | 23.3  | 13.3  | 37.9  | 948        | 15.4  | 14.5  | 16.4  | 0.100                           | -          | 10,573    | 16.2  | 15.8  | 16.5  | 0.141                        | -          | 0.354                       | -          |
| 20+       | All cancers excl. C44            | 1,933            | 1,907        | 772.6 | 737.6 | 808.7 | 172,487    | 786.7 | 782.9 | 790.5 | 0.432                           | -          | 1,494,915 | 783.9 | 782.6 | 785.2 | 0.526                        | -          | 0.005                       | Lower      |
| 20+       | Bladder                          | 57               | 50           | 21.6  | 15.9  | 28.7  | 5,185      | 24.3  | 23.7  | 25.0  | 0.407                           | -          | 43,823    | 24.5  | 24.3  | 24.7  | 0.378                        | -          | 0.702                       | -          |
| 20+       | Brain and CNS                    | 27               | 25           | 9.6   | 6.2   | 14.3  | 2,468      | 11.5  | 11.0  | 12.0  | 0.380                           | -          | 21,414    | 11.0  | 10.8  | 11.1  | 0.512                        | -          | 0.334                       | -          |
| 20+       | Breast                           | 293              | 273          | 201.8 | 178.3 | 227.5 | 26,416     | 227.3 | 224.6 | 230.1 | 0.050                           | -          | 225,839   | 216.6 | 215.7 | 217.5 | 0.244                        | -          | 0.079                       | -          |
| 20+       | Colorectal                       | 233              | 243          | 99.8  | 87.4  | 113.5 | 21,504     | 97.0  | 95.7  | 98.3  | 0.659                           | -          | 179,849   | 95.0  | 94.5  | 95.4  | 0.436                        | -          | 0.859                       | -          |
| 20+       | Head and Neck                    | 80               | 84           | 32.8  | 26.1  | 40.7  | 6,282      | 29.3  | 28.6  | 30.0  | 0.301                           | -          | 61,794    | 31.8  | 31.6  | 32.1  | 0.777                        | -          | 0.042                       | Lower      |
| 20+       | Hepatobiliary                    | 42               | 36           | 15.5  | 10.7  | 21.6  | 3,442      | 15.7  | 15.1  | 16.2  | 0.942                           | -          | 32,444    | 17.2  | 17.0  | 17.4  | 0.524                        | -          | 0.502                       | -          |
| 20+       | Kidney and Ureter                | 66               | 52           | 21.3  | 15.9  | 28.1  | 6,116      | 28.2  | 27.5  | 29.0  | 0.044                           | Lower      | 51,162    | 27.2  | 26.9  | 27.4  | 0.083                        | -          | 0.245                       | -          |
| 20+       | Leukaemia                        | 52               | 34           | 13.9  | 9.6   | 19.6  | 4,785      | 22.0  | 21.4  | 22.7  | 0.008                           | Lower      | 40,485    | 21.5  | 21.3  | 21.7  | 0.012                        | Lower      | 0.802                       | -          |
| 20+       | Lung                             | 246              | 227          | 94.3  | 82.2  | 107.5 | 18,654     | 84.9  | 83.7  | 86.1  | 0.117                           | -          | 190,349   | 101.8 | 101.3 | 102.2 | 0.249                        | -          | 0.304                       | -          |
| 20+       | Lymphoma                         | 85               | 94           | 39.0  | 31.4  | 47.8  | 7,892      | 36.2  | 35.4  | 37.0  | 0.476                           | -          | 66,235    | 34.4  | 34.1  | 34.6  | 0.225                        | -          | 0.868                       | -          |
| 20+       | Male Urogenital (excl. Prostate) | 15               | 15           | 11.4  | 6.4   | 18.7  | 1,324      | 13.3  | 12.6  | 14.0  | 0.549                           | -          | 12,419    | 12.2  | 11.9  | 12.4  | 0.792                        | -          | 0.183                       | -          |
| 20+       | Malignant Melanoma               | 82               | 131          | 53.4  | 44.5  | 63.5  | 9,402      | 43.6  | 42.7  | 44.5  | 0.021                           | Higher     | 64,088    | 33.0  | 32.7  | 33.2  | 0.000                        | Higher     | 0.005                       | Lower      |
| 20+       | Other                            | 137              | 132          | 52.5  | 43.6  | 62.5  | 12,214     | 55.5  | 54.5  | 56.5  | 0.523                           | -          | 105,919   | 56.1  | 55.7  | 56.4  | 0.446                        | -          | 0.819                       | -          |
| 20+       | Other Gynaecological             | 27               | 26           | 19.4  | 12.6  | 28.6  | 2,520      | 22.7  | 21.8  | 23.6  | 0.435                           | -          | 21,460    | 20.2  | 19.9  | 20.5  | 0.839                        | -          | 0.385                       | -          |
| 20+       | Other Skin                       | 775              | 1,749        | 713.7 | 680.0 | 748.7 | 84,515     | 386.5 | 383.9 | 389.2 | 0.000                           | Higher     | 599,939   | 320.9 | 320.1 | 321.7 | 0.000                        | Higher     | 0.000                       | Higher     |
| 20+       | Ovary                            | 38               | 43           | 31.9  | 23.0  | 43.1  | 3,325      | 28.4  | 27.5  | 29.4  | 0.448                           | -          | 29,603    | 28.5  | 28.2  | 28.8  | 0.451                        | -          | 0.498                       | -          |
| 20+       | Prostate                         | 264              | 276          | 239.1 | 211.2 | 269.6 | 24,665     | 239.7 | 236.7 | 242.7 | 0.967                           | -          | 203,367   | 232.8 | 231.8 | 233.8 | 0.657                        | -          | 0.070                       | -          |
| 20+       | Upper Gastrointestinal           | 138              | 110          | 45.3  | 37.0  | 54.9  | 11,842     | 53.8  | 52.8  | 54.8  | 0.073                           | -          | 106,616   | 56.9  | 56.5  | 57.2  | 0.017                        | Lower      | 0.094                       | -          |
| 20+       | Uterus                           | 49               | 56           | 43.5  | 32.8  | 56.7  | 4,451      | 38.0  | 36.8  | 39.1  | 0.309                           | -          | 38,049    | 37.2  | 36.8  | 37.6  | 0.242                        | -          | 0.026                       | Higher     |

Note:

ASR - Directly Age Standardised Incidence Rate (significance testing is at 95% significance level); LCI - 95% Lower Confidence Interval for the ASR; UCI - 95% Upper Confidence Interval for the ASR.

Higher - Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

\*Expected cases based on the England average.

### Age-standardised incidence rates (per 100,000 population) for Jersey, South West and England (2012-2016)

| Age group | Cancer Site                      | Jersey           |              |       |       |       | South West |       |       |       | Jersey compared to South West |            | England   |       |       |       | Jersey compared to England |            | Jersey compared to Guernsey |            |
|-----------|----------------------------------|------------------|--------------|-------|-------|-------|------------|-------|-------|-------|-------------------------------|------------|-----------|-------|-------|-------|----------------------------|------------|-----------------------------|------------|
|           |                                  | Expected cases * | Actual cases | ASR   | LCI   | UCI   | Cases      | ASR   | LCI   | UCI   | p value                       | difference | Cases     | ASR   | LCI   | UCI   | p value                    | difference | p value                     | difference |
| 0-19      | All cancers excl. C44            | 18               | 19           | 17.0  | 10.2  | 26.6  | 948        | 15.4  | 14.5  | 16.4  | 0.667                         | -          | 10,573    | 16.2  | 15.8  | 16.5  | 0.816                      | -          | 0.354                       | -          |
| 20+       | All cancers excl. C44            | 2,742            | 2,964        | 838.2 | 807.7 | 869.5 | 172,487    | 786.7 | 782.9 | 790.5 | 0.001                         | Higher     | 1,494,915 | 783.9 | 782.6 | 785.2 | 0.000                      | Higher     | 0.005                       | Higher     |
| 20+       | Bladder                          | 78               | 65           | 20.1  | 15.5  | 25.8  | 5,185      | 24.3  | 23.7  | 25.0  | 0.128                         | -          | 43,823    | 24.5  | 24.3  | 24.7  | 0.113                      | -          | 0.702                       | -          |
| 20+       | Brain and CNS                    | 40               | 27           | 7.4   | 4.8   | 10.8  | 2,468      | 11.5  | 11.0  | 12.0  | 0.022                         | Lower      | 21,414    | 11.0  | 10.8  | 11.1  | 0.038                      | Lower      | 0.334                       | -          |
| 20+       | Breast                           | 429              | 455          | 230.8 | 209.9 | 253.2 | 26,416     | 227.3 | 224.6 | 230.1 | 0.749                         | -          | 225,839   | 216.6 | 215.7 | 217.5 | 0.175                      | -          | 0.079                       | -          |
| 20+       | Colorectal                       | 326              | 338          | 98.3  | 87.9  | 109.6 | 21,504     | 97.0  | 95.7  | 98.3  | 0.806                         | -          | 179,849   | 95.0  | 94.5  | 95.4  | 0.520                      | -          | 0.859                       | -          |
| 20+       | Head and Neck                    | 118              | 161          | 43.1  | 36.6  | 50.4  | 6,282      | 29.3  | 28.6  | 30.0  | 0.000                         | Higher     | 61,794    | 31.8  | 31.6  | 32.1  | 0.000                      | Higher     | 0.042                       | Higher     |
| 20+       | Hepatobiliary                    | 59               | 62           | 17.8  | 13.6  | 23.0  | 3,442      | 15.7  | 15.1  | 16.2  | 0.316                         | -          | 32,444    | 17.2  | 17.0  | 17.4  | 0.786                      | -          | 0.502                       | -          |
| 20+       | Kidney and Ureter                | 94               | 60           | 17.1  | 13.0  | 22.1  | 6,116      | 28.2  | 27.5  | 29.0  | 0.000                         | Lower      | 51,162    | 27.2  | 26.9  | 27.4  | 0.000                      | Lower      | 0.245                       | -          |
| 20+       | Leukaemia                        | 74               | 51           | 14.7  | 10.9  | 19.5  | 4,785      | 22.0  | 21.4  | 22.7  | 0.004                         | Lower      | 40,485    | 21.5  | 21.3  | 21.7  | 0.007                      | Lower      | 0.802                       | -          |
| 20+       | Lung                             | 341              | 349          | 102.9 | 92.2  | 114.5 | 18,654     | 84.9  | 83.7  | 86.1  | 0.000                         | Higher     | 190,349   | 101.8 | 101.3 | 102.2 | 0.835                      | -          | 0.304                       | -          |
| 20+       | Lymphoma                         | 122              | 137          | 38.1  | 31.9  | 45.2  | 7,892      | 36.2  | 35.4  | 37.0  | 0.549                         | -          | 66,235    | 34.4  | 34.1  | 34.6  | 0.229                      | -          | 0.868                       | -          |
| 20+       | Male Urogenital (excl. Prostate) | 24               | 35           | 17.1  | 11.9  | 23.9  | 1,324      | 13.3  | 12.6  | 14.0  | 0.136                         | -          | 12,419    | 12.2  | 11.9  | 12.4  | 0.043                      | Higher     | 0.183                       | -          |
| 20+       | Malignant Melanoma               | 121              | 260          | 72.2  | 63.5  | 81.7  | 9,402      | 43.6  | 42.7  | 44.5  | 0.000                         | Higher     | 64,088    | 33.0  | 32.7  | 33.2  | 0.000                      | Higher     | 0.005                       | Higher     |
| 20+       | Other                            | 191              | 186          | 53.8  | 46.2  | 62.3  | 12,214     | 55.5  | 54.5  | 56.5  | 0.686                         | -          | 105,919   | 56.1  | 55.7  | 56.4  | 0.583                      | -          | 0.819                       | -          |
| 20+       | Other Gynaecological             | 41               | 31           | 15.4  | 10.4  | 21.9  | 2,520      | 22.7  | 21.8  | 23.6  | 0.033                         | Lower      | 21,460    | 20.2  | 19.9  | 20.5  | 0.132                      | -          | 0.385                       | -          |
| 20+       | Other Skin                       | 1,086            | 2,103        | 605.6 | 579.5 | 632.6 | 84,515     | 386.5 | 383.9 | 389.2 | 0.000                         | Higher     | 599,939   | 320.9 | 320.1 | 321.7 | 0.000                      | Higher     | 0.000                       | Lower      |
| 20+       | Ovary                            | 55               | 53           | 27.8  | 20.8  | 36.4  | 3,325      | 28.4  | 27.5  | 29.4  | 0.870                         | -          | 29,603    | 28.5  | 28.2  | 28.8  | 0.861                      | -          | 0.498                       | -          |
| 20+       | Prostate                         | 367              | 452          | 274.5 | 249.4 | 301.5 | 24,665     | 239.7 | 236.7 | 242.7 | 0.004                         | Higher     | 203,367   | 232.8 | 231.8 | 233.8 | 0.000                      | Higher     | 0.070                       | -          |
| 20+       | Upper Gastrointestinal           | 192              | 186          | 55.4  | 47.5  | 64.2  | 11,842     | 53.8  | 52.8  | 54.8  | 0.688                         | -          | 106,616   | 56.9  | 56.5  | 57.2  | 0.722                      | -          | 0.094                       | -          |
| 20+       | Uterus                           | 71               | 56           | 28.6  | 21.5  | 37.2  | 4,451      | 38.0  | 36.8  | 39.1  | 0.035                         | Lower      | 38,049    | 37.2  | 36.8  | 37.6  | 0.048                      | Lower      | 0.026                       | Lower      |

**Note:**

ASR - Directly Age Standardised Incidence Rate (significance testing is at 95% significance level); LCI - 95% Lower Confidence Interval for the ASR; UCI - 95% Upper Confidence Interval for the ASR.

Higher - Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

\*Expected cases based on the England average.

### Age-standardised mortality rates (per 100,000 population) for Guernsey, South West and England (2012-2016)

| Age group | Cancer Site                      | Guernsey          |               |       |       |       | South West |       |       |       | Guernsey compared to South West |            | England |       |       |       | Guernsey compared to England |            | Guernsey compared to Jersey |            |
|-----------|----------------------------------|-------------------|---------------|-------|-------|-------|------------|-------|-------|-------|---------------------------------|------------|---------|-------|-------|-------|------------------------------|------------|-----------------------------|------------|
|           |                                  | Expected deaths * | Actual deaths | ASR   | LCI   | UCI   | Deaths     | ASR   | LCI   | UCI   | p value                         | difference | Deaths  | ASR   | LCI   | UCI   | p value                      | difference | p value                     | difference |
| 0-19      | All cancers excl. C44            | <5                | <5            | 3.1   | 0.4   | 11.2  | 131        | 2.2   | 1.8   | 2.6   | 0.617                           | -          | 1,459   | 2.3   | 2.1   | 2.4   | 0.660                        | -          | 0.796                       | -          |
| 20+       | All cancers excl. C44            | 864               | 814           | 341.6 | 317.8 | 366.6 | 75,030     | 339.4 | 336.9 | 341.9 | 0.857                           | -          | 667,693 | 357.8 | 356.9 | 358.7 | 0.185                        | -          | 0.302                       | -          |
| 20+       | Bladder                          | 28                | 34            | 15.1  | 10.2  | 21.4  | 2,495      | 11.7  | 11.3  | 12.2  | 0.142                           | -          | 22,001  | 12.6  | 12.4  | 12.8  | 0.287                        | -          | 0.819                       | -          |
| 20+       | Brain and CNS                    | 22                | 15            | 5.8   | 3.2   | 9.6   | 2,051      | 9.5   | 9.1   | 9.9   | 0.061                           | -          | 17,022  | 8.9   | 8.7   | 9.0   | 0.104                        | -          | 0.339                       | -          |
| 20+       | Breast                           | 63                | 41            | 28.9  | 20.6  | 39.4  | 5,480      | 43.7  | 42.5  | 44.9  | 0.008                           | Lower      | 47,908  | 44.5  | 44.1  | 44.9  | 0.006                        | Lower      | 0.009                       | Lower      |
| 20+       | Colorectal                       | 87                | 74            | 30.2  | 23.5  | 38.1  | 7,954      | 35.3  | 34.5  | 36.1  | 0.176                           | -          | 67,280  | 35.8  | 35.6  | 36.1  | 0.139                        | -          | 0.466                       | -          |
| 20+       | Head and Neck                    | 21                | 26            | 10.7  | 6.9   | 15.8  | 1,797      | 8.2   | 7.8   | 8.6   | 0.185                           | -          | 16,394  | 8.8   | 8.6   | 8.9   | 0.313                        | -          | 0.298                       | -          |
| 20+       | Hepatobiliary                    | 31                | 30            | 12.8  | 8.5   | 18.5  | 2,498      | 11.3  | 10.9  | 11.8  | 0.496                           | -          | 23,961  | 12.7  | 12.6  | 12.9  | 0.968                        | -          | 0.842                       | -          |
| 20+       | Kidney and Ureter                | 22                | 23            | 10.4  | 6.5   | 15.8  | 2,061      | 9.4   | 9.0   | 9.9   | 0.644                           | -          | 17,276  | 9.3   | 9.2   | 9.5   | 0.606                        | -          | 0.196                       | -          |
| 20+       | Leukaemia                        | 25                | 30            | 13.0  | 8.7   | 18.7  | 2,357      | 10.7  | 10.3  | 11.2  | 0.289                           | -          | 19,433  | 10.5  | 10.3  | 10.7  | 0.234                        | -          | 0.362                       | -          |
| 20+       | Lung                             | 185               | 177           | 75.3  | 64.5  | 87.5  | 13,851     | 63.1  | 62.0  | 64.2  | 0.019                           | Higher     | 142,851 | 76.7  | 76.3  | 77.1  | 0.813                        | -          | 0.682                       | -          |
| 20+       | Lymphoma                         | 28                | 14            | 5.5   | 3.0   | 9.2   | 2,506      | 11.3  | 10.8  | 11.7  | 0.007                           | Lower      | 21,364  | 11.4  | 11.2  | 11.5  | 0.006                        | Lower      | 0.001                       | Lower      |
| 20+       | Male Urogenital (excl. Prostate) | 1                 | 0             | 0.0   | NA    | NA    | 77         | 0.8   | 0.6   | 1.0   | NA                              | -          | 771     | 0.9   | 0.8   | 0.9   | NA                           | -          | NA                          | -          |
| 20+       | Malignant Melanoma               | 13                | 15            | 5.8   | 3.2   | 9.6   | 1,402      | 6.4   | 6.1   | 6.8   | 0.687                           | -          | 9,845   | 5.2   | 5.1   | 5.3   | 0.683                        | -          | 0.469                       | -          |
| 20+       | Other                            | 122               | 132           | 52.3  | 43.4  | 62.5  | 10,939     | 48.9  | 47.9  | 49.8  | 0.430                           | -          | 94,298  | 50.3  | 50.0  | 50.6  | 0.648                        | -          | 0.293                       | -          |
| 20+       | Other Gynaecological             | 8                 | 8             | 5.8   | 2.5   | 11.4  | 705        | 5.7   | 5.3   | 6.2   | 0.985                           | -          | 6,359   | 6.0   | 5.8   | 6.1   | 0.930                        | -          | 0.589                       | -          |
| 20+       | Other Skin                       | 4                 | 8             | 3.6   | 1.5   | 7.1   | 462        | 2.1   | 1.9   | 2.3   | 0.140                           | -          | 3,368   | 1.9   | 1.9   | 2.0   | 0.076                        | -          | 0.445                       | -          |
| 20+       | Ovary                            | 22                | 20            | 15.6  | 9.4   | 24.3  | 1,928      | 15.8  | 15.1  | 16.5  | 0.963                           | -          | 16,841  | 16.1  | 15.9  | 16.3  | 0.892                        | -          | 0.689                       | -          |
| 20+       | Prostate                         | 61                | 70            | 72.4  | 56.0  | 92.0  | 6,065      | 63.7  | 62.1  | 65.4  | 0.289                           | -          | 47,717  | 61.7  | 61.1  | 62.3  | 0.182                        | -          | 0.193                       | -          |
| 20+       | Upper Gastrointestinal           | 113               | 94            | 39.3  | 31.6  | 48.4  | 9,868      | 44.7  | 43.8  | 45.6  | 0.219                           | -          | 87,523  | 46.9  | 46.6  | 47.2  | 0.090                        | -          | 0.073                       | -          |
| 20+       | Uterus                           | 11                | 11            | 7.8   | 3.8   | 14.1  | 996        | 7.9   | 7.4   | 8.4   | 0.964                           | -          | 8,849   | 8.4   | 8.2   | 8.6   | 0.810                        | -          | 0.987                       | -          |

**Note:**

ASR - Directly Age Standardised Mortality Rate (significance testing is at 95% significance level); LCI - 95% Lower Confidence Interval for the ASR; UCI - 95% Upper Confidence Interval for the ASR.

Higher - Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

\*Expected cases based on the England average.

### Age-standardised mortality rates (per 100,000 population) for Jersey, South West and England (2012-2016)

| Age group | Cancer Site                      | Jersey            |               |       |       |       | South West |       |       |       | Jersey compared to South West |            | England |       |       |       | Jersey compared to England |            | Jersey compared to Guernsey |            |
|-----------|----------------------------------|-------------------|---------------|-------|-------|-------|------------|-------|-------|-------|-------------------------------|------------|---------|-------|-------|-------|----------------------------|------------|-----------------------------|------------|
|           |                                  | Expected deaths * | Actual deaths | ASR   | LCI   | UCI   | Deaths     | ASR   | LCI   | UCI   | p value                       | difference | Deaths  | ASR   | LCI   | UCI   | p value                    | difference | p value                     | difference |
| 0-19      | All cancers excl. C44            | <5                | <5            | 3.9   | 1.1   | 9.9   | 131        | 2.2   | 1.8   | 2.6   | 0.253                         | -          | 1,459   | 2.3   | 2.1   | 2.4   | 0.284                      | -          | 0.796                       | -          |
| 20+       | All cancers excl. C44            | 1,192             | 1,201         | 357.9 | 337.5 | 379.3 | 75,030     | 339.4 | 336.9 | 341.9 | 0.068                         | -          | 667,693 | 357.8 | 356.9 | 358.7 | 0.990                      | -          | 0.302                       | -          |
| 20+       | Bladder                          | 39                | 46            | 14.4  | 10.5  | 19.2  | 2,495      | 11.7  | 11.3  | 12.2  | 0.175                         | -          | 22,001  | 12.6  | 12.4  | 12.8  | 0.375                      | -          | 0.819                       | -          |
| 20+       | Brain and CNS                    | 32                | 28            | 7.9   | 5.2   | 11.5  | 2,051      | 9.5   | 9.1   | 9.9   | 0.346                         | -          | 17,022  | 8.9   | 8.7   | 9.0   | 0.549                      | -          | 0.339                       | -          |
| 20+       | Breast                           | 87                | 91            | 47.1  | 37.9  | 58.0  | 5,480      | 43.7  | 42.5  | 44.9  | 0.475                         | -          | 47,908  | 44.5  | 44.1  | 44.9  | 0.579                      | -          | 0.009                       | Higher     |
| 20+       | Colorectal                       | 120               | 90            | 26.9  | 21.5  | 33.2  | 7,954      | 35.3  | 34.5  | 36.1  | 0.010                         | Lower      | 67,280  | 35.8  | 35.6  | 36.1  | 0.007                      | Lower      | 0.466                       | -          |
| 20+       | Head and Neck                    | 30                | 49            | 13.8  | 10.1  | 18.3  | 1,797      | 8.2   | 7.8   | 8.6   | 0.000                         | Higher     | 16,394  | 8.8   | 8.6   | 8.9   | 0.002                      | Higher     | 0.298                       | -          |
| 20+       | Hepatobiliary                    | 43                | 48            | 13.4  | 9.8   | 17.9  | 2,498      | 11.3  | 10.9  | 11.8  | 0.239                         | -          | 23,961  | 12.7  | 12.6  | 12.9  | 0.710                      | -          | 0.842                       | -          |
| 20+       | Kidney and Ureter                | 31                | 23            | 7.1   | 4.4   | 10.8  | 2,061      | 9.4   | 9.0   | 9.9   | 0.175                         | -          | 17,276  | 9.3   | 9.2   | 9.5   | 0.190                      | -          | 0.196                       | -          |
| 20+       | Leukaemia                        | 34                | 33            | 10.4  | 7.1   | 14.6  | 2,357      | 10.7  | 10.3  | 11.2  | 0.839                         | -          | 19,433  | 10.5  | 10.3  | 10.7  | 0.941                      | -          | 0.362                       | -          |
| 20+       | Lung                             | 255               | 263           | 78.4  | 69.0  | 88.6  | 13,851     | 63.1  | 62.0  | 64.2  | 0.000                         | Higher     | 142,851 | 76.7  | 76.3  | 77.1  | 0.721                      | -          | 0.682                       | -          |
| 20+       | Lymphoma                         | 38                | 50            | 14.6  | 10.8  | 19.4  | 2,506      | 11.3  | 10.8  | 11.7  | 0.067                         | -          | 21,364  | 11.4  | 11.2  | 11.5  | 0.075                      | -          | 0.001                       | Higher     |
| 20+       | Male Urogenital (excl. Prostate) | <5                | <5            | 1.3   | 0.1   | 4.7   | 77         | 0.8   | 0.6   | 1.0   | 0.452                         | -          | 771     | 0.9   | 0.8   | 0.9   | 0.560                      | -          | NA                          | -          |
| 20+       | Malignant Melanoma               | 18                | 25            | 7.3   | 4.7   | 10.9  | 1,402      | 6.4   | 6.1   | 6.8   | 0.513                         | -          | 9,845   | 5.2   | 5.1   | 5.3   | 0.087                      | -          | 0.469                       | -          |
| 20+       | Other                            | 167               | 155           | 46.2  | 39.0  | 54.3  | 10,939     | 48.9  | 47.9  | 49.8  | 0.492                         | -          | 94,298  | 50.3  | 50.0  | 50.6  | 0.291                      | -          | 0.293                       | -          |
| 20+       | Other Gynaecological             | 12                | 15            | 7.3   | 4.1   | 12.1  | 705        | 5.7   | 5.3   | 6.2   | 0.352                         | -          | 6,359   | 6.0   | 5.8   | 6.1   | 0.427                      | -          | 0.589                       | -          |
| 20+       | Other Skin                       | 6                 | 8             | 2.5   | 1.0   | 4.9   | 462        | 2.1   | 1.9   | 2.3   | 0.687                         | -          | 3,368   | 1.9   | 1.9   | 2.0   | 0.488                      | -          | 0.445                       | -          |
| 20+       | Ovary                            | 30                | 25            | 13.8  | 8.9   | 20.5  | 1,928      | 15.8  | 15.1  | 16.5  | 0.517                         | -          | 16,841  | 16.1  | 15.9  | 16.3  | 0.453                      | -          | 0.689                       | -          |
| 20+       | Prostate                         | 83                | 80            | 58.5  | 46.1  | 73.2  | 6,065      | 63.7  | 62.1  | 65.4  | 0.448                         | -          | 47,717  | 61.7  | 61.1  | 62.3  | 0.634                      | -          | 0.193                       | -          |
| 20+       | Upper Gastrointestinal           | 157               | 164           | 49.6  | 42.0  | 58.1  | 9,868      | 44.7  | 43.8  | 45.6  | 0.185                         | -          | 87,523  | 46.9  | 46.6  | 47.2  | 0.470                      | -          | 0.073                       | -          |
| 20+       | Uterus                           | 16                | 14            | 7.8   | 4.2   | 13.1  | 996        | 7.9   | 7.4   | 8.4   | 0.940                         | -          | 8,849   | 8.4   | 8.2   | 8.6   | 0.767                      | -          | 0.987                       | -          |


**Note:**

ASR - Directly Age Standardised Mortality Rate (significance testing is at 95% significance level); LCI - 95% Lower Confidence Interval for the ASR; UCI - 95% Upper Confidence Interval for the ASR.

Higher - Rate is statistically significantly higher than the comparator; Lower - Rate is statistically significantly lower than the comparator.

\*Expected cases based on the England average.

## All Cancers (C00-C97 excluding C44) - Incidence



## All Cancers (C00-C97 excluding C44) - Incidence







### Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |       |       |       |       |         |         |         |         |       |       |       | Guernsey |       |       |       |       |       |       |         |         |       |       |       |
|--------------------|---------|-------|-------|-------|-------|---------|---------|---------|---------|-------|-------|-------|----------|-------|-------|-------|-------|-------|-------|---------|---------|-------|-------|-------|
|                    | Persons |       |       |       | Males |         |         |         | Females |       |       |       | Persons  |       |       |       | Males |       |       |         | Females |       |       |       |
|                    | Count   | ASR   | LCI   | UCI   | Count | ASR     | LCI     | UCI     | Count   | ASR   | LCI   | UCI   | Count    | ASR   | LCI   | UCI   | Count | ASR   | LCI   | UCI     | Count   | ASR   | LCI   | UCI   |
| 2003-05            | 1,420   | 850.0 | 804.6 | 897.2 | 748   | 1,002.6 | 929.1   | 1,080.3 | 672     | 697.4 | 645.0 | 752.8 | 999      | 808.4 | 757.5 | 861.8 | 488   | 893.3 | 813.3 | 978.9   | 511     | 723.5 | 661.6 | 789.5 |
| 2004-06            | 1,487   | 875.7 | 830.0 | 923.2 | 811   | 1,061.4 | 986.5   | 1,140.3 | 676     | 689.9 | 638.3 | 744.5 | 950      | 756.3 | 707.5 | 807.4 | 460   | 827.4 | 751.2 | 909.0   | 490     | 685.1 | 625.3 | 749.1 |
| 2005-07            | 1,498   | 859.1 | 814.6 | 905.4 | 806   | 1,024.0 | 951.7   | 1,100.2 | 692     | 694.3 | 643.0 | 748.6 | 948      | 738.7 | 691.2 | 788.5 | 483   | 834.8 | 760.1 | 914.7   | 465     | 642.7 | 585.1 | 704.4 |
| 2006-08            | 1,533   | 864.9 | 820.5 | 911.0 | 847   | 1,053.2 | 980.5   | 1,129.6 | 686     | 676.6 | 626.4 | 729.8 | 965      | 734.6 | 687.9 | 783.6 | 506   | 846.8 | 773.1 | 925.6   | 459     | 622.4 | 566.1 | 682.7 |
| 2007-09            | 1,479   | 813.8 | 771.4 | 858.0 | 791   | 964.5   | 895.8   | 1,036.8 | 688     | 663.2 | 614.0 | 715.3 | 1,084    | 819.6 | 770.1 | 871.5 | 591   | 980.5 | 900.6 | 1,065.4 | 493     | 658.8 | 601.2 | 720.4 |
| 2008-10            | 1,635   | 887.7 | 843.7 | 933.5 | 877   | 1,052.1 | 980.9   | 1,127.1 | 758     | 723.3 | 672.2 | 777.3 | 1,120    | 837.1 | 787.2 | 889.2 | 597   | 986.3 | 906.2 | 1,071.3 | 523     | 687.9 | 629.4 | 750.3 |
| 2009-11            | 1,723   | 904.7 | 861.1 | 949.9 | 926   | 1,066.9 | 996.8   | 1,140.6 | 797     | 742.5 | 691.3 | 796.4 | 1,152    | 843.4 | 793.9 | 895.1 | 587   | 951.2 | 873.4 | 1,033.8 | 565     | 735.6 | 675.4 | 799.7 |
| 2010-12            | 1,796   | 918.3 | 875.0 | 963.1 | 962   | 1,074.4 | 1,005.2 | 1,147.0 | 834     | 762.1 | 710.8 | 816.1 | 1,170    | 830.9 | 782.9 | 881.1 | 569   | 891.9 | 818.6 | 970.0   | 601     | 769.9 | 708.9 | 834.8 |
| 2011-13            | 1,718   | 852.1 | 811.2 | 894.4 | 919   | 992.6   | 927.7   | 1,060.8 | 799     | 711.5 | 662.6 | 763.1 | 1,188    | 829.0 | 781.6 | 878.5 | 588   | 893.9 | 821.8 | 970.6   | 600     | 764.1 | 703.4 | 828.5 |
| 2012-14            | 1,779   | 859.5 | 819.2 | 901.3 | 918   | 962.4   | 899.6   | 1,028.2 | 861     | 756.7 | 706.6 | 809.5 | 1,167    | 798.6 | 752.6 | 846.6 | 597   | 884.5 | 813.7 | 959.6   | 570     | 712.7 | 654.7 | 774.3 |
| 2013-15            | 1,815   | 855.6 | 815.9 | 896.6 | 962   | 974.1   | 912.3   | 1,038.9 | 853     | 737.0 | 688.0 | 788.6 | 1,109    | 748.2 | 704.0 | 794.5 | 570   | 830.5 | 762.6 | 902.8   | 539     | 666.0 | 610.3 | 725.4 |
| 2014-16            | 1,842   | 846.0 | 807.2 | 886.2 | 974   | 956.4   | 896.2   | 1,019.6 | 868     | 735.6 | 687.1 | 786.7 | 1,102    | 732.5 | 689.1 | 777.9 | 549   | 792.3 | 726.3 | 862.6   | 553     | 672.7 | 617.1 | 732.0 |

### Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 68.4    | 68.6     | 66.3   | 69.4       |
| Median          | 70.0    | 69.0     | 67.0   | 71.0       |
| 5th percentile  | 43.0    | 45.0     | 42.0   | 44.0       |
| 95th percentile | 89.0    | 90.0     | 87.0   | 89.0       |

All Cancers (C00-C97 excluding C44) - Mortality









All Cancers (C00-C97 excluding C44) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |       |       |       |       |       |       |       |         |       |       |       | Guernsey |       |       |       |       |       |       |       |         |       |       |       |
|--------------------|---------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|----------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
|                    | Persons |       |       |       | Males |       |       |       | Females |       |       |       | Persons  |       |       |       | Males |       |       |       | Females |       |       |       |
|                    | Count   | ASR   | LCI   | UCI   | Count | ASR   | LCI   | UCI   | Count   | ASR   | LCI   | UCI   | Count    | ASR   | LCI   | UCI   | Count | ASR   | LCI   | UCI   | Count   | ASR   | LCI   | UCI   |
| 2003-05            | 531     | 333.6 | 304.5 | 364.7 | 284   | 409.9 | 361.4 | 462.8 | 247     | 257.3 | 225.9 | 291.8 | 480      | 408.4 | 370.9 | 448.4 | 247   | 495.7 | 433.4 | 564.2 | 233     | 321.0 | 280.7 | 365.4 |
| 2004-06            | 580     | 364.3 | 333.7 | 396.8 | 307   | 447.0 | 395.9 | 502.7 | 273     | 281.5 | 248.8 | 317.3 | 457      | 380.2 | 344.7 | 418.3 | 230   | 448.7 | 390.5 | 512.9 | 227     | 311.8 | 272.2 | 355.5 |
| 2005-07            | 622     | 387.0 | 355.5 | 420.3 | 346   | 490.9 | 437.8 | 548.5 | 276     | 283.0 | 250.3 | 318.8 | 435      | 352.4 | 319.0 | 388.3 | 229   | 426.3 | 371.4 | 486.8 | 206     | 278.5 | 241.4 | 319.7 |
| 2006-08            | 595     | 363.9 | 333.7 | 396.0 | 339   | 469.1 | 417.7 | 524.7 | 256     | 258.7 | 227.7 | 292.8 | 411      | 323.3 | 291.7 | 357.4 | 212   | 382.8 | 331.5 | 439.7 | 199     | 263.9 | 228.0 | 303.8 |
| 2007-09            | 570     | 336.9 | 308.5 | 367.0 | 325   | 431.6 | 383.7 | 483.5 | 245     | 242.1 | 212.4 | 274.7 | 471      | 370.5 | 336.2 | 407.3 | 255   | 464.0 | 406.5 | 527.1 | 216     | 277.0 | 240.8 | 317.1 |
| 2008-10            | 626     | 358.4 | 329.5 | 389.1 | 351   | 451.5 | 403.1 | 503.9 | 275     | 265.3 | 234.6 | 298.9 | 473      | 369.2 | 335.0 | 405.7 | 270   | 479.3 | 421.4 | 542.7 | 203     | 259.0 | 224.1 | 297.9 |
| 2009-11            | 675     | 374.0 | 345.1 | 404.6 | 371   | 458.8 | 411.2 | 510.3 | 304     | 289.2 | 257.3 | 323.9 | 491      | 379.5 | 345.1 | 416.2 | 287   | 504.0 | 445.1 | 568.2 | 204     | 254.9 | 220.6 | 293.1 |
| 2010-12            | 702     | 377.2 | 348.7 | 407.3 | 386   | 459.8 | 413.2 | 510.1 | 316     | 294.5 | 262.7 | 329.2 | 491      | 364.6 | 331.9 | 399.5 | 273   | 457.8 | 403.6 | 517.2 | 218     | 271.3 | 235.9 | 310.5 |
| 2011-13            | 673     | 351.6 | 324.7 | 380.1 | 371   | 428.3 | 384.4 | 475.6 | 302     | 275.0 | 244.6 | 308.1 | 500      | 363.7 | 331.5 | 398.2 | 269   | 446.0 | 393.0 | 504.1 | 231     | 281.4 | 245.7 | 320.7 |
| 2012-14            | 700     | 355.2 | 328.7 | 383.3 | 361   | 407.5 | 365.4 | 453.0 | 339     | 303.0 | 271.3 | 337.3 | 510      | 365.0 | 333.0 | 399.1 | 273   | 441.5 | 389.5 | 498.4 | 237     | 288.5 | 252.4 | 328.3 |
| 2013-15            | 709     | 352.8 | 326.7 | 380.5 | 373   | 409.8 | 368.2 | 454.6 | 336     | 295.9 | 264.8 | 329.6 | 456      | 322.3 | 292.6 | 354.2 | 249   | 394.9 | 346.3 | 448.2 | 207     | 249.8 | 216.4 | 286.9 |
| 2014-16            | 756     | 367.1 | 340.8 | 394.8 | 395   | 422.3 | 380.7 | 467.0 | 361     | 311.9 | 280.3 | 346.1 | 476      | 326.6 | 297.1 | 358.2 | 256   | 395.2 | 347.3 | 447.7 | 220     | 258.0 | 224.5 | 295.1 |

## Bladder Cancer (C67) - Incidence



## Bladder Cancer (C67) - Incidence



Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |     |      | Guernsey |      |      |      |       |      |      |      |         |      |      |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|-----|------|----------|------|------|------|-------|------|------|------|---------|------|------|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |     |      | Persons  |      |      |      | Males |      |      |      | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 49      | 32.3 | 23.5 | 43.1 | 34    | 49.4 | 33.7 | 69.6 | 15      | 15.2 | 8.4 | 25.2 | 44       | 38.9 | 27.9 | 52.7 | 33    | 62.2 | 42.2 | 88.2 | 11      | 15.6 | 7.7  | 28.0 |
| 2004-06            | 48      | 31.0 | 22.4 | 41.8 | 33    | 47.7 | 32.0 | 68.0 | 15      | 14.4 | 8.0 | 23.9 | 50       | 41.5 | 30.6 | 55.0 | 32    | 58.3 | 39.7 | 82.5 | 18      | 24.8 | 14.6 | 39.4 |
| 2005-07            | 42      | 26.5 | 18.8 | 36.2 | 28    | 39.3 | 25.6 | 57.4 | 14      | 13.8 | 7.5 | 23.2 | 59       | 47.9 | 36.2 | 62.0 | 39    | 70.1 | 49.7 | 96.0 | 20      | 25.7 | 15.6 | 39.8 |
| 2006-08            | 55      | 36.2 | 26.7 | 47.7 | 41    | 58.3 | 40.9 | 80.2 | 14      | 14.1 | 7.6 | 23.7 | 58       | 44.3 | 33.4 | 57.5 | 35    | 59.0 | 41.0 | 82.3 | 23      | 29.6 | 18.6 | 44.5 |
| 2007-09            | 51      | 32.8 | 24.0 | 43.6 | 39    | 54.1 | 37.8 | 74.8 | 12      | 11.4 | 5.9 | 20.1 | 63       | 49.3 | 37.5 | 63.4 | 37    | 64.3 | 44.8 | 89.1 | 26      | 34.2 | 22.2 | 50.4 |
| 2008-10            | 55      | 35.1 | 26.1 | 46.2 | 45    | 60.3 | 43.4 | 81.5 | 10      | 9.9  | 4.7 | 18.3 | 59       | 47.4 | 35.5 | 61.8 | 35    | 62.9 | 42.9 | 88.7 | 24      | 31.9 | 20.3 | 47.6 |
| 2009-11            | 56      | 31.8 | 23.9 | 41.4 | 39    | 47.7 | 33.8 | 65.4 | 17      | 15.8 | 9.2 | 25.4 | 58       | 46.3 | 34.7 | 60.4 | 38    | 66.6 | 46.4 | 92.4 | 20      | 26.0 | 15.8 | 40.3 |
| 2010-12            | 53      | 28.9 | 21.5 | 37.9 | 36    | 41.9 | 29.2 | 58.1 | 17      | 15.8 | 9.2 | 25.5 | 46       | 37.2 | 26.9 | 50.1 | 36    | 61.6 | 42.5 | 86.0 | 10      | 12.9 | 6.1  | 23.8 |
| 2011-13            | 51      | 27.3 | 20.1 | 36.1 | 35    | 40.5 | 28.0 | 56.7 | 16      | 14.0 | 7.9 | 22.8 | 37       | 28.3 | 19.8 | 39.2 | 29    | 46.3 | 30.8 | 66.8 | 8       | 10.3 | 4.4  | 20.4 |
| 2012-14            | 41      | 21.4 | 15.2 | 29.2 | 31    | 34.3 | 23.1 | 48.9 | 10      | 8.5  | 4.0 | 15.7 | 30       | 22.3 | 14.9 | 32.0 | 25    | 38.2 | 24.5 | 56.6 | 5       | 6.5  | 2.0  | 15.2 |
| 2013-15            | 38      | 19.4 | 13.6 | 26.8 | 28    | 30.0 | 19.8 | 43.6 | 10      | 8.8  | 4.2 | 16.2 | 26       | 17.6 | 11.4 | 25.8 | 20    | 28.5 | 17.3 | 44.2 | 6       | 6.6  | 2.4  | 14.5 |
| 2014-16            | 35      | 17.3 | 12.0 | 24.2 | 23    | 24.4 | 15.4 | 36.7 | 12      | 10.3 | 5.3 | 18.0 | 28       | 19.7 | 12.9 | 28.8 | 20    | 31.0 | 18.7 | 48.3 | 8       | 8.4  | 3.5  | 16.6 |



Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 74.9    | 76.2     | 72.4   | 75.3       |
| Median          | 76.0    | 76.0     | 74.0   | 76.0       |
| 5th percentile  | 55.0    | 60.0     | 52.0   | 56.0       |
| 95th percentile | 91.0    | 91.0     | 88.0   | 91.0       |



## Bladder Cancer (C67) - Mortality



— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West


## Bladder Cancer (C67) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |     |      | Guernsey |      |      |      |       |      |      |      |         |      |     |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|-----|------|----------|------|------|------|-------|------|------|------|---------|------|-----|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |     |      | Persons  |      |      |      | Males |      |      |      | Females |      |     |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI | UCI  |
| 2003-05            | 29      | 20.9 | 13.5 | 30.6 | 21    | 33.7 | 20.1 | 52.5 | 8       | 8.1  | 3.4 | 15.9 | 17       | 13.6 | 7.7  | 21.9 | 9     | 17.0 | 7.7  | 32.5 | 8       | 10.1 | 4.3 | 19.9 |
| 2004-06            | 31      | 22.6 | 14.6 | 33.1 | 18    | 32.6 | 18.3 | 52.9 | 13      | 12.6 | 6.7 | 21.6 | 17       | 14.1 | 8.0  | 22.7 | 10    | 19.7 | 9.4  | 36.2 | 7       | 8.4  | 3.4 | 17.4 |
| 2005-07            | 27      | 21.1 | 13.1 | 31.7 | 18    | 33.6 | 18.8 | 54.5 | 9       | 8.6  | 3.9 | 16.3 | 19       | 15.3 | 9.0  | 24.1 | 11    | 21.2 | 10.6 | 37.9 | 8       | 9.4  | 4.0 | 18.5 |
| 2006-08            | 21      | 15.9 | 9.1  | 25.2 | 12    | 23.2 | 11.2 | 41.8 | 9       | 8.5  | 3.9 | 16.2 | 16       | 12.6 | 7.1  | 20.7 | 10    | 18.3 | 8.8  | 33.7 | 6       | 6.9  | 2.5 | 15.1 |
| 2007-09            | 10      | 6.7  | 2.9  | 12.8 | 5     | 8.6  | 2.5  | 20.8 | 5       | 4.7  | 1.5 | 11.1 | 17       | 14.1 | 7.8  | 23.0 | 10    | 19.8 | 9.1  | 37.1 | 7       | 8.3  | 3.3 | 17.2 |
| 2008-10            | 15      | 9.5  | 5.0  | 16.0 | 8     | 12.2 | 4.8  | 24.7 | 7       | 6.7  | 2.7 | 13.9 | 20       | 17.7 | 10.3 | 27.9 | 13    | 26.5 | 13.5 | 46.3 | 7       | 8.8  | 3.5 | 18.2 |
| 2009-11            | 20      | 12.2 | 7.2  | 19.1 | 14    | 18.7 | 9.8  | 31.9 | 6       | 5.7  | 2.0 | 12.4 | 17       | 15.0 | 8.4  | 24.6 | 11    | 22.3 | 10.7 | 40.7 | 6       | 7.7  | 2.8 | 16.9 |
| 2010-12            | 29      | 17.1 | 11.2 | 24.8 | 21    | 26.8 | 16.3 | 41.4 | 8       | 7.3  | 3.1 | 14.4 | 20       | 15.8 | 9.5  | 24.7 | 12    | 21.6 | 10.9 | 38.0 | 8       | 10.1 | 4.3 | 20.1 |
| 2011-13            | 27      | 14.6 | 9.5  | 21.3 | 19    | 22.2 | 13.3 | 34.8 | 8       | 7.0  | 3.0 | 13.8 | 18       | 14.4 | 8.3  | 23.1 | 10    | 18.8 | 8.7  | 35.1 | 8       | 10.0 | 4.2 | 19.9 |
| 2012-14            | 27      | 14.6 | 9.5  | 21.3 | 19    | 22.4 | 13.4 | 35.0 | 8       | 6.8  | 2.9 | 13.4 | 22       | 17.2 | 10.5 | 26.5 | 14    | 24.7 | 13.1 | 42.0 | 8       | 9.8  | 4.1 | 19.5 |
| 2013-15            | 24      | 12.1 | 7.7  | 18.1 | 17    | 18.4 | 10.6 | 29.5 | 7       | 5.8  | 2.3 | 12.1 | 17       | 12.9 | 7.2  | 21.0 | 10    | 17.7 | 8.1  | 33.0 | 7       | 8.1  | 3.2 | 16.9 |
| 2014-16            | 28      | 14.0 | 9.3  | 20.4 | 19    | 20.6 | 12.4 | 32.3 | 9       | 7.5  | 3.4 | 14.2 | 20       | 14.0 | 8.3  | 22.0 | 12    | 19.2 | 9.6  | 34.1 | 8       | 8.8  | 3.7 | 17.4 |


## Brain and CNS Cancer (C70 - C72) - Incidence

**Incidence rates in persons, 2003-2016**




— England — Guernsey — Jersey — South West

**Incidence rates in persons, latest 5-years**




Area

**Incidence rates in males, 2003-2016**




— England — Guernsey — Jersey — South West

**Incidence rates in males, latest 5-years**




Area

**Incidence rates in females, 2003-2016**



— England — Guernsey — Jersey — South West

**Incidence rates in females, latest 5-years**



Area

## Brain and CNS Cancer (C70 - C72) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |     |      |       |      |     |      |         |      |     |      | Guernsey |      |      |      |       |      |      |      |         |      |     |      |
|--------------------|---------|------|-----|------|-------|------|-----|------|---------|------|-----|------|----------|------|------|------|-------|------|------|------|---------|------|-----|------|
|                    | Persons |      |     |      | Males |      |     |      | Females |      |     |      | Persons  |      |      |      | Males |      |      |      | Females |      |     |      |
|                    | Count   | ASR  | LCI | UCI  | Count | ASR  | LCI | UCI  | Count   | ASR  | LCI | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI | UCI  |
| 2003-05            | 19      | 9.8  | 5.8 | 15.3 | 14    | 14.6 | 7.9 | 24.7 | 5       | 4.9  | 1.6 | 11.5 | 12       | 9.7  | 5.0  | 17.0 | 7     | 11.9 | 4.7  | 24.6 | 5       | 7.5  | 2.4 | 17.5 |
| 2004-06            | 20      | 10.6 | 6.4 | 16.4 | 15    | 16.5 | 9.1 | 27.3 | 5       | 4.7  | 1.5 | 11.0 | 11       | 8.2  | 4.1  | 14.8 | 6     | 9.3  | 3.4  | 20.4 | 5       | 7.1  | 2.3 | 16.7 |
| 2005-07            | 21      | 10.8 | 6.6 | 16.6 | 13    | 13.8 | 7.2 | 23.7 | 8       | 7.8  | 3.3 | 15.4 | 7        | 5.1  | 2.0  | 10.6 | <5    | 5.7  | 1.5  | 14.9 | <5      | 4.5  | 0.9 | 13.1 |
| 2006-08            | 23      | 11.8 | 7.4 | 17.8 | 11    | 11.8 | 5.8 | 21.3 | 12      | 11.8 | 6.0 | 20.7 | 11       | 8.5  | 4.2  | 15.2 | <5    | 11.5 | 4.5  | 23.8 | <5      | 5.4  | 1.4 | 14.0 |
| 2007-09            | 19      | 9.4  | 5.6 | 14.8 | 8     | 8.1  | 3.4 | 16.1 | 11      | 10.8 | 5.3 | 19.4 | 20       | 15.4 | 9.3  | 23.9 | 12    | 19.2 | 9.8  | 33.8 | 8       | 11.5 | 4.9 | 22.8 |
| 2008-10            | 21      | 10.3 | 6.3 | 15.9 | 8     | 8.3  | 3.4 | 16.5 | 13      | 12.3 | 6.5 | 21.2 | 22       | 16.3 | 10.1 | 24.8 | 13    | 20.2 | 10.7 | 34.8 | 9       | 12.3 | 5.6 | 23.5 |
| 2009-11            | 15      | 7.1  | 3.9 | 11.8 | 9     | 8.7  | 3.9 | 16.6 | 6       | 5.5  | 2.0 | 12.1 | 17       | 12.0 | 6.9  | 19.3 | 9     | 13.2 | 6.0  | 25.1 | 8       | 10.8 | 4.6 | 21.4 |
| 2010-12            | 20      | 9.9  | 6.0 | 15.3 | 13    | 13.1 | 6.9 | 22.6 | 7       | 6.6  | 2.6 | 13.8 | 7        | 4.5  | 1.8  | 9.2  | <5    | 1.3  | 0.0  | 7.2  | <5      | 7.6  | 2.8 | 16.7 |
| 2011-13            | 20      | 9.9  | 6.0 | 15.3 | <5    | 16.3 | 9.2 | 26.6 | <5      | 3.4  | 0.9 | 8.8  | 8        | 5.3  | 2.3  | 10.4 | <5    | 0.0  | 0.0  | 0.0  | <5      | 10.5 | 4.5 | 20.8 |
| 2012-14            | 17      | 8.3  | 4.8 | 13.3 | 10    | 10.6 | 5.0 | 19.5 | 7       | 6.0  | 2.4 | 12.3 | 15       | 9.8  | 5.5  | 16.3 | <5    | 4.2  | 0.8  | 12.3 | <5      | 15.5 | 8.0 | 27.1 |
| 2013-15            | 14      | 6.4  | 3.5 | 10.8 | 8     | 7.8  | 3.3 | 15.5 | 6       | 5.1  | 1.8 | 11.1 | 18       | 11.7 | 6.9  | 18.6 | 5     | 6.7  | 2.1  | 15.7 | 13      | 16.7 | 8.8 | 28.7 |
| 2014-16            | 13      | 5.4  | 2.9 | 9.3  | 6     | 4.7  | 1.7 | 10.3 | 7       | 6.1  | 2.5 | 12.7 | 18       | 11.5 | 6.8  | 18.3 | 6     | 7.8  | 2.8  | 17.1 | 12      | 15.2 | 7.8 | 26.7 |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 62.3    | 55.7     | 62.3   | 64         |
| Median          | 65.0    | 57.0     | 66.0   | 66         |
| 5th percentile  | 30.0    | 31.0     | 30.0   | 32         |
| 95th percentile | 86.0    | 70.0     | 85.0   | 86         |

## Brain and CNS Cancer (C70 - C72) - Mortality









## Brain and CNS Cancer (C70 - C72) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |      |       |      |     |      |         |     |     |      | Guernsey |      |     |      |       |      |     |      |         |      |     |      |
|--------------------|---------|-----|-----|------|-------|------|-----|------|---------|-----|-----|------|----------|------|-----|------|-------|------|-----|------|---------|------|-----|------|
|                    | Persons |     |     |      | Males |      |     |      | Females |     |     |      | Persons  |      |     |      | Males |      |     |      | Females |      |     |      |
|                    | Count   | ASR | LCI | UCI  | Count | ASR  | LCI | UCI  | Count   | ASR | LCI | UCI  | Count    | ASR  | LCI | UCI  | Count | ASR  | LCI | UCI  | Count   | ASR  | LCI | UCI  |
| 2003-05            | 13      | 6.7 | 3.5 | 11.6 | 8     | 8.4  | 3.6 | 16.8 | 5       | 5.0 | 1.6 | 11.8 | 12       | 9.6  | 4.9 | 16.9 | 6     | 10.1 | 3.6 | 22.2 | 6       | 9.1  | 3.3 | 19.9 |
| 2004-06            | 14      | 7.3 | 3.9 | 12.4 | <5    | 10.5 | 4.9 | 19.6 | <5      | 4.1 | 1.1 | 10.7 | 7        | 5.1  | 2.0 | 10.5 | <5    | 4.7  | 1.0 | 13.8 | <5      | 5.5  | 1.4 | 14.0 |
| 2005-07            | 15      | 7.9 | 4.4 | 13.1 | 9     | 9.7  | 4.3 | 18.5 | 6       | 6.1 | 2.2 | 13.4 | 10       | 7.1  | 3.4 | 13.2 | <5    | 5.9  | 1.5 | 15.2 | <5      | 8.3  | 3.0 | 18.2 |
| 2006-08            | 9       | 4.9 | 2.2 | 9.4  | <5    | 6.9  | 2.4 | 15.1 | <5      | 2.9 | 0.6 | 8.6  | 9        | 6.7  | 3.0 | 12.7 | <5    | 6.3  | 1.6 | 16.3 | <5      | 7.0  | 2.2 | 16.4 |
| 2007-09            | 11      | 5.4 | 2.7 | 9.8  | 5     | 5.6  | 1.8 | 13.1 | 6       | 5.3 | 1.9 | 11.5 | 14       | 10.2 | 5.5 | 17.3 | 6     | 9.4  | 3.4 | 20.5 | 8       | 11.1 | 4.7 | 22.1 |
| 2008-10            | 14      | 7.1 | 3.8 | 11.9 | 6     | 6.8  | 2.4 | 14.9 | 8       | 7.3 | 3.1 | 14.5 | 15       | 10.9 | 6.0 | 18.1 | 6     | 9.4  | 3.4 | 20.6 | 9       | 12.4 | 5.6 | 23.7 |
| 2009-11            | 17      | 8.0 | 4.6 | 12.8 | 8     | 7.8  | 3.3 | 15.6 | 9       | 8.1 | 3.6 | 15.4 | 12       | 8.5  | 4.3 | 15.0 | 5     | 7.6  | 2.4 | 17.8 | 7       | 9.5  | 3.7 | 19.6 |
| 2010-12            | 18      | 9.1 | 5.3 | 14.4 | 11    | 11.3 | 5.6 | 20.4 | 7       | 6.9 | 2.7 | 14.2 | 7        | 5.0  | 2.0 | 10.3 | <5    | 5.7  | 1.5 | 14.8 | <5      | 4.2  | 0.8 | 12.5 |
| 2011-13            | 17      | 8.5 | 4.9 | 13.7 | <5    | 14.2 | 7.6 | 24.0 | <5      | 2.8 | 0.6 | 8.1  | <5       | 2.0  | 0.4 | 6.0  | <5    | 1.3  | 0.0 | 7.1  | <5      | 2.8  | 0.3 | 10.2 |
| 2012-14            | 17      | 8.5 | 4.9 | 13.6 | 12    | 12.4 | 6.3 | 21.9 | 5       | 4.5 | 1.5 | 10.5 | 9        | 6.0  | 2.7 | 11.5 | <5    | 3.0  | 0.3 | 10.7 | <5      | 9.1  | 3.6 | 18.8 |
| 2013-15            | 15      | 7.1 | 3.9 | 11.8 | 10    | 9.7  | 4.5 | 18.1 | 5       | 4.5 | 1.4 | 10.5 | 12       | 7.8  | 4.0 | 13.7 | <5    | 1.7  | 0.0 | 9.4  | <5      | 13.9 | 6.9 | 25.0 |
| 2014-16            | 16      | 7.1 | 4.0 | 11.5 | 7     | 6.1  | 2.4 | 12.7 | 9       | 8.0 | 3.6 | 15.2 | 12       | 7.5  | 3.9 | 13.2 | <5    | 2.9  | 0.3 | 10.7 | <5      | 12.2 | 5.8 | 22.4 |

## Breast Cancer (C50) - Incidence



## Breast Cancer (C50) - Incidence







### Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |     |     |     |         |       |       |       | Guernsey |     |     |     |       |     |     |     |         |       |       |       |
|--------------------|---------|-----|-----|-----|-------|-----|-----|-----|---------|-------|-------|-------|----------|-----|-----|-----|-------|-----|-----|-----|---------|-------|-------|-------|
|                    | Persons |     |     |     | Males |     |     |     | Females |       |       |       | Persons  |     |     |     | Males |     |     |     | Females |       |       |       |
|                    | Count   | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR   | LCI   | UCI   | Count    | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR   | LCI   | UCI   |
| 2003-05            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 193.7 | 166.8 | 223.7 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 230.3 | 196.1 | 268.7 |
| 2004-06            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 197.2 | 170.3 | 227.1 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 228.0 | 194.0 | 266.3 |
| 2005-07            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 205.5 | 178.2 | 235.7 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 189.6 | 158.8 | 224.5 |
| 2006-08            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 209.1 | 182.0 | 239.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 182.0 | 151.9 | 216.3 |
| 2007-09            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 221.3 | 193.7 | 251.7 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 169.6 | 141.1 | 202.2 |
| 2008-10            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 232.7 | 204.5 | 263.7 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 191.8 | 161.6 | 226.0 |
| 2009-11            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 234.0 | 206.1 | 264.8 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 201.2 | 170.4 | 235.9 |
| 2010-12            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 237.8 | 209.9 | 268.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 220.5 | 188.5 | 256.4 |
| 2011-13            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 229.6 | 202.5 | 259.2 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 213.1 | 182.0 | 248.1 |
| 2012-14            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 229.3 | 202.5 | 258.7 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 209.4 | 178.7 | 243.9 |
| 2013-15            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 230.0 | 203.2 | 259.3 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 200.5 | 170.6 | 234.2 |
| 2014-16            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 232.8 | 206.0 | 262.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 191.5 | 162.3 | 224.3 |

### Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 63.4    | 63.8     | 62.3   | 64.7       |
| Median          | 64.0    | 63.0     | 61.0   | 65.0       |
| 5th percentile  | 41.0    | 43.0     | 41.0   | 42.0       |
| 95th percentile | 88.0    | 89.0     | 86.0   | 88.0       |

## Breast Cancer (C50) - Mortality









## Breast Cancer (C50) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |     |     |     |         |      |      |      | Guernsey |     |     |     |       |     |     |     |         |     |     |     |    |      |      |      |
|--------------------|---------|-----|-----|-----|-------|-----|-----|-----|---------|------|------|------|----------|-----|-----|-----|-------|-----|-----|-----|---------|-----|-----|-----|----|------|------|------|
|                    | Persons |     |     |     | Males |     |     |     | Females |      |      |      | Persons  |     |     |     | Males |     |     |     | Females |     |     |     |    |      |      |      |
|                    | Count   | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR  | LCI  | UCI  | Count    | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR | LCI | UCI |    |      |      |      |
| 2003-05            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 50.8 | 37.7 | 67.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 47.7 | 32.9 | 66.8 |
| 2004-06            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 46.2 | 33.9 | 61.6 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 48.8 | 33.9 | 67.9 |
| 2005-07            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 46.4 | 34.0 | 61.8 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 48.8 | 33.8 | 68.0 |
| 2006-08            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 42.0 | 30.3 | 56.7 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 36.2 | 23.5 | 53.2 |
| 2007-09            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 41.7 | 30.0 | 56.3 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 35.9 | 23.7 | 52.1 |
| 2008-10            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 45.6 | 33.5 | 60.6 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 31.4 | 20.2 | 46.6 |
| 2009-11            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 50.3 | 37.7 | 65.8 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 24.9 | 15.3 | 38.2 |
| 2010-12            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 53.0 | 40.1 | 68.7 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 26.6 | 16.3 | 40.8 |
| 2011-13            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 52.6 | 39.8 | 68.2 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 28.9 | 18.3 | 43.2 |
| 2012-14            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 49.9 | 37.6 | 65.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 37.8 | 25.6 | 53.6 |
| 2013-15            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 44.9 | 33.3 | 59.2 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 33.2 | 21.9 | 48.2 |
| 2014-16            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 43.6 | 32.4 | 57.2 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 25.7 | 15.9 | 39.1 |

## Colorectal Cancer (C18-C21) - Incidence



## Colorectal Cancer (C18-C21) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |       |      |       |       |       |       |       |         |      |      |       | Guernsey |       |      |       |       |       |       |       |         |      |      |       |
|--------------------|---------|-------|------|-------|-------|-------|-------|-------|---------|------|------|-------|----------|-------|------|-------|-------|-------|-------|-------|---------|------|------|-------|
|                    | Persons |       |      |       | Males |       |       |       | Females |      |      |       | Persons  |       |      |       | Males |       |       |       | Females |      |      |       |
|                    | Count   | ASR   | LCI  | UCI   | Count | ASR   | LCI   | UCI   | Count   | ASR  | LCI  | UCI   | Count    | ASR   | LCI  | UCI   | Count | ASR   | LCI   | UCI   | Count   | ASR  | LCI  | UCI   |
| 2003-05            | 158     | 98.4  | 83.0 | 115.7 | 82    | 117.4 | 92.4  | 146.9 | 76      | 79.4 | 62.4 | 99.6  | 116      | 95.2  | 78.2 | 114.8 | 65    | 118.3 | 90.6  | 151.6 | 51      | 72.2 | 53.6 | 95.1  |
| 2004-06            | 176     | 108.0 | 92.0 | 125.9 | 98    | 136.7 | 110.0 | 167.7 | 78      | 79.3 | 62.5 | 99.2  | 122      | 98.7  | 81.5 | 118.4 | 74    | 132.2 | 103.2 | 166.8 | 48      | 65.2 | 47.9 | 86.6  |
| 2005-07            | 189     | 112.1 | 96.2 | 129.7 | 111   | 144.6 | 118.3 | 174.8 | 78      | 79.6 | 62.8 | 99.5  | 130      | 103.8 | 86.4 | 123.6 | 81    | 140.1 | 110.9 | 174.6 | 49      | 67.4 | 49.7 | 89.4  |
| 2006-08            | 185     | 108.2 | 92.6 | 125.6 | 108   | 138.8 | 112.9 | 168.8 | 77      | 77.6 | 61.1 | 97.2  | 121      | 94.2  | 77.9 | 112.8 | 81    | 134.6 | 106.5 | 167.7 | 40      | 53.8 | 38.2 | 73.5  |
| 2007-09            | 175     | 100.5 | 85.6 | 117.1 | 99    | 124.1 | 99.9  | 152.2 | 76      | 76.9 | 60.5 | 96.4  | 129      | 100.9 | 83.8 | 120.4 | 83    | 138.9 | 109.8 | 173.0 | 46      | 62.9 | 45.9 | 84.2  |
| 2008-10            | 192     | 108.4 | 92.9 | 125.6 | 110   | 135.4 | 110.0 | 164.7 | 82      | 81.4 | 64.6 | 101.2 | 118      | 90.7  | 74.6 | 109.1 | 74    | 122.4 | 95.4  | 154.6 | 44      | 58.9 | 42.5 | 79.3  |
| 2009-11            | 190     | 104.2 | 89.4 | 120.7 | 112   | 132.6 | 108.1 | 160.7 | 78      | 75.8 | 59.8 | 94.8  | 129      | 97.3  | 80.8 | 116.1 | 75    | 122.4 | 95.7  | 154.2 | 54      | 72.2 | 53.9 | 94.5  |
| 2010-12            | 196     | 104.6 | 90.1 | 120.9 | 116   | 133.9 | 109.8 | 161.5 | 80      | 75.4 | 59.7 | 94.0  | 150      | 107.1 | 90.4 | 125.9 | 78    | 120.9 | 95.3  | 151.1 | 72      | 93.2 | 72.7 | 117.8 |
| 2011-13            | 175     | 90.0  | 76.9 | 104.7 | 103   | 114.5 | 93.0  | 139.4 | 72      | 65.6 | 51.2 | 82.8  | 151      | 106.2 | 89.6 | 124.9 | 77    | 117.9 | 92.7  | 147.7 | 74      | 94.5 | 73.9 | 119.0 |
| 2012-14            | 186     | 90.6  | 77.8 | 104.9 | 91    | 96.5  | 77.3  | 118.9 | 95      | 84.8 | 68.4 | 103.9 | 148      | 102.2 | 86.1 | 120.4 | 76    | 115.4 | 90.5  | 144.8 | 72      | 89.0 | 69.4 | 112.5 |
| 2013-15            | 200     | 94.4  | 81.5 | 108.7 | 102   | 102.8 | 83.5  | 125.2 | 98      | 86.0 | 69.6 | 104.9 | 148      | 102.1 | 86.0 | 120.4 | 78    | 119.7 | 94.2  | 149.9 | 70      | 84.5 | 65.6 | 107.2 |
| 2014-16            | 217     | 103.0 | 89.5 | 118.0 | 115   | 117.6 | 96.6  | 141.7 | 102     | 88.5 | 72.0 | 107.6 | 144      | 97.6  | 82.0 | 115.3 | 72    | 108.1 | 84.2  | 136.6 | 72      | 87.1 | 67.9 | 110.0 |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 71      | 72.3     | 69.1   | 72.2       |
| Median          | 73      | 74.0     | 70.0   | 74.0       |
| 5th percentile  | 48      | 51.0     | 47.0   | 49.0       |
| 95th percentile | 89      | 90.0     | 88.0   | 90.0       |

## Colorectal Cancer (C18-C21) - Mortality









## Colorectal Cancer (C18-C21) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |      |      | Guernsey |      |      |      |       |      |      |      |         |      |      |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|------|------|----------|------|------|------|-------|------|------|------|---------|------|------|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |      |      | Persons  |      |      |      | Males |      |      |      | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 60      | 39.8 | 29.7 | 52.1 | 33    | 52.8 | 35.4 | 75.3 | 27      | 26.9 | 17.6 | 39.3 | 44       | 35.9 | 25.5 | 48.9 | 18    | 38.4 | 22.2 | 61.4 | 26      | 33.4 | 21.7 | 49.1 |
| 2004-06            | 60      | 39.3 | 29.3 | 51.3 | 33    | 51.8 | 34.8 | 73.9 | 27      | 26.7 | 17.5 | 39.0 | 42       | 33.9 | 23.9 | 46.4 | 21    | 40.9 | 24.8 | 63.4 | 21      | 26.8 | 16.5 | 41.1 |
| 2005-07            | 62      | 38.8 | 29.3 | 50.4 | 32    | 47.9 | 32.1 | 68.4 | 30      | 29.8 | 20.0 | 42.6 | 40       | 31.6 | 22.4 | 43.3 | 25    | 43.8 | 28.1 | 64.9 | 15      | 19.4 | 10.8 | 32.2 |
| 2006-08            | 50      | 30.2 | 22.1 | 40.3 | 27    | 37.8 | 24.4 | 55.7 | 23      | 22.7 | 14.3 | 34.1 | 35       | 26.2 | 18.1 | 36.6 | 22    | 35.7 | 22.2 | 54.3 | 13      | 16.6 | 8.7  | 28.6 |
| 2007-09            | 51      | 29.5 | 21.7 | 39.3 | 26    | 34.8 | 22.2 | 51.7 | 25      | 24.3 | 15.6 | 36.0 | 35       | 26.9 | 18.4 | 37.9 | 20    | 35.3 | 21.0 | 55.2 | 15      | 18.6 | 10.2 | 30.8 |
| 2008-10            | 58      | 33.4 | 24.9 | 43.8 | 35    | 45.2 | 30.7 | 63.9 | 23      | 21.6 | 13.6 | 32.5 | 32       | 24.2 | 16.2 | 34.6 | 19    | 32.9 | 19.3 | 52.2 | 13      | 15.4 | 8.1  | 26.6 |
| 2009-11            | 60      | 34.7 | 26.0 | 45.3 | 40    | 50.4 | 35.0 | 69.8 | 20      | 19.1 | 11.6 | 29.5 | 44       | 33.6 | 23.9 | 45.6 | 28    | 48.7 | 31.7 | 71.1 | 16      | 18.5 | 10.5 | 30.2 |
| 2010-12            | 52      | 28.6 | 21.0 | 37.9 | 37    | 43.2 | 29.8 | 60.4 | 15      | 14.0 | 7.8  | 23.1 | 49       | 35.6 | 26.0 | 47.5 | 30    | 49.6 | 33.1 | 71.2 | 19      | 21.6 | 12.9 | 33.9 |
| 2011-13            | 43      | 22.0 | 15.7 | 29.8 | 23    | 25.5 | 15.9 | 38.7 | 20      | 18.4 | 11.2 | 28.4 | 49       | 34.4 | 25.2 | 45.8 | 27    | 43.8 | 28.7 | 64.0 | 22      | 25.0 | 15.6 | 38.0 |
| 2012-14            | 45      | 22.0 | 15.9 | 29.6 | 17    | 19.0 | 10.8 | 30.7 | 28      | 25.1 | 16.6 | 36.3 | 49       | 34.0 | 24.9 | 45.2 | 26    | 40.9 | 26.5 | 60.2 | 23      | 27.0 | 17.0 | 40.6 |
| 2013-15            | 50      | 25.6 | 18.8 | 34.0 | 21    | 25.1 | 15.3 | 38.8 | 29      | 26.0 | 17.4 | 37.5 | 46       | 30.9 | 22.4 | 41.5 | 25    | 38.2 | 24.5 | 56.7 | 21      | 23.6 | 14.5 | 36.2 |
| 2014-16            | 61      | 30.5 | 23.1 | 39.4 | 28    | 32.3 | 21.2 | 47.0 | 33      | 28.7 | 19.7 | 40.4 | 44       | 30.1 | 21.7 | 40.8 | 28    | 43.0 | 28.3 | 62.4 | 16      | 17.3 | 9.8  | 28.2 |

## Head and Neck Cancer (C00-C14, C30-C32, C73) - Incidence



## Head and Neck Cancer (C00-C14, C30-C32, C73) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |      |      | Guernsey |      |      |      |       |      |      |      |         |      |      |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|------|------|----------|------|------|------|-------|------|------|------|---------|------|------|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |      |      | Persons  |      |      |      | Males |      |      |      | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 81      | 44.9 | 35.5 | 56.1 | 51    | 58.8 | 43.4 | 77.8 | 30      | 31.1 | 20.8 | 44.5 | 52       | 40.6 | 30.2 | 53.4 | 35    | 57.2 | 39.5 | 79.9 | 17      | 24.0 | 13.9 | 38.5 |
| 2004-06            | 93      | 50.9 | 40.9 | 62.6 | 66    | 75.0 | 57.7 | 95.8 | 27      | 26.9 | 17.6 | 39.3 | 39       | 29.4 | 20.8 | 40.4 | 24    | 38.0 | 24.2 | 56.8 | 15      | 20.8 | 11.6 | 34.5 |
| 2005-07            | 96      | 51.7 | 41.7 | 63.4 | 69    | 76.5 | 59.2 | 97.3 | 27      | 26.9 | 17.6 | 39.3 | 42       | 30.8 | 22.1 | 41.8 | 24    | 37.0 | 23.6 | 55.4 | 18      | 24.6 | 14.5 | 39.0 |
| 2006-08            | 93      | 49.6 | 39.9 | 61.0 | 71    | 77.7 | 60.4 | 98.4 | 22      | 21.6 | 13.4 | 32.8 | 43       | 30.2 | 21.7 | 40.8 | 27    | 39.9 | 26.1 | 58.3 | 16      | 20.5 | 11.6 | 33.5 |
| 2007-09            | 84      | 44.0 | 34.9 | 54.7 | 61    | 66.0 | 50.2 | 85.1 | 23      | 22.0 | 13.8 | 33.2 | 51       | 35.3 | 26.2 | 46.5 | 32    | 45.9 | 31.2 | 65.1 | 19      | 24.6 | 14.7 | 38.6 |
| 2008-10            | 85      | 43.2 | 34.3 | 53.6 | 65    | 68.1 | 52.2 | 87.2 | 20      | 18.2 | 11.1 | 28.3 | 55       | 38.0 | 28.5 | 49.7 | 38    | 54.6 | 38.4 | 75.2 | 17      | 21.5 | 12.5 | 34.6 |
| 2009-11            | 85      | 41.0 | 32.6 | 51.0 | 63    | 63.0 | 48.1 | 81.0 | 22      | 19.1 | 11.9 | 29.0 | 56       | 38.4 | 28.9 | 50.0 | 36    | 50.7 | 35.3 | 70.5 | 20      | 26.1 | 15.8 | 40.4 |
| 2010-12            | 92      | 42.3 | 34.0 | 52.1 | 65    | 60.9 | 46.7 | 77.9 | 27      | 23.8 | 15.6 | 34.7 | 57       | 39.7 | 29.8 | 51.7 | 35    | 51.1 | 35.1 | 71.6 | 22      | 28.3 | 17.6 | 43.0 |
| 2011-13            | 95      | 43.1 | 34.8 | 52.8 | 60    | 55.5 | 42.2 | 71.7 | 35      | 30.7 | 21.3 | 42.8 | 49       | 32.9 | 24.2 | 43.7 | 26    | 36.4 | 23.5 | 53.9 | 23      | 29.3 | 18.5 | 44.1 |
| 2012-14            | 97      | 44.3 | 35.8 | 54.2 | 60    | 56.4 | 42.9 | 72.9 | 37      | 32.2 | 22.6 | 44.4 | 42       | 28.2 | 20.1 | 38.2 | 23    | 32.6 | 20.4 | 49.4 | 19      | 23.7 | 14.2 | 37.0 |
| 2013-15            | 90      | 40.8 | 32.7 | 50.2 | 57    | 53.4 | 40.2 | 69.3 | 33      | 28.2 | 19.3 | 39.7 | 34       | 22.0 | 15.2 | 30.8 | 19    | 25.4 | 15.2 | 39.7 | 15      | 18.6 | 10.3 | 30.7 |
| 2014-16            | 95      | 41.6 | 33.6 | 51.0 | 59    | 53.7 | 40.7 | 69.5 | 36      | 29.5 | 20.6 | 40.9 | 56       | 35.7 | 26.9 | 46.4 | 33    | 43.9 | 30.1 | 61.8 | 23      | 27.4 | 17.3 | 41.3 |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 61.7    | 63.5     | 61.1   | 63.1       |
| Median          | 63.0    | 64.0     | 62.0   | 64.0       |
| 5th percentile  | 34.0    | 41.0     | 35.0   | 37.0       |
| 95th percentile | 85.0    | 85.0     | 81.0   | 87.0       |

## Head and Neck Cancer (C00-C14, C30-C32, C73) - Mortality









## Head and Neck Cancer (C00-C14, C30-C32, C73) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |     |     |      | Guernsey |      |     |      |       |      |     |      |         |     |     |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|-----|-----|------|----------|------|-----|------|-------|------|-----|------|---------|-----|-----|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |     |     |      | Persons  |      |     |      | Males |      |     |      | Females |     |     |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR | LCI | UCI  | Count    | ASR  | LCI | UCI  | Count | ASR  | LCI | UCI  | Count   | ASR | LCI | UCI  |
| 2003-05            | 23      | 13.5 | 8.5  | 20.4 | 17    | 20.7 | 11.9 | 33.3 | 6       | 6.4 | 2.3 | 14.0 | 16       | 13.9 | 7.8 | 22.7 | 11    | 20.0 | 9.8 | 36.0 | 5       | 7.8 | 2.5 | 18.2 |
| 2004-06            | 16      | 9.0  | 5.1  | 14.7 | <5    | 14.7 | 7.7  | 25.4 | <5      | 3.3 | 0.7 | 9.6  | 11       | 9.4  | 4.6 | 17.0 | <5    | 14.0 | 5.9 | 27.9 | <5      | 4.8 | 1.0 | 14.1 |
| 2005-07            | 23      | 12.6 | 7.9  | 19.0 | 17    | 18.5 | 10.7 | 29.9 | 6       | 6.6 | 2.4 | 14.4 | 8        | 6.7  | 2.9 | 13.4 | <5    | 9.0  | 2.8 | 21.1 | <5      | 4.5 | 0.9 | 13.2 |
| 2006-08            | 23      | 13.2 | 8.3  | 19.9 | <5    | 23.1 | 14.0 | 35.8 | <5      | 3.3 | 0.7 | 9.8  | 9        | 6.7  | 3.1 | 12.9 | <5    | 7.8  | 2.5 | 18.3 | <5      | 5.7 | 1.5 | 14.5 |
| 2007-09            | 23      | 12.9 | 8.1  | 19.4 | 18    | 20.4 | 12.0 | 32.4 | 5       | 5.3 | 1.7 | 12.5 | 13       | 9.7  | 5.1 | 16.7 | <5    | 14.0 | 6.3 | 26.7 | <5      | 5.4 | 1.5 | 13.8 |
| 2008-10            | 25      | 13.4 | 8.6  | 19.9 | <5    | 23.6 | 14.6 | 36.0 | <5      | 3.2 | 0.6 | 9.3  | 14       | 9.7  | 5.2 | 16.3 | <5    | 14.4 | 6.8 | 26.7 | <5      | 4.9 | 1.3 | 12.5 |
| 2009-11            | 22      | 11.3 | 7.0  | 17.2 | <5    | 18.7 | 11.0 | 29.8 | <5      | 3.8 | 1.0 | 9.8  | 10       | 7.0  | 3.3 | 13.0 | <5    | 11.7 | 5.0 | 23.3 | <5      | 2.3 | 0.3 | 8.2  |
| 2010-12            | 28      | 13.8 | 9.1  | 20.1 | <5    | 25.9 | 16.7 | 38.2 | <5      | 1.7 | 0.2 | 6.4  | 10       | 7.6  | 3.4 | 14.5 | 5     | 9.0  | 2.5 | 21.7 | 5       | 6.3 | 2.0 | 14.9 |
| 2011-13            | 23      | 10.9 | 6.8  | 16.4 | <5    | 21.0 | 13.0 | 32.0 | <5      | 0.7 | 0.0 | 3.9  | 10       | 7.4  | 3.4 | 14.0 | 5     | 8.8  | 2.6 | 21.0 | 5       | 6.1 | 1.9 | 14.3 |
| 2012-14            | 28      | 13.0 | 8.5  | 18.9 | <5    | 22.4 | 14.2 | 33.6 | <5      | 3.5 | 0.9 | 9.0  | 14       | 9.6  | 5.0 | 16.3 | 7     | 11.3 | 4.3 | 23.7 | 7       | 7.8 | 3.1 | 16.2 |
| 2013-15            | 28      | 13.1 | 8.6  | 18.9 | 20    | 18.9 | 11.5 | 29.4 | 8       | 7.2 | 3.1 | 14.2 | 14       | 9.3  | 5.0 | 15.7 | <5    | 15.5 | 7.7 | 27.9 | <5      | 3.1 | 0.6 | 9.1  |
| 2014-16            | 32      | 15.1 | 10.2 | 21.4 | 21    | 20.4 | 12.5 | 31.4 | 11      | 9.7 | 4.8 | 17.4 | 16       | 10.7 | 6.1 | 17.4 | <5    | 16.6 | 8.5 | 29.1 | <5      | 4.8 | 1.2 | 12.3 |

## Hepatobiliary Cancer (C22-C23) - Incidence



## Hepatobiliary Cancer (C22-C23) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |     |      | Guernsey |      |     |      |       |      |      |      |         |     |     |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|-----|------|----------|------|-----|------|-------|------|------|------|---------|-----|-----|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |     |      | Persons  |      |     |      | Males |      |      |      | Females |     |     |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI | UCI  | Count    | ASR  | LCI | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR | LCI | UCI  |
| 2003-05            | 14      | 8.2  | 4.4  | 13.8 | 8     | 9.8  | 4.1  | 19.4 | 6       | 6.6  | 2.4 | 14.3 | 5        | 5.5  | 1.4 | 13.7 | <5    | 11.0 | 2.7  | 27.4 | <5      | 0.0 | 0.0 | 0.0  |
| 2004-06            | 16      | 9.1  | 5.1  | 14.8 | 10    | 12.1 | 5.7  | 22.5 | 6       | 6.0  | 2.2 | 13.2 | 5        | 5.2  | 1.3 | 12.9 | <5    | 5.6  | 0.2  | 21.6 | <5      | 4.8 | 1.0 | 14.0 |
| 2005-07            | 20      | 11.1 | 6.7  | 17.2 | 13    | 14.9 | 7.9  | 25.6 | 7       | 7.3  | 2.9 | 15.2 | 6        | 4.7  | 1.7 | 10.3 | <5    | 3.2  | 0.4  | 11.5 | <5      | 6.3 | 1.7 | 16.1 |
| 2006-08            | 29      | 17.2 | 11.2 | 25.1 | 19    | 24.0 | 13.9 | 38.3 | 10      | 10.4 | 4.9 | 19.2 | 13       | 10.1 | 5.3 | 17.4 | 7     | 11.3 | 4.5  | 23.5 | 6       | 8.9 | 3.2 | 19.4 |
| 2007-09            | 33      | 19.8 | 13.3 | 28.1 | 23    | 29.3 | 18.0 | 44.6 | 10      | 10.3 | 4.9 | 19.0 | 16       | 12.3 | 7.0 | 20.1 | <5    | 19.2 | 9.8  | 33.7 | <5      | 5.4 | 1.5 | 13.9 |
| 2008-10            | 36      | 21.1 | 14.5 | 29.5 | 24    | 30.5 | 19.1 | 46.0 | 12      | 11.6 | 6.0 | 20.4 | 17       | 13.1 | 7.5 | 21.0 | <5    | 20.5 | 10.8 | 35.2 | <5      | 5.6 | 1.5 | 14.5 |
| 2009-11            | 34      | 18.1 | 12.5 | 25.5 | 23    | 26.2 | 16.5 | 39.5 | 11      | 10.1 | 5.0 | 18.0 | 15       | 11.6 | 6.4 | 19.1 | 10    | 15.3 | 7.2  | 28.3 | 5       | 7.8 | 2.5 | 18.2 |
| 2010-12            | 39      | 19.1 | 13.5 | 26.2 | 23    | 23.7 | 14.9 | 35.7 | 16      | 14.5 | 8.2 | 23.6 | 16       | 13.1 | 7.3 | 21.5 | 11    | 19.0 | 9.1  | 34.5 | 5       | 7.2 | 2.3 | 17.0 |
| 2011-13            | 38      | 18.8 | 13.1 | 26.0 | 22    | 23.6 | 14.4 | 36.1 | 16      | 14.0 | 8.0 | 22.8 | 19       | 14.9 | 8.8 | 23.5 | 13    | 21.7 | 11.3 | 37.4 | 6       | 8.2 | 3.0 | 18.0 |
| 2012-14            | 46      | 22.3 | 16.2 | 29.9 | 27    | 28.1 | 18.3 | 41.3 | 19      | 16.5 | 9.9 | 25.8 | 18       | 13.7 | 8.0 | 21.8 | <5    | 23.8 | 13.1 | 39.5 | <5      | 3.6 | 0.7 | 10.4 |
| 2013-15            | 36      | 17.5 | 12.2 | 24.4 | 22    | 23.3 | 14.4 | 35.6 | 14      | 11.8 | 6.4 | 19.8 | 23       | 15.4 | 9.7 | 23.2 | 16    | 22.7 | 12.9 | 36.9 | 7       | 8.1 | 3.2 | 16.8 |
| 2014-16            | 35      | 16.6 | 11.5 | 23.2 | 24    | 24.0 | 15.1 | 35.9 | 11      | 9.3  | 4.6 | 16.6 | 22       | 15.0 | 9.2 | 22.9 | 16    | 23.1 | 13.0 | 37.8 | 6       | 6.8 | 2.4 | 15.1 |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 71.9    | 74       | 71.2   | 72.9       |
| Median          | 73.0    | 73       | 72.0   | 74.0       |
| 5th percentile  | 50.0    | 59       | 51.0   | 52.0       |
| 95th percentile | 90.0    | 91       | 90.0   | 90.0       |

## Hepatobiliary Cancer (C22-C23) - Mortality









## Hepatobiliary Cancer (C22-C23) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |     |      | Guernsey |      |     |      |       |      |     |      |         |     |     |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|-----|------|----------|------|-----|------|-------|------|-----|------|---------|-----|-----|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |     |      | Persons  |      |     |      | Males |      |     |      | Females |     |     |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI | UCI  | Count    | ASR  | LCI | UCI  | Count | ASR  | LCI | UCI  | Count   | ASR | LCI | UCI  |
| 2003-05            | 9       | 5.7  | 2.6  | 10.9 | <5    | 8.3  | 3.0  | 18.2 | <5      | 3.1  | 0.6 | 8.9  | <5       | 4.2  | 0.6 | 11.9 | <5    | 7.3  | 0.7 | 23.2 | <5      | 1.1 | 0.0 | 6.3  |
| 2004-06            | 15      | 8.8  | 4.8  | 14.6 | 8     | 10.4 | 4.4  | 20.7 | 7       | 7.1  | 2.8 | 14.7 | 5        | 4.9  | 1.1 | 12.3 | <5    | 4.0  | 0.1 | 22.5 | <5      | 5.8 | 1.5 | 14.9 |
| 2005-07            | 13      | 7.4  | 3.9  | 12.7 | 8     | 9.9  | 4.2  | 19.6 | 5       | 4.9  | 1.5 | 11.5 | <5       | 2.3  | 0.5 | 6.8  | <5    | 0.0  | NA  | NA   | <5      | 4.7 | 1.0 | 13.7 |
| 2006-08            | 17      | 9.3  | 5.4  | 15.0 | 10    | 11.8 | 5.6  | 21.9 | 7       | 6.9  | 2.7 | 14.2 | 5        | 3.9  | 1.2 | 9.1  | <5    | 3.0  | 0.3 | 11.1 | <5      | 4.7 | 1.0 | 13.8 |
| 2007-09            | 20      | 12.6 | 7.4  | 19.9 | 14    | 19.3 | 10.0 | 33.1 | 6       | 5.9  | 2.1 | 13.0 | <5       | 3.4  | 0.9 | 8.7  | <5    | 6.7  | 1.8 | 17.4 | <5      | 0.0 | NA  | NA   |
| 2008-10            | 28      | 16.7 | 10.8 | 24.5 | 20    | 25.5 | 15.0 | 40.0 | 8       | 8.0  | 3.4 | 15.8 | 7        | 5.6  | 2.2 | 11.6 | <5    | 11.2 | 4.4 | 23.2 | <5      | 0.0 | NA  | NA   |
| 2009-11            | 28      | 16.0 | 10.4 | 23.5 | 20    | 24.5 | 14.5 | 38.5 | 8       | 7.6  | 3.2 | 15.0 | 9        | 7.2  | 3.2 | 13.7 | <5    | 11.1 | 4.4 | 23.1 | <5      | 3.2 | 0.4 | 11.5 |
| 2010-12            | 28      | 14.3 | 9.4  | 20.7 | 19    | 20.3 | 12.1 | 31.8 | 9       | 8.2  | 3.7 | 15.6 | 15       | 11.6 | 6.3 | 19.5 | <5    | 17.7 | 8.4 | 32.3 | <5      | 5.6 | 1.5 | 14.4 |
| 2011-13            | 29      | 14.1 | 9.4  | 20.4 | 16    | 17.0 | 9.6  | 27.7 | 13      | 11.3 | 6.0 | 19.4 | 15       | 11.5 | 6.2 | 19.2 | 10    | 16.3 | 7.5 | 30.4 | 5       | 6.7 | 2.1 | 15.7 |
| 2012-14            | 34      | 16.1 | 11.1 | 22.5 | 17    | 17.5 | 10.1 | 28.1 | 17      | 14.7 | 8.5 | 23.5 | 13       | 9.8  | 5.1 | 17.0 | <5    | 14.7 | 6.5 | 28.2 | <5      | 4.9 | 1.3 | 12.6 |
| 2013-15            | 30      | 14.1 | 9.4  | 20.2 | 15    | 15.6 | 8.7  | 25.9 | 15      | 12.6 | 7.0 | 20.8 | 9        | 6.2  | 2.8 | 11.8 | <5    | 6.2  | 1.7 | 15.9 | <5      | 6.1 | 1.9 | 14.4 |
| 2014-16            | 26      | 12.0 | 7.7  | 17.6 | 15    | 14.7 | 8.2  | 24.4 | 11      | 9.2  | 4.5 | 16.5 | 19       | 12.9 | 7.6 | 20.3 | 13    | 18.7 | 9.8 | 32.4 | 6       | 7.1 | 2.5 | 15.5 |

## Kidney and Ureter Cancer (C64-C68) - Incidence



## Kidney and Ureter Cancer (C64-C68) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |     |      | Guernsey |      |      |      |       |      |      |      |         |      |      |      |       |     |     |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|-----|------|----------|------|------|------|-------|------|------|------|---------|------|------|------|-------|-----|-----|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |     |      | Persons  |      |      |      | Males |      |      |      | Females |      |      |      |       |     |     |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  | Count | ASR | LCI |
| 2003-05            | 32      | 18.5 | 12.5 | 26.2 | 17    | 21.2 | 12.2 | 34.3 | 15      | 15.7 | 8.7 | 26.0 | 36       | 29.3 | 20.1 | 41.1 | 19    | 33.4 | 19.2 | 53.4 | 17      | 25.3 | 14.7 | 40.6 |       |     |     |
| 2004-06            | 36      | 20.9 | 14.5 | 29.1 | 22    | 27.3 | 16.9 | 41.5 | 14      | 14.6 | 7.9 | 24.6 | 31       | 24.5 | 16.3 | 35.3 | 14    | 24.4 | 12.6 | 42.2 | 17      | 24.5 | 14.2 | 39.4 |       |     |     |
| 2005-07            | 25      | 15.0 | 9.6  | 22.2 | 19    | 24.2 | 14.4 | 38.0 | 6       | 5.8  | 2.1 | 12.6 | 25       | 19.7 | 12.4 | 29.5 | 13    | 22.4 | 11.2 | 39.3 | 12      | 17.0 | 8.7  | 29.9 |       |     |     |
| 2006-08            | 24      | 14.3 | 9.1  | 21.4 | 19    | 23.6 | 14.1 | 37.0 | 5       | 5.1  | 1.6 | 11.9 | 20       | 14.6 | 8.8  | 22.6 | 11    | 17.6 | 8.7  | 31.7 | 9       | 11.5 | 5.2  | 21.9 |       |     |     |
| 2007-09            | 31      | 18.3 | 12.2 | 26.4 | 23    | 28.8 | 17.7 | 43.9 | 8       | 7.9  | 3.4 | 15.6 | 28       | 21.3 | 14.0 | 31.0 | 21    | 34.3 | 21.1 | 52.5 | 7       | 8.4  | 3.3  | 17.4 |       |     |     |
| 2008-10            | 32      | 17.9 | 12.0 | 25.7 | 22    | 26.3 | 15.9 | 40.5 | 10      | 9.6  | 4.5 | 17.7 | 31       | 23.9 | 16.1 | 34.2 | 23    | 38.7 | 24.5 | 58.2 | 8       | 9.2  | 3.9  | 18.1 |       |     |     |
| 2009-11            | 37      | 20.5 | 14.0 | 28.8 | 23    | 28.0 | 16.9 | 43.2 | 14      | 13.0 | 7.0 | 21.9 | 28       | 21.1 | 13.9 | 30.7 | 20    | 33.1 | 20.1 | 51.2 | 8       | 9.1  | 3.9  | 18.0 |       |     |     |
| 2010-12            | 30      | 15.4 | 10.1 | 22.3 | 17    | 18.9 | 10.5 | 31.0 | 13      | 11.9 | 6.2 | 20.4 | 22       | 16.1 | 10.0 | 24.5 | 14    | 22.2 | 12.0 | 37.3 | 8       | 10.0 | 4.3  | 19.8 |       |     |     |
| 2011-13            | 40      | 20.1 | 14.1 | 27.6 | 26    | 27.5 | 17.6 | 40.8 | 14      | 12.7 | 6.8 | 21.4 | 24       | 17.3 | 11.0 | 25.8 | 17    | 25.6 | 14.8 | 41.2 | 7       | 8.9  | 3.5  | 18.4 |       |     |     |
| 2012-14            | 38      | 18.3 | 12.9 | 25.2 | 26    | 25.9 | 16.8 | 38.2 | 12      | 10.6 | 5.4 | 18.7 | 28       | 19.3 | 12.7 | 27.9 | 22    | 30.9 | 19.3 | 47.0 | 6       | 7.6  | 2.7  | 16.6 |       |     |     |
| 2013-15            | 37      | 17.5 | 12.3 | 24.2 | 28    | 27.2 | 17.9 | 39.4 | 9       | 7.9  | 3.6 | 15.0 | 31       | 21.4 | 14.5 | 30.5 | <5    | 37.7 | 24.7 | 55.0 | <5      | 5.1  | 1.3  | 13.2 |       |     |     |
| 2014-16            | 35      | 16.6 | 11.5 | 23.1 | 25    | 24.8 | 16.0 | 36.8 | 10      | 8.3  | 4.0 | 15.4 | 34       | 22.7 | 15.6 | 31.8 | 26    | 35.5 | 23.1 | 52.1 | 8       | 9.9  | 4.2  | 19.7 |       |     |     |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 68.7    | 67.8     | 68     | 70         |
| Median          | 70.0    | 72.0     | 68     | 71         |
| 5th percentile  | 45.0    | 47.0     | 46     | 47         |
| 95th percentile | 88.0    | 87.0     | 85     | 88         |

## Kidney and Ureter Cancer (C64-C68) - Mortality









## Kidney and Ureter Cancer (C64-C68) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |     |      |       |      |     |      |         |     |     |      | Guernsey |      |     |      |       |      |      |      |         |     |     |      |
|--------------------|---------|------|-----|------|-------|------|-----|------|---------|-----|-----|------|----------|------|-----|------|-------|------|------|------|---------|-----|-----|------|
|                    | Persons |      |     |      | Males |      |     |      | Females |     |     |      | Persons  |      |     |      | Males |      |      |      | Females |     |     |      |
|                    | Count   | ASR  | LCI | UCI  | Count | ASR  | LCI | UCI  | Count   | ASR | LCI | UCI  | Count    | ASR  | LCI | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR | LCI | UCI  |
| 2003-05            | 8       | 4.6  | 1.9 | 9.1  | <5    | 7.5  | 2.7 | 16.5 | <5      | 1.6 | 0.2 | 5.9  | 9        | 7.7  | 3.4 | 14.7 | <5    | 9.5  | 3.0  | 22.2 | <5      | 5.9 | 1.6 | 15.2 |
| 2004-06            | 10      | 5.6  | 2.6 | 10.3 | <5    | 8.4  | 3.3 | 17.5 | <5      | 2.7 | 0.6 | 7.9  | 9        | 8.8  | 3.7 | 17.3 | <5    | 13.3 | 4.3  | 30.0 | <5      | 4.3 | 0.9 | 12.7 |
| 2005-07            | 14      | 7.7  | 4.2 | 13.1 | 9     | 10.5 | 4.7 | 20.0 | 5       | 5.0 | 1.6 | 11.8 | 6        | 5.8  | 1.7 | 13.3 | <5    | 7.6  | 1.2  | 23.3 | <5      | 3.9 | 0.8 | 11.4 |
| 2006-08            | 11      | 6.3  | 3.1 | 11.3 | <5    | 8.4  | 3.3 | 17.4 | <5      | 4.1 | 1.1 | 10.6 | 6        | 5.5  | 1.6 | 12.6 | <5    | 8.7  | 1.9  | 23.4 | <5      | 2.2 | 0.3 | 7.9  |
| 2007-09            | 16      | 9.5  | 5.4 | 15.5 | <5    | 15.8 | 8.3 | 27.2 | <5      | 3.2 | 0.6 | 9.4  | 13       | 9.6  | 5.0 | 16.6 | <5    | 14.9 | 6.8  | 28.4 | <5      | 4.3 | 1.2 | 11.1 |
| 2008-10            | 19      | 10.1 | 6.0 | 15.8 | 13    | 14.9 | 7.8 | 25.6 | 6       | 5.2 | 1.9 | 11.4 | 14       | 10.7 | 5.8 | 18.1 | <5    | 18.2 | 9.0  | 32.7 | <5      | 3.2 | 0.7 | 9.4  |
| 2009-11            | 24      | 11.8 | 7.5 | 17.7 | 15    | 15.8 | 8.8 | 26.3 | 9       | 7.8 | 3.6 | 14.9 | 20       | 15.1 | 9.1 | 23.5 | 15    | 24.7 | 13.8 | 40.9 | 5       | 5.5 | 1.8 | 12.8 |
| 2010-12            | 22      | 10.9 | 6.6 | 16.9 | 11    | 12.3 | 5.6 | 22.8 | 11      | 9.6 | 4.8 | 17.2 | 15       | 11.1 | 6.1 | 18.5 | <5    | 18.0 | 9.0  | 32.3 | <5      | 4.2 | 1.1 | 10.9 |
| 2011-13            | 16      | 8.5  | 4.7 | 14.0 | 10    | 11.7 | 5.3 | 22.0 | 6       | 5.3 | 1.9 | 11.6 | 19       | 13.6 | 8.1 | 21.3 | 12    | 18.8 | 9.7  | 33.0 | 7       | 8.3 | 3.3 | 17.3 |
| 2012-14            | 16      | 8.9  | 5.0 | 14.5 | <5    | 14.0 | 7.1 | 24.7 | <5      | 3.7 | 1.0 | 9.6  | 15       | 11.2 | 6.1 | 18.8 | 10    | 16.6 | 7.8  | 30.8 | 5       | 5.9 | 1.9 | 13.9 |
| 2013-15            | 13      | 6.7  | 3.5 | 11.5 | <5    | 10.7 | 5.1 | 19.8 | <5      | 2.7 | 0.5 | 7.8  | 14       | 10.4 | 5.6 | 17.7 | <5    | 15.9 | 7.4  | 29.5 | <5      | 5.0 | 1.3 | 12.9 |
| 2014-16            | 14      | 6.8  | 3.7 | 11.5 | 9     | 9.4  | 4.3 | 18.0 | 5       | 4.2 | 1.3 | 9.8  | 11       | 8.8  | 4.2 | 15.9 | <5    | 16.6 | 7.8  | 30.9 | <5      | 0.9 | 0.0 | 5.0  |

## Leukaemia Cancer (C91-C95) - Incidence



## Leukaemia Cancer (C91-C95) - Incidence







### Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |      |      | Guernsey |      |      |      |       |      |      |      |         |      |      |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|------|------|----------|------|------|------|-------|------|------|------|---------|------|------|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |      |      | Persons  |      |      |      | Males |      |      |      | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 28      | 17.0 | 11.1 | 24.7 | 16    | 22.0 | 12.4 | 35.9 | 12      | 11.9 | 6.1  | 21.0 | 18       | 15.6 | 9.1  | 24.8 | 12    | 23.0 | 11.8 | 40.2 | 6       | 8.2  | 3.0  | 18.0 |
| 2004-06            | 28      | 16.5 | 10.8 | 24.0 | 17    | 21.2 | 12.2 | 34.3 | 11      | 11.7 | 5.8  | 21.1 | 17       | 13.8 | 7.9  | 22.2 | 9     | 17.1 | 7.8  | 32.4 | 8       | 10.5 | 4.5  | 20.8 |
| 2005-07            | 34      | 20.9 | 14.1 | 29.6 | 23    | 31.0 | 19.1 | 47.2 | 11      | 10.8 | 5.3  | 19.4 | 17       | 13.1 | 7.5  | 21.1 | 8     | 14.2 | 6.1  | 28.1 | 9       | 11.9 | 5.4  | 22.7 |
| 2006-08            | 49      | 29.6 | 21.4 | 39.7 | 32    | 42.5 | 28.2 | 61.1 | 17      | 16.7 | 9.7  | 26.8 | 21       | 17.0 | 10.2 | 26.5 | 12    | 21.7 | 10.7 | 38.8 | 9       | 12.3 | 5.5  | 23.5 |
| 2007-09            | 57      | 33.5 | 24.9 | 43.9 | 39    | 49.8 | 34.5 | 69.1 | 18      | 17.2 | 10.1 | 27.2 | 28       | 24.3 | 15.5 | 36.0 | 19    | 36.5 | 20.8 | 58.6 | 9       | 12.1 | 5.4  | 23.1 |
| 2008-10            | 60      | 33.2 | 25.0 | 43.1 | 42    | 49.2 | 34.8 | 67.3 | 18      | 17.2 | 10.1 | 27.3 | 31       | 26.5 | 17.4 | 38.4 | 22    | 41.5 | 25.0 | 64.3 | 9       | 11.5 | 5.1  | 21.9 |
| 2009-11            | 46      | 23.9 | 17.4 | 32.1 | 30    | 32.6 | 21.8 | 46.9 | 16      | 15.3 | 8.7  | 24.9 | 38       | 30.1 | 20.7 | 42.0 | 21    | 37.7 | 22.4 | 58.9 | 17      | 22.5 | 12.9 | 36.2 |
| 2010-12            | 34      | 17.7 | 12.0 | 25.0 | 19    | 21.6 | 12.5 | 34.3 | 15      | 13.8 | 7.7  | 22.8 | 34       | 25.0 | 17.1 | 35.3 | 16    | 26.1 | 14.6 | 43.0 | 18      | 23.9 | 14.0 | 38.0 |
| 2011-13            | 30      | 15.7 | 10.4 | 22.7 | 15    | 17.8 | 9.7  | 29.7 | 15      | 13.7 | 7.6  | 22.6 | 35       | 25.1 | 17.3 | 35.2 | 16    | 25.3 | 14.1 | 41.5 | 19      | 24.9 | 14.8 | 39.2 |
| 2012-14            | 34      | 16.9 | 11.6 | 23.8 | 17    | 18.9 | 10.8 | 30.6 | 17      | 14.9 | 8.6  | 23.9 | 22       | 15.4 | 9.5  | 23.4 | 12    | 18.1 | 9.3  | 31.8 | 10      | 12.6 | 5.9  | 23.5 |
| 2013-15            | 37      | 17.9 | 12.5 | 24.8 | 21    | 21.8 | 13.4 | 33.5 | 16      | 14.0 | 8.0  | 22.8 | 19       | 12.9 | 7.7  | 20.2 | 11    | 15.4 | 7.6  | 27.7 | 8       | 10.4 | 4.4  | 20.5 |
| 2014-16            | 32      | 14.6 | 9.9  | 20.7 | 17    | 16.6 | 9.6  | 26.7 | 15      | 12.7 | 7.1  | 20.9 | 17       | 11.4 | 6.6  | 18.3 | 11    | 14.7 | 7.3  | 26.5 | 6       | 8.1  | 2.9  | 17.7 |

### Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 69.6    | 70.8     | 68.6   | 70.5       |
| Median          | 72.0    | 75.0     | 69.0   | 73.0       |
| 5th percentile  | 41.0    | 48.0     | 49.0   | 43.0       |
| 95th percentile | 90.0    | 92.0     | 89.0   | 90.0       |

## Leukaemia Cancer (C91-C95) - Mortality









## Leukaemia Cancer (C91-C95) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |     |     |      | Guernsey |      |     |      |       |      |      |      |         |      |     |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|-----|-----|------|----------|------|-----|------|-------|------|------|------|---------|------|-----|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |     |     |      | Persons  |      |     |      | Males |      |      |      | Females |      |     |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR | LCI | UCI  | Count    | ASR  | LCI | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI | UCI  |
| 2003-05            | 12      | 7.4  | 3.7  | 13.2 | 7     | 10.0 | 3.9  | 20.8 | 5       | 4.9 | 1.5 | 11.5 | 12       | 10.7 | 5.5 | 18.8 | <5    | 20.3 | 10.1 | 36.4 | <5      | 1.1  | 0.0 | 6.3  |
| 2004-06            | 18      | 11.2 | 6.5  | 17.9 | 10    | 14.2 | 6.7  | 26.3 | 8       | 8.2 | 3.5 | 16.3 | 11       | 9.8  | 4.8 | 17.7 | <5    | 18.5 | 8.8  | 34.3 | <5      | 1.1  | 0.0 | 6.3  |
| 2005-07            | 19      | 11.7 | 6.9  | 18.4 | 11    | 15.5 | 7.7  | 27.7 | 8       | 7.9 | 3.4 | 15.6 | 11       | 9.0  | 4.4 | 16.3 | <5    | 15.5 | 7.0  | 29.7 | <5      | 2.6  | 0.3 | 9.3  |
| 2006-08            | 24      | 16.2 | 10.0 | 24.8 | 16    | 24.8 | 13.5 | 41.2 | 8       | 7.7 | 3.3 | 15.3 | 7        | 6.6  | 2.4 | 14.3 | <5    | 10.8 | 3.1  | 26.1 | <5      | 2.5  | 0.3 | 9.1  |
| 2007-09            | 23      | 14.7 | 8.8  | 22.7 | 15    | 22.3 | 11.7 | 37.9 | 8       | 7.1 | 3.0 | 14.1 | 12       | 11.1 | 5.2 | 20.1 | 7     | 15.5 | 5.5  | 33.3 | 5       | 6.6  | 2.1 | 15.5 |
| 2008-10            | 23      | 14.5 | 8.7  | 22.4 | 15    | 21.9 | 11.5 | 37.2 | 8       | 7.1 | 3.0 | 14.1 | 13       | 11.7 | 5.7 | 20.8 | 8     | 16.9 | 6.6  | 34.7 | 5       | 6.5  | 2.0 | 15.3 |
| 2009-11            | 17      | 8.8  | 5.1  | 14.2 | 8     | 9.8  | 4.2  | 19.4 | 9       | 7.8 | 3.6 | 14.9 | 17       | 13.6 | 7.4 | 22.4 | 7     | 14.6 | 5.2  | 31.1 | 10      | 12.6 | 5.9 | 23.3 |
| 2010-12            | 13      | 7.6  | 3.8  | 13.2 | 6     | 8.6  | 2.9  | 19.2 | 7       | 6.5 | 2.6 | 13.5 | 14       | 10.4 | 5.4 | 17.9 | 5     | 9.4  | 2.7  | 22.6 | 9       | 11.5 | 5.1 | 21.9 |
| 2011-13            | 15      | 8.5  | 4.6  | 14.3 | 8     | 10.1 | 4.1  | 20.4 | 7       | 6.9 | 2.8 | 14.3 | 21       | 15.6 | 9.5 | 24.2 | 9     | 16.3 | 7.3  | 31.2 | 12      | 14.9 | 7.6 | 26.3 |
| 2012-14            | 17      | 9.3  | 5.3  | 15.0 | 10    | 11.7 | 5.4  | 21.9 | 7       | 6.9 | 2.7 | 14.2 | 21       | 15.7 | 9.5 | 24.2 | 11    | 18.9 | 9.3  | 34.1 | 10      | 12.4 | 5.8 | 23.0 |
| 2013-15            | 20      | 10.0 | 6.0  | 15.5 | 14    | 14.4 | 7.8  | 24.4 | 6       | 5.5 | 2.0 | 12.1 | 19       | 13.8 | 8.2 | 21.8 | 11    | 17.9 | 8.8  | 32.2 | 8       | 9.8  | 4.1 | 19.5 |
| 2014-16            | 23      | 11.3 | 7.1  | 17.1 | 17    | 17.3 | 10.0 | 27.8 | 6       | 5.4 | 2.0 | 11.8 | 15       | 10.7 | 5.9 | 17.9 | 10    | 15.5 | 7.3  | 28.8 | 5       | 5.9  | 1.8 | 13.9 |

## Lung Cancer (C33-C34) - Incidence



## Lung Cancer (C33-C34) - Incidence







### Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |       |       |       |       |       |       |       |         |       |      |       | Guernsey |       |      |       |       |       |       |       |         |      |      |       |
|--------------------|---------|-------|-------|-------|-------|-------|-------|-------|---------|-------|------|-------|----------|-------|------|-------|-------|-------|-------|-------|---------|------|------|-------|
|                    | Persons |       |       |       | Males |       |       |       | Females |       |      |       | Persons  |       |      |       | Males |       |       |       | Females |      |      |       |
|                    | Count   | ASR   | LCI   | UCI   | Count | ASR   | LCI   | UCI   | Count   | ASR   | LCI  | UCI   | Count    | ASR   | LCI  | UCI   | Count | ASR   | LCI   | UCI   | Count   | ASR  | LCI  | UCI   |
| 2003-05            | 179     | 114.0 | 97.3  | 132.7 | 108   | 150.7 | 122.5 | 183.2 | 71      | 77.3  | 60.2 | 97.8  | 132      | 110.4 | 91.9 | 131.5 | 76    | 141.4 | 110.8 | 177.8 | 56      | 79.4 | 59.8 | 103.3 |
| 2004-06            | 190     | 119.4 | 102.4 | 138.4 | 114   | 156.4 | 127.8 | 189.2 | 76      | 82.4  | 64.8 | 103.3 | 128      | 105.6 | 87.7 | 126.1 | 75    | 136.7 | 106.9 | 172.2 | 53      | 74.5 | 55.7 | 97.7  |
| 2005-07            | 188     | 116.4 | 99.7  | 134.9 | 121   | 161.3 | 132.7 | 194.0 | 67      | 71.5  | 55.2 | 90.9  | 109      | 88.7  | 72.5 | 107.4 | 65    | 114.2 | 87.5  | 146.2 | 44      | 63.2 | 45.8 | 85.1  |
| 2006-08            | 184     | 111.0 | 95.0  | 128.9 | 119   | 154.0 | 126.5 | 185.5 | 65      | 68.0  | 52.4 | 86.9  | 115      | 90.5  | 74.5 | 109.0 | 75    | 125.2 | 98.2  | 157.3 | 40      | 55.9 | 39.8 | 76.4  |
| 2007-09            | 163     | 95.0  | 80.6  | 111.2 | 102   | 127.7 | 103.5 | 155.9 | 61      | 62.3  | 47.6 | 80.2  | 120      | 94.0  | 77.6 | 112.8 | 72    | 120.1 | 93.5  | 151.9 | 48      | 67.9 | 49.9 | 90.3  |
| 2008-10            | 212     | 121.9 | 105.4 | 140.2 | 119   | 149.9 | 123.0 | 180.8 | 93      | 94.0  | 75.7 | 115.3 | 130      | 104.3 | 86.5 | 124.5 | 77    | 134.0 | 104.7 | 168.6 | 53      | 74.6 | 55.6 | 97.9  |
| 2009-11            | 226     | 125.3 | 108.9 | 143.4 | 118   | 144.6 | 118.6 | 174.4 | 108     | 106.0 | 86.8 | 128.2 | 130      | 103.0 | 85.5 | 122.8 | 72    | 124.2 | 96.3  | 157.3 | 58      | 81.8 | 61.9 | 106.0 |
| 2010-12            | 241     | 129.3 | 113.0 | 147.3 | 132   | 153.5 | 127.4 | 183.2 | 109     | 105.1 | 86.2 | 127.0 | 143      | 108.7 | 91.3 | 128.5 | 79    | 129.9 | 102.3 | 162.5 | 64      | 87.6 | 67.3 | 112.2 |
| 2011-13            | 203     | 104.3 | 90.1  | 120.1 | 111   | 122.3 | 99.9  | 148.0 | 92      | 86.3  | 69.4 | 106.0 | 141      | 102.1 | 85.7 | 120.6 | 79    | 121.6 | 96.0  | 151.7 | 62      | 82.6 | 63.1 | 106.1 |
| 2012-14            | 213     | 107.3 | 93.1  | 123.1 | 117   | 126.7 | 104.2 | 152.5 | 96      | 87.9  | 71.1 | 107.5 | 139      | 98.3  | 82.5 | 116.2 | 77    | 115.8 | 91.2  | 144.9 | 62      | 80.8 | 61.8 | 103.8 |
| 2013-15            | 206     | 101.7 | 88.0  | 116.8 | 110   | 117.1 | 95.8  | 141.6 | 96      | 86.2  | 69.7 | 105.4 | 128      | 89.2  | 74.2 | 106.2 | 73    | 107.7 | 84.3  | 135.6 | 55      | 70.6 | 53.0 | 92.1  |
| 2014-16            | 219     | 105.4 | 91.7  | 120.6 | 124   | 127.2 | 105.5 | 152.0 | 95      | 83.7  | 67.6 | 102.5 | 131      | 89.0  | 74.2 | 105.9 | 66    | 97.5  | 75.2  | 124.4 | 65      | 80.6 | 61.9 | 103.0 |

### Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 72.4    | 72.6     | 69.7   | 72.7       |
| Median          | 73.0    | 73.0     | 71.0   | 73.0       |
| 5th percentile  | 54.0    | 57.0     | 50.0   | 54.0       |
| 95th percentile | 89.0    | 89.0     | 88.0   | 89.0       |

## Lung Cancer (C33-C34) - Mortality









## Lung Cancer (C33-C34) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |       |       |       |       |       |         |      |      |      | Guernsey |      |      |       |       |       |      |       |         |      |      |      |
|--------------------|---------|------|------|-------|-------|-------|-------|-------|---------|------|------|------|----------|------|------|-------|-------|-------|------|-------|---------|------|------|------|
|                    | Persons |      |      |       | Males |       |       |       | Females |      |      |      | Persons  |      |      |       | Males |       |      |       | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI   | Count | ASR   | LCI   | UCI   | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI  | UCI   | Count | ASR   | LCI  | UCI   | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 116     | 74.8 | 61.4 | 90.3  | 74    | 104.0 | 80.8  | 131.5 | 42      | 45.7 | 32.8 | 61.9 | 104      | 88.4 | 71.8 | 107.7 | 67    | 126.1 | 97.1 | 160.8 | 37      | 50.8 | 35.7 | 70.2 |
| 2004-06            | 136     | 87.5 | 72.7 | 104.2 | 80    | 114.4 | 89.6  | 143.8 | 56      | 60.6 | 45.6 | 78.8 | 110      | 90.5 | 74.1 | 109.4 | 66    | 120.3 | 92.7 | 153.3 | 44      | 60.8 | 44.0 | 81.7 |
| 2005-07            | 156     | 98.1 | 82.7 | 115.4 | 97    | 133.1 | 106.8 | 163.7 | 59      | 63.1 | 47.9 | 81.5 | 100      | 80.5 | 65.2 | 98.3  | 60    | 106.5 | 81.0 | 137.5 | 40      | 54.5 | 38.8 | 74.4 |
| 2006-08            | 145     | 89.0 | 74.5 | 105.3 | 90    | 120.0 | 95.4  | 148.7 | 55      | 58.0 | 43.5 | 75.6 | 100      | 78.6 | 63.7 | 95.9  | 59    | 101.9 | 77.3 | 131.7 | 41      | 55.4 | 39.5 | 75.4 |
| 2007-09            | 132     | 78.5 | 65.3 | 93.5  | 87    | 110.4 | 87.8  | 137.0 | 45      | 46.6 | 33.9 | 62.5 | 99       | 79.3 | 64.0 | 97.0  | 64    | 110.8 | 84.7 | 142.4 | 35      | 47.7 | 33.0 | 66.6 |
| 2008-10            | 134     | 77.0 | 64.0 | 91.8  | 79    | 99.0  | 77.5  | 124.4 | 55      | 55.0 | 41.3 | 71.8 | 105      | 85.6 | 69.4 | 104.3 | 67    | 117.6 | 90.1 | 150.6 | 38      | 53.6 | 37.7 | 73.8 |
| 2009-11            | 161     | 90.1 | 76.3 | 105.7 | 92    | 111.9 | 89.4  | 138.1 | 69      | 68.4 | 53.1 | 86.7 | 102      | 82.6 | 66.8 | 100.9 | 62    | 109.3 | 82.8 | 141.3 | 40      | 55.9 | 39.7 | 76.3 |
| 2010-12            | 164     | 89.1 | 75.6 | 104.3 | 89    | 105.3 | 83.7  | 130.5 | 75      | 73.0 | 57.3 | 91.6 | 113      | 87.5 | 71.7 | 105.7 | 62    | 104.9 | 79.7 | 135.2 | 51      | 70.2 | 52.1 | 92.6 |
| 2011-13            | 158     | 84.3 | 71.3 | 98.9  | 91    | 104.8 | 83.6  | 129.4 | 67      | 63.8 | 49.4 | 81.2 | 103      | 76.0 | 61.8 | 92.5  | 56    | 89.7  | 67.4 | 116.9 | 47      | 62.3 | 45.6 | 83.1 |
| 2012-14            | 153     | 78.4 | 66.2 | 92.2  | 81    | 90.4  | 71.2  | 113.0 | 72      | 66.5 | 51.9 | 83.8 | 109      | 78.9 | 64.6 | 95.4  | 64    | 97.3  | 74.7 | 124.5 | 45      | 60.5 | 44.0 | 81.2 |
| 2013-15            | 164     | 81.0 | 68.8 | 94.7  | 85    | 91.0  | 72.3  | 113.0 | 79      | 71.0 | 56.1 | 88.7 | 92       | 65.9 | 53.0 | 81.0  | 58    | 87.2  | 66.1 | 113.0 | 34      | 44.6 | 30.6 | 62.6 |
| 2014-16            | 168     | 80.4 | 68.5 | 93.7  | 85    | 87.8  | 69.9  | 108.9 | 83      | 72.9 | 58.0 | 90.6 | 108      | 75.3 | 61.5 | 91.1  | 66    | 98.2  | 75.7 | 125.2 | 42      | 52.3 | 37.4 | 71.1 |

## Lymphoma Cancer (C81-C85, C96) - Incidence



## Lymphoma Cancer (C81-C85, C96) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |      |      | Guernsey |      |      |      |       |      |      |      |         |      |      |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|------|------|----------|------|------|------|-------|------|------|------|---------|------|------|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |      |      | Persons  |      |      |      | Males |      |      |      | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 51      | 28.3 | 20.9 | 37.4 | 21    | 25.5 | 15.5 | 39.4 | 30      | 31.0 | 20.8 | 44.5 | 41       | 31.4 | 22.4 | 42.7 | 20    | 32.9 | 19.9 | 51.2 | 21      | 29.8 | 18.4 | 45.7 |
| 2004-06            | 56      | 30.7 | 23.0 | 40.1 | 25    | 29.5 | 18.8 | 43.9 | 31      | 32.0 | 21.6 | 45.6 | 40       | 29.9 | 21.2 | 40.9 | 22    | 35.2 | 21.8 | 53.6 | 18      | 24.6 | 14.5 | 38.9 |
| 2005-07            | 61      | 31.9 | 24.3 | 41.2 | 29    | 31.6 | 20.9 | 45.7 | 32      | 32.2 | 21.9 | 45.6 | 44       | 32.8 | 23.7 | 44.3 | 29    | 45.7 | 30.3 | 66.0 | 15      | 19.9 | 11.1 | 33.0 |
| 2006-08            | 64      | 33.1 | 25.3 | 42.4 | 36    | 37.5 | 25.9 | 52.2 | 28      | 28.7 | 19.0 | 41.6 | 39       | 28.9 | 20.4 | 39.7 | 22    | 34.6 | 21.5 | 52.7 | 17      | 23.2 | 13.4 | 37.3 |
| 2007-09            | 63      | 32.1 | 24.5 | 41.2 | 37    | 38.0 | 26.5 | 52.8 | 26      | 26.1 | 17.0 | 38.3 | 55       | 41.6 | 31.0 | 54.6 | 28    | 45.0 | 29.3 | 66.0 | 27      | 38.2 | 25.0 | 55.9 |
| 2008-10            | 56      | 29.8 | 22.2 | 39.1 | 36    | 39.1 | 26.6 | 55.0 | 20      | 20.6 | 12.5 | 31.9 | 52       | 39.2 | 28.9 | 51.8 | 22    | 37.4 | 22.9 | 57.3 | 30      | 41.0 | 27.5 | 58.8 |
| 2009-11            | 63      | 33.4 | 25.3 | 43.1 | 42    | 46.7 | 33.0 | 63.9 | 21      | 20.0 | 12.3 | 30.7 | 58       | 42.2 | 31.7 | 54.9 | 25    | 40.9 | 26.0 | 61.1 | 33      | 43.4 | 29.7 | 61.3 |
| 2010-12            | 73      | 37.0 | 28.8 | 46.9 | 48    | 50.9 | 37.0 | 68.1 | 25      | 23.2 | 14.9 | 34.4 | 50       | 35.3 | 26.1 | 46.8 | 25    | 38.8 | 25.0 | 57.4 | 25      | 31.9 | 20.5 | 47.2 |
| 2011-13            | 84      | 40.6 | 32.2 | 50.5 | 48    | 49.0 | 35.7 | 65.5 | 36      | 32.2 | 22.5 | 44.7 | 59       | 41.4 | 31.4 | 53.5 | 30    | 44.2 | 29.7 | 63.3 | 29      | 38.5 | 25.7 | 55.5 |
| 2012-14            | 85      | 40.4 | 32.0 | 50.1 | 48    | 48.0 | 35.0 | 64.0 | 37      | 32.7 | 23.0 | 45.2 | 58       | 40.6 | 30.7 | 52.7 | 35    | 50.6 | 35.0 | 70.7 | 23      | 30.7 | 19.4 | 46.2 |
| 2013-15            | 86      | 39.6 | 31.6 | 49.1 | 48    | 46.8 | 34.3 | 62.4 | 38      | 32.4 | 22.9 | 44.6 | 58       | 40.0 | 30.2 | 51.9 | 35    | 49.4 | 34.1 | 69.2 | 23      | 30.6 | 19.3 | 46.0 |
| 2014-16            | 82      | 37.0 | 29.3 | 46.0 | 48    | 45.4 | 33.3 | 60.3 | 34      | 28.6 | 19.7 | 40.0 | 53       | 36.0 | 26.8 | 47.3 | 33    | 46.0 | 31.3 | 65.0 | 20      | 26.1 | 15.9 | 40.4 |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 65.7    | 64.7     | 64.7   | 67.3       |
| Median          | 69.0    | 68.0     | 68.0   | 70.0       |
| 5th percentile  | 32.0    | 35.0     | 30.0   | 35.0       |
| 95th percentile | 87.0    | 83.0     | 87.0   | 88.0       |

## Lymphoma Cancer (C81-C85, C96) - Mortality









## Lymphoma Cancer (C81-C85, C96) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |      |      | Guernsey |      |     |      |       |      |     |      |         |      |     |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|------|------|----------|------|-----|------|-------|------|-----|------|---------|------|-----|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |      |      | Persons  |      |     |      | Males |      |     |      | Females |      |     |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI | UCI  | Count | ASR  | LCI | UCI  | Count   | ASR  | LCI | UCI  |
| 2003-05            | 14      | 8.9  | 4.8  | 15.0 | 7     | 10.3 | 4.1  | 21.3 | 7       | 7.5  | 3.0  | 15.4 | 16       | 12.9 | 7.2 | 21.2 | 6     | 12.1 | 4.4 | 26.4 | 10      | 13.7 | 6.5 | 25.2 |
| 2004-06            | 15      | 9.9  | 5.4  | 16.4 | 9     | 13.3 | 6.0  | 25.3 | 6       | 6.4  | 2.3  | 14.1 | 15       | 10.9 | 6.0 | 18.2 | 5     | 9.0  | 2.9 | 21.2 | 10      | 12.8 | 6.1 | 23.7 |
| 2005-07            | 15      | 9.2  | 5.1  | 15.3 | 7     | 9.9  | 3.9  | 20.4 | 8       | 8.5  | 3.6  | 16.9 | 12       | 8.4  | 4.2 | 14.8 | <5    | 7.0  | 1.8 | 18.0 | <5      | 9.7  | 4.2 | 19.3 |
| 2006-08            | 17      | 9.9  | 5.7  | 16.0 | 10    | 12.0 | 5.6  | 22.3 | 7       | 7.8  | 3.1  | 16.1 | 13       | 9.2  | 4.8 | 15.9 | 6     | 10.0 | 3.5 | 22.0 | 7       | 8.4  | 3.3 | 17.3 |
| 2007-09            | 22      | 12.3 | 7.6  | 18.8 | 13    | 15.5 | 8.1  | 26.7 | 9       | 9.2  | 4.1  | 17.5 | 9        | 6.6  | 2.9 | 12.7 | <5    | 8.3  | 2.7 | 19.5 | <5      | 4.9  | 1.3 | 12.6 |
| 2008-10            | 21      | 12.3 | 7.3  | 19.2 | 13    | 16.6 | 8.2  | 29.3 | 8       | 8.0  | 3.4  | 15.8 | 11       | 7.9  | 3.8 | 14.2 | <5    | 11.2 | 4.5 | 23.3 | <5      | 4.5  | 1.2 | 11.5 |
| 2009-11            | 22      | 13.2 | 8.0  | 20.3 | 14    | 18.5 | 9.7  | 31.6 | 8       | 7.9  | 3.4  | 15.5 | 8        | 5.8  | 2.4 | 11.5 | <5    | 8.0  | 2.6 | 18.9 | <5      | 3.5  | 0.7 | 10.3 |
| 2010-12            | 18      | 10.6 | 6.1  | 17.0 | 10    | 13.2 | 6.0  | 24.8 | 8       | 7.9  | 3.4  | 15.7 | 9        | 6.2  | 2.8 | 11.9 | <5    | 6.4  | 1.7 | 16.4 | <5      | 6.1  | 1.9 | 14.3 |
| 2011-13            | 20      | 10.3 | 6.2  | 16.0 | 12    | 13.2 | 6.8  | 23.2 | 8       | 7.4  | 3.2  | 14.7 | 9        | 6.5  | 2.9 | 12.3 | <5    | 6.5  | 1.8 | 16.6 | <5      | 6.5  | 2.1 | 15.1 |
| 2012-14            | 30      | 14.7 | 9.8  | 21.0 | 11    | 12.0 | 5.9  | 21.5 | 19      | 17.4 | 10.4 | 27.2 | 9        | 5.9  | 2.6 | 11.2 | <5    | 4.6  | 1.0 | 13.5 | <5      | 7.1  | 2.6 | 15.6 |
| 2013-15            | 38      | 18.2 | 12.8 | 25.2 | 16    | 17.5 | 9.9  | 28.6 | 22      | 18.9 | 11.8 | 28.8 | 9        | 5.8  | 2.6 | 11.1 | <5    | 3.0  | 0.4 | 11.0 | <5      | 8.6  | 3.4 | 17.8 |
| 2014-16            | 37      | 17.7 | 12.4 | 24.5 | 17    | 18.1 | 10.4 | 29.1 | 20      | 17.3 | 10.5 | 26.9 | 7        | 4.2  | 1.7 | 8.8  | <5    | 1.5  | 0.0 | 8.4  | <5      | 7.0  | 2.5 | 15.3 |

## Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Incidence



## Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Incidence






Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |      |      |      |         |     |     |     | Guernsey |     |     |     |       |      |     |      |         |     |     |     |
|--------------------|---------|-----|-----|-----|-------|------|------|------|---------|-----|-----|-----|----------|-----|-----|-----|-------|------|-----|------|---------|-----|-----|-----|
|                    | Persons |     |     |     | Males |      |      |      | Females |     |     |     | Persons  |     |     |     | Males |      |     |      | Females |     |     |     |
|                    | Count   | ASR | LCI | UCI | Count | ASR  | LCI  | UCI  | Count   | ASR | LCI | UCI | Count    | ASR | LCI | UCI | Count | ASR  | LCI | UCI  | Count   | ASR | LCI | UCI |
| 2003-05            | NA      | NA  | NA  | NA  | NA    | 21.7 | 13.5 | 33.0 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 12.4 | 5.5 | 23.7 | NA      | NA  | NA  | NA  |
| 2004-06            | NA      | NA  | NA  | NA  | NA    | 20.1 | 12.3 | 30.7 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 9.2  | 3.7 | 18.9 | NA      | NA  | NA  | NA  |
| 2005-07            | NA      | NA  | NA  | NA  | NA    | 16.5 | 9.6  | 26.4 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 13.1 | 6.3 | 24.1 | NA      | NA  | NA  | NA  |
| 2006-08            | NA      | NA  | NA  | NA  | NA    | 12.8 | 7.3  | 20.8 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 10.2 | 4.4 | 20.2 | NA      | NA  | NA  | NA  |
| 2007-09            | NA      | NA  | NA  | NA  | NA    | 7.9  | 3.8  | 14.5 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 11.4 | 5.2 | 21.7 | NA      | NA  | NA  | NA  |
| 2008-10            | NA      | NA  | NA  | NA  | NA    | 8.9  | 4.1  | 16.6 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 9.0  | 3.6 | 18.5 | NA      | NA  | NA  | NA  |
| 2009-11            | NA      | NA  | NA  | NA  | NA    | 15.1 | 8.6  | 24.4 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 10.2 | 4.4 | 20.2 | NA      | NA  | NA  | NA  |
| 2010-12            | NA      | NA  | NA  | NA  | NA    | 19.4 | 12.0 | 29.6 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 7.7  | 2.8 | 16.8 | NA      | NA  | NA  | NA  |
| 2011-13            | NA      | NA  | NA  | NA  | NA    | 19.5 | 12.2 | 29.5 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 8.9  | 3.6 | 18.4 | NA      | NA  | NA  | NA  |
| 2012-14            | NA      | NA  | NA  | NA  | NA    | 16.5 | 10.0 | 25.6 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 10.1 | 4.4 | 20.0 | NA      | NA  | NA  | NA  |
| 2013-15            | NA      | NA  | NA  | NA  | NA    | 13.0 | 7.4  | 21.2 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 12.5 | 6.0 | 23.0 | NA      | NA  | NA  | NA  |
| 2014-16            | NA      | NA  | NA  | NA  | NA    | 18.5 | 11.7 | 27.8 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 12.6 | 6.0 | 23.1 | NA      | NA  | NA  | NA  |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 45.1    | 47.9     | 43.2   | 46.2       |
| Median          | 41.0    | 47.0     | 39.0   | 42.0       |
| 5th percentile  | 23.0    | 32.0     | 23.0   | 23.0       |
| 95th percentile | 80.0    | 67.0     | 75.0   | 82.0       |

Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Mortality




Male Urogenital Cancer excl. Prostate (C60-C63 excl. C61) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |     |     |     |         |     |     |     | Guernsey |     |     |     |       |     |     |     |         |     |     |     |
|--------------------|---------|-----|-----|-----|-------|-----|-----|-----|---------|-----|-----|-----|----------|-----|-----|-----|-------|-----|-----|-----|---------|-----|-----|-----|
|                    | Persons |     |     |     | Males |     |     |     | Females |     |     |     | Persons  |     |     |     | Males |     |     |     | Females |     |     |     |
|                    | Count   | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR | LCI | UCI | Count    | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR | LCI | UCI |
| 2003-05            | NA      | NA  | NA  | NA  | <5    | 0.0 | NA  | NA  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |
| 2004-06            | NA      | NA  | NA  | NA  | <5    | 1.6 | 0.0 | 9.0 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |
| 2005-07            | NA      | NA  | NA  | NA  | <5    | 1.5 | 0.0 | 8.6 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |
| 2006-08            | NA      | NA  | NA  | NA  | <5    | 1.5 | 0.0 | 8.3 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |
| 2007-09            | NA      | NA  | NA  | NA  | <5    | 0.0 | NA  | NA  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |
| 2008-10            | NA      | NA  | NA  | NA  | <5    | 0.9 | 0.0 | 4.8 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |
| 2009-11            | NA      | NA  | NA  | NA  | <5    | 2.3 | 0.2 | 8.4 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |
| 2010-12            | NA      | NA  | NA  | NA  | <5    | 2.2 | 0.2 | 8.1 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |
| 2011-13            | NA      | NA  | NA  | NA  | <5    | 1.3 | 0.0 | 7.3 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |
| 2012-14            | NA      | NA  | NA  | NA  | <5    | 0.0 | NA  | NA  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |
| 2013-15            | NA      | NA  | NA  | NA  | <5    | 0.0 | NA  | NA  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |
| 2014-16            | NA      | NA  | NA  | NA  | <5    | 2.1 | 0.2 | 7.7 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | <5    | 0   | NA  | NA  | NA      | NA  | NA  | NA  |

## Malignant Melanoma Cancer (C43) - Incidence



## Malignant Melanoma Cancer (C43) - Incidence

Age-standardised incidence rates (per 100,000 population), 2003-2016


| Years of Diagnosis | Jersey  |      |      |      |       |      |      |       |         |      |      |      | Guernsey |      |      |      |       |      |      |       |         |      |      |      |
|--------------------|---------|------|------|------|-------|------|------|-------|---------|------|------|------|----------|------|------|------|-------|------|------|-------|---------|------|------|------|
|                    | Persons |      |      |      | Males |      |      |       | Females |      |      |      | Persons  |      |      |      | Males |      |      |       | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI   | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI   | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 104     | 55.9 | 45.3 | 68.2 | 48    | 56.8 | 41.1 | 76.3  | 56      | 55.0 | 41.3 | 71.7 | 47       | 38.1 | 27.6 | 51.2 | 20    | 37.0 | 21.7 | 58.3  | 27      | 39.2 | 25.8 | 57.2 |
| 2004-06            | 92      | 49.3 | 39.2 | 61.1 | 42    | 50.1 | 35.0 | 69.2  | 50      | 48.5 | 35.8 | 64.2 | 47       | 37.3 | 27.0 | 50.0 | 21    | 36.5 | 21.8 | 56.9  | 26      | 38.0 | 24.8 | 55.8 |
| 2005-07            | 96      | 50.0 | 40.1 | 61.5 | 43    | 49.9 | 35.4 | 68.2  | 53      | 50.1 | 37.3 | 65.8 | 46       | 36.5 | 26.2 | 49.4 | 21    | 37.4 | 22.1 | 58.7  | 25      | 35.6 | 23.0 | 52.7 |
| 2006-08            | 103     | 52.9 | 42.8 | 64.6 | 48    | 54.3 | 39.3 | 72.9  | 55      | 51.4 | 38.6 | 67.2 | 44       | 34.2 | 24.3 | 46.5 | 17    | 30.8 | 17.0 | 50.7  | 27      | 37.5 | 24.6 | 54.7 |
| 2007-09            | 120     | 61.5 | 50.6 | 74.0 | 61    | 69.3 | 52.4 | 89.9  | 59      | 53.6 | 40.7 | 69.3 | 60       | 46.0 | 34.6 | 59.7 | 31    | 53.1 | 35.2 | 76.6  | 29      | 38.8 | 25.9 | 55.9 |
| 2008-10            | 122     | 62.9 | 51.9 | 75.5 | 61    | 68.8 | 52.0 | 89.1  | 61      | 57.1 | 43.5 | 73.5 | 78       | 55.4 | 43.6 | 69.4 | 43    | 66.5 | 47.9 | 89.8  | 35      | 44.4 | 30.7 | 61.9 |
| 2009-11            | 125     | 63.0 | 52.0 | 75.6 | 68    | 74.5 | 57.0 | 95.5  | 57      | 51.5 | 38.9 | 66.9 | 101      | 71.2 | 57.7 | 86.9 | 51    | 79.1 | 58.4 | 104.6 | 50      | 63.4 | 46.9 | 83.8 |
| 2010-12            | 117     | 57.2 | 46.9 | 68.9 | 60    | 63.1 | 47.4 | 82.2  | 57      | 51.2 | 38.6 | 66.5 | 100      | 69.0 | 55.9 | 84.2 | 49    | 73.6 | 54.1 | 97.8  | 51      | 64.4 | 47.8 | 84.8 |
| 2011-13            | 128     | 61.9 | 51.4 | 74.0 | 70    | 73.1 | 56.4 | 93.0  | 58      | 50.8 | 38.4 | 65.8 | 101      | 70.4 | 57.1 | 85.9 | 46    | 69.8 | 50.6 | 93.6  | 55      | 71.1 | 53.4 | 92.7 |
| 2012-14            | 153     | 72.5 | 61.2 | 85.3 | 79    | 80.6 | 63.3 | 101.0 | 74      | 64.4 | 50.5 | 81.1 | 94       | 65.1 | 52.4 | 79.9 | 50    | 74.0 | 54.5 | 98.0  | 44      | 56.2 | 40.7 | 75.7 |
| 2013-15            | 181     | 84.0 | 72.0 | 97.5 | 100   | 98.8 | 80.0 | 120.6 | 81      | 69.3 | 54.9 | 86.2 | 81       | 56.1 | 44.3 | 69.9 | 40    | 59.9 | 42.5 | 82.0  | 41      | 52.2 | 37.3 | 71.1 |
| 2014-16            | 174     | 78.3 | 66.9 | 91.1 | 89    | 85.3 | 68.1 | 105.4 | 85      | 71.3 | 56.9 | 88.3 | 69       | 46.0 | 35.6 | 58.5 | 38    | 54.7 | 38.4 | 75.5  | 31      | 37.3 | 25.2 | 53.1 |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 62.8    | 66.3     | 62.9   | 65.4       |
| Median          | 65.0    | 68.0     | 64.0   | 67.0       |
| 5th percentile  | 33.0    | 39.0     | 36.0   | 36.0       |
| 95th percentile | 87.0    | 89.0     | 85.0   | 88.0       |


## Malignant Melanoma Cancer (C43) - Mortality

**Mortality rates in persons, 2003-2016**




— England — Guernsey — Jersey — South West

**Mortality rates in persons, latest 5-years**




Area

**Mortality rates in males, 2003-2016**




— England — Guernsey — Jersey — South West

**Mortality rates in males, latest 5-years**




Area

**Mortality rates in females, 2003-2016**



— England — Guernsey — Jersey — South West

**Mortality rates in females, latest 5-years**









Area

## Malignant Melanoma Cancer (C43) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |      |       |      |     |      |         |     |     |      | Guernsey |     |     |      |       |      |     |      |         |     |     |      |
|--------------------|---------|-----|-----|------|-------|------|-----|------|---------|-----|-----|------|----------|-----|-----|------|-------|------|-----|------|---------|-----|-----|------|
|                    | Persons |     |     |      | Males |      |     |      | Females |     |     |      | Persons  |     |     |      | Males |      |     |      | Females |     |     |      |
|                    | Count   | ASR | LCI | UCI  | Count | ASR  | LCI | UCI  | Count   | ASR | LCI | UCI  | Count    | ASR | LCI | UCI  | Count | ASR  | LCI | UCI  | Count   | ASR | LCI | UCI  |
| 2003-05            | 13      | 6.3 | 3.3 | 10.8 | 5     | 5.3  | 1.6 | 12.5 | 8       | 7.2 | 3.1 | 14.3 | 5        | 4.3 | 1.4 | 10.1 | <5    | 7.4  | 2.0 | 19.0 | <5      | 1.2 | 0.0 | 6.8  |
| 2004-06            | 13      | 7.1 | 3.7 | 12.2 | 6     | 7.6  | 2.8 | 16.7 | 7       | 6.5 | 2.6 | 13.4 | 5        | 3.8 | 1.2 | 9.0  | <5    | 3.5  | 0.4 | 12.6 | <5      | 4.2 | 0.8 | 12.3 |
| 2005-07            | 13      | 7.5 | 4.0 | 13.0 | <5    | 11.1 | 5.0 | 21.2 | <5      | 4.0 | 1.1 | 10.2 | 5        | 3.8 | 1.2 | 9.0  | <5    | 3.5  | 0.3 | 12.9 | <5      | 4.1 | 0.8 | 12.0 |
| 2006-08            | 15      | 8.5 | 4.7 | 14.1 | 10    | 12.4 | 5.9 | 22.9 | 5       | 4.6 | 1.5 | 10.8 | 9        | 6.6 | 3.0 | 12.7 | <5    | 5.1  | 1.0 | 15.2 | <5      | 8.1 | 2.9 | 17.7 |
| 2007-09            | 14      | 7.5 | 4.0 | 12.8 | 9     | 10.6 | 4.8 | 20.3 | 5       | 4.5 | 1.4 | 10.4 | 7        | 5.2 | 2.0 | 10.8 | <5    | 5.0  | 1.0 | 14.6 | <5      | 5.5 | 1.5 | 14.0 |
| 2008-10            | 15      | 8.3 | 4.6 | 13.8 | 9     | 11.1 | 5.0 | 21.2 | 6       | 5.5 | 2.0 | 12.1 | 8        | 5.3 | 2.3 | 10.5 | <5    | 1.7  | 0.0 | 9.5  | <5      | 8.9 | 3.6 | 18.5 |
| 2009-11            | 13      | 7.3 | 3.8 | 12.5 | 8     | 9.6  | 4.1 | 19.1 | 5       | 4.9 | 1.6 | 11.5 | 7        | 5.7 | 2.0 | 12.4 | <5    | 6.8  | 1.1 | 20.5 | <5      | 4.7 | 1.3 | 12.0 |
| 2010-12            | 17      | 8.8 | 5.1 | 14.2 | 10    | 11.0 | 5.2 | 20.4 | 7       | 6.5 | 2.6 | 13.5 | 10       | 7.7 | 3.4 | 14.7 | <5    | 11.1 | 3.7 | 24.7 | <5      | 4.4 | 1.2 | 11.3 |
| 2011-13            | 14      | 6.7 | 3.6 | 11.3 | 8     | 8.2  | 3.5 | 16.3 | 6       | 5.2 | 1.9 | 11.3 | 12       | 9.2 | 4.6 | 16.4 | <5    | 13.6 | 5.6 | 27.2 | <5      | 4.9 | 1.3 | 12.7 |
| 2012-14            | 12      | 5.6 | 2.9 | 9.9  | 7     | 7.0  | 2.8 | 14.6 | 5       | 4.2 | 1.3 | 9.8  | 11       | 7.5 | 3.7 | 13.5 | 5     | 7.3  | 2.3 | 17.2 | 6       | 7.6 | 2.7 | 16.7 |
| 2013-15            | 11      | 5.7 | 2.8 | 10.3 | <5    | 9.7  | 4.4 | 18.5 | <5      | 1.8 | 0.2 | 6.4  | 9        | 5.9 | 2.7 | 11.3 | <5    | 4.2  | 0.8 | 12.4 | <5      | 7.7 | 2.8 | 16.8 |
| 2014-16            | 15      | 7.6 | 4.2 | 12.6 | <5    | 12.3 | 6.3 | 21.6 | <5      | 2.9 | 0.6 | 8.4  | 6        | 3.5 | 1.2 | 7.6  | <5    | 1.3  | 0.0 | 7.1  | <5      | 5.7 | 1.8 | 13.3 |

Other Cancers (other 'C' codes excl. C44) - Incidence



## Other Cancers (other 'C' codes excl. C44) - Incidence







### Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |       |         |      |      |      | Guernsey |      |      |      |       |      |      |       |         |      |      |      |
|--------------------|---------|------|------|------|-------|------|------|-------|---------|------|------|------|----------|------|------|------|-------|------|------|-------|---------|------|------|------|
|                    | Persons |      |      |      | Males |      |      |       | Females |      |      |      | Persons  |      |      |      | Males |      |      |       | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI   | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI   | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 113     | 70.4 | 57.6 | 85.2 | 58    | 79.6 | 59.6 | 104.0 | 55      | 61.2 | 46.0 | 79.8 | 67       | 55.2 | 42.3 | 70.7 | 36    | 67.8 | 46.8 | 94.8  | 31      | 42.6 | 28.8 | 60.6 |
| 2004-06            | 98      | 60.5 | 48.7 | 74.1 | 51    | 70.3 | 51.8 | 93.1  | 47      | 50.6 | 37.1 | 67.5 | 74       | 58.7 | 45.8 | 74.1 | 38    | 69.0 | 48.6 | 95.1  | 36      | 48.4 | 33.8 | 67.2 |
| 2005-07            | 92      | 55.8 | 44.6 | 69.0 | 47    | 64.8 | 46.9 | 87.1  | 45      | 46.8 | 34.0 | 62.8 | 75       | 56.7 | 44.3 | 71.4 | 39    | 66.4 | 46.9 | 91.1  | 36      | 47.0 | 32.8 | 65.2 |
| 2006-08            | 74      | 44.9 | 34.8 | 56.8 | 41    | 56.0 | 39.5 | 76.8  | 33      | 33.7 | 23.1 | 47.5 | 82       | 59.9 | 47.4 | 74.6 | 42    | 69.4 | 49.8 | 94.1  | 40      | 50.4 | 35.8 | 68.8 |
| 2007-09            | 75      | 43.7 | 33.9 | 55.2 | 42    | 54.0 | 38.2 | 74.0  | 33      | 33.3 | 22.8 | 46.9 | 84       | 60.5 | 47.8 | 75.4 | 49    | 78.7 | 57.6 | 104.8 | 35      | 42.3 | 29.3 | 59.0 |
| 2008-10            | 98      | 54.8 | 43.9 | 67.4 | 52    | 66.0 | 48.3 | 87.7  | 46      | 43.6 | 31.9 | 58.3 | 87       | 63.6 | 50.6 | 78.9 | 46    | 76.1 | 55.2 | 102.1 | 41      | 51.2 | 36.5 | 69.7 |
| 2009-11            | 127     | 69.9 | 57.8 | 83.7 | 72    | 87.8 | 67.8 | 111.6 | 55      | 52.0 | 39.1 | 67.8 | 93       | 67.7 | 54.3 | 83.3 | 50    | 81.6 | 60.1 | 108.1 | 43      | 53.7 | 38.7 | 72.7 |
| 2010-12            | 130     | 70.7 | 58.6 | 84.5 | 73    | 88.5 | 68.6 | 112.2 | 57      | 52.9 | 39.9 | 68.6 | 92       | 62.6 | 50.2 | 77.1 | 38    | 58.9 | 41.5 | 81.1  | 54      | 66.3 | 49.5 | 86.8 |
| 2011-13            | 121     | 63.1 | 52.1 | 75.7 | 65    | 74.7 | 57.3 | 95.7  | 56      | 51.5 | 38.8 | 67.0 | 95       | 63.0 | 50.6 | 77.4 | 44    | 65.7 | 47.3 | 88.8  | 51      | 60.3 | 44.6 | 79.6 |
| 2012-14            | 114     | 56.6 | 46.5 | 68.2 | 57    | 61.9 | 46.6 | 80.7  | 57      | 51.3 | 38.7 | 66.6 | 79       | 50.9 | 40.0 | 63.8 | 33    | 48.0 | 32.6 | 67.9  | 46      | 53.9 | 39.2 | 72.2 |
| 2013-15            | 122     | 58.7 | 48.6 | 70.3 | 69    | 71.2 | 55.1 | 90.5  | 53      | 46.3 | 34.5 | 60.6 | 73       | 48.7 | 37.8 | 61.7 | 35    | 54.1 | 37.2 | 75.8  | 38      | 43.3 | 30.5 | 59.7 |
| 2014-16            | 114     | 53.5 | 44.0 | 64.5 | 71    | 70.3 | 54.6 | 89.0  | 43      | 36.8 | 26.5 | 49.7 | 71       | 47.7 | 36.9 | 60.6 | 32    | 50.7 | 34.3 | 72.1  | 39      | 44.7 | 31.6 | 61.3 |

### Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 71.3    | 71.8     | 70     | 72.3       |
| Median          | 73.0    | 73.0     | 71     | 74.0       |
| 5th percentile  | 45.0    | 48.0     | 45     | 47.0       |
| 95th percentile | 90.0    | 92.0     | 90     | 91.0       |

Other Cancers (other 'C' codes excl. C44) - Mortality









Other Cancers (other 'C' codes excl. C44) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |      |      | Guernsey |      |      |      |       |      |      |       |         |      |      |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|------|------|----------|------|------|------|-------|------|------|-------|---------|------|------|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |      |      | Persons  |      |      |      | Males |      |      |       | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI   | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 59      | 36.3 | 27.5 | 47.1 | 29    | 39.1 | 25.9 | 56.5 | 30      | 33.6 | 22.6 | 48.0 | 72       | 58.8 | 45.7 | 74.4 | 39    | 72.5 | 51.3 | 99.5  | 33      | 45.0 | 30.8 | 63.4 |
| 2004-06            | 60      | 36.6 | 27.6 | 47.6 | 27    | 37.6 | 24.2 | 55.5 | 33      | 35.6 | 24.4 | 50.2 | 67       | 54.4 | 41.9 | 69.3 | 33    | 61.4 | 42.1 | 86.6  | 34      | 47.3 | 32.6 | 66.3 |
| 2005-07            | 59      | 35.4 | 26.6 | 46.0 | 27    | 37.4 | 24.1 | 55.1 | 32      | 33.4 | 22.7 | 47.3 | 78       | 61.8 | 48.4 | 77.7 | 40    | 73.9 | 52.3 | 101.2 | 38      | 49.8 | 35.1 | 68.6 |
| 2006-08            | 54      | 31.9 | 23.5 | 42.2 | 26    | 35.6 | 22.4 | 53.3 | 28      | 28.3 | 18.7 | 41.0 | 67       | 51.8 | 39.6 | 66.5 | 31    | 58.7 | 39.3 | 84.2  | 36      | 45.0 | 31.3 | 62.5 |
| 2007-09            | 45      | 25.1 | 18.0 | 34.0 | 19    | 24.8 | 14.4 | 39.5 | 26      | 25.5 | 16.5 | 37.4 | 84       | 64.1 | 50.2 | 80.3 | 39    | 74.0 | 51.5 | 102.5 | 45      | 54.2 | 39.3 | 72.8 |
| 2008-10            | 54      | 30.5 | 22.3 | 40.5 | 25    | 33.5 | 20.6 | 50.9 | 29      | 27.5 | 18.4 | 39.6 | 76       | 58.1 | 45.1 | 73.6 | 40    | 71.8 | 50.4 | 98.9  | 36      | 44.5 | 30.9 | 61.9 |
| 2009-11            | 73      | 40.8 | 31.4 | 51.8 | 33    | 43.5 | 29.0 | 62.2 | 40      | 38.0 | 27.1 | 51.9 | 78       | 57.7 | 45.1 | 72.6 | 42    | 71.3 | 50.8 | 97.1  | 36      | 44.1 | 30.7 | 61.4 |
| 2010-12            | 85      | 46.5 | 36.7 | 57.9 | 47    | 58.5 | 42.3 | 78.6 | 38      | 34.5 | 24.3 | 47.4 | 75       | 51.2 | 40.0 | 64.4 | 37    | 57.9 | 40.6 | 80.0  | 38      | 44.5 | 31.2 | 61.3 |
| 2011-13            | 90      | 47.4 | 37.8 | 58.5 | 50    | 60.0 | 44.2 | 79.5 | 40      | 34.7 | 24.7 | 47.4 | 76       | 50.8 | 39.6 | 64.0 | 33    | 53.6 | 36.5 | 75.7  | 43      | 47.9 | 34.5 | 64.8 |
| 2012-14            | 91      | 46.2 | 37.0 | 57.0 | 51    | 58.3 | 43.1 | 77.0 | 40      | 34.2 | 24.4 | 46.7 | 82       | 55.1 | 43.4 | 69.0 | 40    | 63.4 | 44.8 | 87.0  | 42      | 46.8 | 33.5 | 63.6 |
| 2013-15            | 98      | 48.8 | 39.4 | 59.8 | 54    | 59.9 | 44.6 | 78.5 | 44      | 37.8 | 27.3 | 50.8 | 71       | 49.3 | 38.0 | 62.7 | 37    | 59.5 | 41.4 | 82.8  | 34      | 39.0 | 26.8 | 54.8 |
| 2014-16            | 99      | 48.2 | 39.0 | 58.9 | 57    | 60.2 | 45.2 | 78.3 | 42      | 36.3 | 26.1 | 49.1 | 78       | 51.8 | 40.6 | 65.2 | 35    | 54.3 | 37.3 | 76.2  | 43      | 49.4 | 35.5 | 66.8 |

## Other Gynaecological Cancers (C51-C53, C57-C58) - Incidence



## Other Gynaecological Cancers (C51-C53, C57-C58) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |     |     |     |         |      |      |      | Guernsey |     |     |     |       |     |     |     |         |      |      |      |
|--------------------|---------|-----|-----|-----|-------|-----|-----|-----|---------|------|------|------|----------|-----|-----|-----|-------|-----|-----|-----|---------|------|------|------|
|                    | Persons |     |     |     | Males |     |     |     | Females |      |      |      | Persons  |     |     |     | Males |     |     |     | Females |      |      |      |
|                    | Count   | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR  | LCI  | UCI  | Count    | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR  | LCI  | UCI  |
| 2003-05            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 25.3 | 16.6 | 36.7 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 32.6 | 20.6 | 49.0 |
| 2004-06            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 18.6 | 11.5 | 28.6 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 23.8 | 14.0 | 37.7 |
| 2005-07            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 21.7 | 13.8 | 32.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 25.0 | 15.0 | 39.1 |
| 2006-08            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 15.7 | 9.1  | 25.2 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 26.6 | 16.2 | 41.3 |
| 2007-09            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 19.1 | 11.8 | 29.3 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 22.4 | 13.0 | 35.9 |
| 2008-10            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 17.3 | 10.4 | 27.1 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 23.0 | 13.6 | 36.5 |
| 2009-11            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 19.6 | 12.2 | 29.8 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 24.2 | 14.5 | 38.0 |
| 2010-12            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 15.3 | 8.8  | 24.5 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 25.6 | 15.6 | 39.7 |
| 2011-13            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 14.1 | 8.0  | 22.9 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 17.4 | 9.2  | 29.9 |
| 2012-14            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 14.5 | 8.4  | 23.3 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 15.2 | 7.8  | 26.6 |
| 2013-15            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 18.1 | 11.3 | 27.5 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 18.4 | 10.1 | 30.5 |
| 2014-16            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 17.0 | 10.5 | 26.1 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 24.2 | 14.6 | 37.6 |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 55.8    | 59       | 54.9   | 57.6       |
| Median          | 55.0    | 56       | 54.0   | 58.0       |
| 5th percentile  | 26.0    | 30       | 35.0   | 26.0       |
| 95th percentile | 87.0    | 91       | 81.0   | 89.0       |

## Other Gynaecological Cancers (C51-C53, C57-C58) - Mortality





### Other Gynaecological Cancers (C51-C53, C57-C58) - Mortality



Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |     |     |     |         |     |     |      | Guernsey |     |     |     |       |     |     |     |         |     |     |     |    |     |     |      |
|--------------------|---------|-----|-----|-----|-------|-----|-----|-----|---------|-----|-----|------|----------|-----|-----|-----|-------|-----|-----|-----|---------|-----|-----|-----|----|-----|-----|------|
|                    | Persons |     |     |     | Males |     |     |     | Females |     |     |      | Persons  |     |     |     | Males |     |     |     | Females |     |     |     |    |     |     |      |
|                    | Count   | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR | LCI | UCI  | Count    | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR | LCI | UCI |    |     |     |      |
| 2003-05            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 5.9 | 2.1 | 12.8 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 9.7 | 3.9 | 20.0 |
| 2004-06            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 7.4 | 3.2 | 14.6 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 6.7 | 2.1 | 15.7 |
| 2005-07            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 5.5 | 2.0 | 12.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 1.1 | 0.0 | 6.2  |
| 2006-08            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 4.5 | 1.4 | 10.6 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 1.1 | 0.0 | 5.9  |
| 2007-09            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | <5      | 2.8 | 0.6 | 8.2  | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 2.4 | 0.3 | 8.9  |
| 2008-10            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | <5      | 2.8 | 0.6 | 8.1  | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 3.4 | 0.6 | 9.9  |
| 2009-11            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 4.8 | 1.5 | 11.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 6.6 | 2.0 | 15.6 |
| 2010-12            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 4.9 | 1.5 | 11.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 6.9 | 2.2 | 16.2 |
| 2011-13            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 7.3 | 3.1 | 14.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 5.5 | 1.5 | 14.2 |
| 2012-14            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 5.0 | 1.8 | 11.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 4.1 | 0.8 | 11.9 |
| 2013-15            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 5.8 | 2.3 | 12.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 7.1 | 2.5 | 15.5 |
| 2014-16            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 8.0 | 3.8 | 14.8 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 7.0 | 2.5 | 15.2 |



## Other Skin Cancers (C44) - Incidence



— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West

## Other Skin Cancers (C44) - Incidence







### Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |       |       |       |       |       |       |       |         |       |       |       | Guernsey |       |       |       |       |       |       |       |         |       |       |       |
|--------------------|---------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|----------|-------|-------|-------|-------|-------|-------|-------|---------|-------|-------|-------|
|                    | Persons |       |       |       | Males |       |       |       | Females |       |       |       | Persons  |       |       |       | Males |       |       |       | Females |       |       |       |
|                    | Count   | ASR   | LCI   | UCI   | Count | ASR   | LCI   | UCI   | Count   | ASR   | LCI   | UCI   | Count    | ASR   | LCI   | UCI   | Count | ASR   | LCI   | UCI   | Count   | ASR   | LCI   | UCI   |
| 2003-05            | 771     | 463.9 | 430.2 | 499.3 | 419   | 561.2 | 506.1 | 620.4 | 352     | 366.5 | 328.8 | 407.3 | 691      | 573.8 | 530.0 | 620.1 | 367   | 690.6 | 618.8 | 768.2 | 324     | 457.0 | 408.2 | 509.9 |
| 2004-06            | 812     | 473.3 | 440.1 | 508.2 | 434   | 555.0 | 501.8 | 612.2 | 378     | 391.5 | 352.6 | 433.5 | 595      | 478.0 | 439.1 | 519.4 | 300   | 539.5 | 477.9 | 606.6 | 295     | 416.6 | 370.1 | 467.3 |
| 2005-07            | 843     | 481.7 | 448.6 | 516.5 | 450   | 565.0 | 512.0 | 621.8 | 393     | 398.4 | 359.6 | 440.3 | 597      | 476.8 | 437.8 | 518.2 | 311   | 558.6 | 495.7 | 627.0 | 286     | 395.0 | 350.2 | 444.0 |
| 2006-08            | 886     | 490.9 | 458.1 | 525.4 | 462   | 563.8 | 511.8 | 619.5 | 424     | 418.0 | 378.8 | 460.2 | 628      | 487.9 | 449.1 | 529.0 | 336   | 581.7 | 518.9 | 649.8 | 292     | 394.0 | 349.6 | 442.5 |
| 2007-09            | 922     | 502.1 | 469.1 | 536.8 | 468   | 565.0 | 513.0 | 620.7 | 454     | 439.2 | 399.3 | 482.0 | 735      | 565.5 | 524.0 | 609.3 | 419   | 710.6 | 642.0 | 784.4 | 316     | 420.4 | 374.7 | 470.0 |
| 2008-10            | 955     | 509.1 | 476.3 | 543.6 | 498   | 583.2 | 531.2 | 638.7 | 457     | 435.1 | 395.7 | 477.3 | 759      | 565.0 | 524.4 | 607.8 | 419   | 684.7 | 619.0 | 755.4 | 340     | 445.2 | 398.5 | 495.9 |
| 2009-11            | 996     | 521.8 | 489.0 | 556.1 | 521   | 594.8 | 543.2 | 649.8 | 475     | 448.7 | 408.9 | 491.4 | 752      | 546.9 | 507.5 | 588.5 | 408   | 651.5 | 588.4 | 719.4 | 344     | 442.3 | 396.2 | 492.3 |
| 2010-12            | 1,088   | 553.7 | 520.5 | 588.4 | 578   | 636.1 | 584.0 | 691.5 | 510     | 471.3 | 430.9 | 514.5 | 844      | 604.8 | 563.5 | 648.2 | 434   | 692.5 | 627.3 | 762.6 | 410     | 517.0 | 467.4 | 570.2 |
| 2011-13            | 1,157   | 576.7 | 543.2 | 611.7 | 611   | 658.1 | 605.7 | 713.8 | 546     | 495.3 | 454.2 | 539.1 | 937      | 657.7 | 615.2 | 702.4 | 493   | 766.2 | 698.4 | 838.6 | 444     | 549.3 | 498.7 | 603.6 |
| 2012-14            | 1,205   | 588.8 | 555.4 | 623.7 | 637   | 672.1 | 619.9 | 727.6 | 568     | 505.5 | 464.3 | 549.3 | 1,076    | 744.2 | 699.4 | 791.2 | 583   | 885.2 | 813.3 | 961.6 | 493     | 603.2 | 550.4 | 659.7 |
| 2013-15            | 1,235   | 594.0 | 560.6 | 628.7 | 664   | 690.8 | 638.3 | 746.5 | 571     | 497.1 | 456.7 | 540.1 | 1,076    | 735.0 | 690.8 | 781.2 | 570   | 854.1 | 784.2 | 928.4 | 506     | 615.9 | 562.6 | 672.7 |
| 2014-16            | 1,289   | 607.8 | 574.4 | 642.6 | 713   | 725.5 | 672.2 | 781.9 | 576     | 490.1 | 450.5 | 532.2 | 1,043    | 700.8 | 658.1 | 745.4 | 547   | 801.8 | 735.0 | 872.9 | 496     | 599.8 | 547.5 | 655.7 |

### Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 71.6    | 71.2     | 68.6   | 72         |
| Median          | 73.0    | 73.0     | 70.0   | 73         |
| 5th percentile  | 47.0    | 47.0     | 45.0   | 47         |
| 95th percentile | 90.0    | 90.0     | 89.0   | 90         |

## Other Skin Cancers (C44) - Mortality




## Other Skin Cancers (C44) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |      |       |      |     |      |         |     |     |     | Guernsey |     |     |      |       |     |     |      |         |     |     |      |
|--------------------|---------|-----|-----|------|-------|------|-----|------|---------|-----|-----|-----|----------|-----|-----|------|-------|-----|-----|------|---------|-----|-----|------|
|                    | Persons |     |     |      | Males |      |     |      | Females |     |     |     | Persons  |     |     |      | Males |     |     |      | Females |     |     |      |
|                    | Count   | ASR | LCI | UCI  | Count | ASR  | LCI | UCI  | Count   | ASR | LCI | UCI | Count    | ASR | LCI | UCI  | Count | ASR | LCI | UCI  | Count   | ASR | LCI | UCI  |
| 2003-05            | <5      | 2.0 | 0.4 | 5.9  | <5    | 2.8  | 0.3 | 10.2 | <5      | 1.2 | 0.0 | 6.6 | <5       | 3.1 | 0.8 | 8.1  | <5    | 2.1 | 0.1 | 11.9 | <5      | 4.1 | 0.8 | 12.0 |
| 2004-06            | <5      | 1.8 | 0.3 | 5.5  | <5    | 1.6  | 0.0 | 9.0  | <5      | 2.1 | 0.2 | 7.6 | <5       | 2.4 | 0.5 | 7.2  | <5    | 2.0 | 0.1 | 11.2 | <5      | 2.8 | 0.3 | 10.3 |
| 2005-07            | 8       | 6.8 | 2.5 | 14.0 | <5    | 10.6 | 3.0 | 25.6 | <5      | 2.9 | 0.6 | 8.6 | <5       | 2.6 | 0.5 | 7.7  | <5    | 4.1 | 0.5 | 14.7 | <5      | 1.1 | 0.0 | 6.4  |
| 2006-08            | 8       | 6.6 | 2.5 | 13.8 | <5    | 11.5 | 3.7 | 26.1 | <5      | 1.7 | 0.2 | 6.3 | <5       | 3.9 | 0.7 | 10.9 | <5    | 5.7 | 0.5 | 21.1 | <5      | 2.2 | 0.3 | 8.0  |
| 2007-09            | 8       | 6.5 | 2.4 | 13.5 | <5    | 11.3 | 3.6 | 25.5 | <5      | 1.8 | 0.2 | 6.4 | <5       | 3.9 | 0.7 | 10.8 | <5    | 5.5 | 0.4 | 20.7 | <5      | 2.2 | 0.3 | 8.1  |
| 2008-10            | <5      | 1.1 | 0.1 | 3.9  | <5    | 1.2  | 0.0 | 6.8  | <5      | 0.9 | 0.0 | 5.1 | 5        | 4.1 | 0.9 | 10.5 | <5    | 3.6 | 0.1 | 19.9 | <5      | 4.6 | 1.2 | 11.9 |
| 2009-11            | <5      | 1.0 | 0.1 | 3.7  | <5    | 0.0  | NA  | NA   | <5      | 2.0 | 0.2 | 7.4 | 5        | 3.4 | 1.0 | 8.1  | <5    | 3.5 | 0.4 | 12.5 | <5      | 3.3 | 0.6 | 9.9  |
| 2010-12            | <5      | 1.0 | 0.1 | 3.6  | <5    | 0.0  | NA  | NA   | <5      | 2.0 | 0.2 | 7.1 | 6        | 4.2 | 1.5 | 9.2  | <5    | 5.0 | 1.0 | 14.7 | <5      | 3.3 | 0.6 | 9.8  |
| 2011-13            | <5      | 2.2 | 0.6 | 5.6  | <5    | 2.4  | 0.3 | 8.6  | <5      | 2.0 | 0.2 | 7.1 | <5       | 3.0 | 0.8 | 7.7  | <5    | 5.0 | 1.0 | 14.6 | <5      | 0.9 | 0.0 | 5.3  |
| 2012-14            | 5       | 2.6 | 0.8 | 6.2  | <5    | 3.6  | 0.7 | 10.5 | <5      | 1.6 | 0.2 | 5.9 | <5       | 2.2 | 0.4 | 6.6  | <5    | 3.4 | 0.4 | 12.3 | <5      | 1.1 | 0.0 | 6.0  |
| 2013-15            | 5       | 2.7 | 0.9 | 6.3  | <5    | 3.5  | 0.7 | 10.3 | <5      | 1.8 | 0.2 | 6.7 | 5        | 3.6 | 1.1 | 8.5  | <5    | 5.0 | 1.0 | 14.7 | <5      | 2.1 | 0.3 | 7.7  |
| 2014-16            | 5       | 2.5 | 0.8 | 5.8  | <5    | 2.1  | 0.2 | 7.7  | <5      | 2.9 | 0.6 | 8.4 | 7        | 5.1 | 2.0 | 10.6 | <5    | 8.1 | 2.6 | 18.8 | <5      | 2.2 | 0.3 | 7.8  |


## Ovarian Cancer (C56) - Incidence

**Incidence rates in persons, 2003-2016**




— England — Guernsey — Jersey — South West

**Incidence rates in persons, latest 5-years**




Area

**Incidence rates in males, 2003-2016**




— England — Guernsey — Jersey — South West

**Incidence rates in males, latest 5-years**




Area

**Incidence rates in females, 2003-2016**



— England — Guernsey — Jersey — South West

**Incidence rates in females, latest 5-years**



Area

## Ovarian Cancer (C56) - Incidence


### Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |     |     |     |         |      |      |      | Guernsey |     |     |     |       |     |     |     |         |      |      |      |       |     |     |
|--------------------|---------|-----|-----|-----|-------|-----|-----|-----|---------|------|------|------|----------|-----|-----|-----|-------|-----|-----|-----|---------|------|------|------|-------|-----|-----|
|                    | Persons |     |     |     | Males |     |     |     | Females |      |      |      | Persons  |     |     |     | Males |     |     |     | Females |      |      |      |       |     |     |
|                    | Count   | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR  | LCI  | UCI  | Count    | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR  | LCI  | UCI  | Count | ASR | LCI |
| 2003-05            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 28.2 | 18.5 | 41.2 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 39.9 | 26.4 | 57.7 |       |     |     |
| 2004-06            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 34.6 | 23.9 | 48.5 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 28.0 | 16.8 | 43.8 |       |     |     |
| 2005-07            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 38.0 | 26.8 | 52.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 34.6 | 22.1 | 51.6 |       |     |     |
| 2006-08            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 37.7 | 26.6 | 52.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 34.4 | 22.2 | 51.0 |       |     |     |
| 2007-09            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 27.7 | 18.4 | 39.9 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 33.6 | 21.6 | 49.8 |       |     |     |
| 2008-10            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 28.6 | 19.2 | 41.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 28.8 | 17.7 | 44.2 |       |     |     |
| 2009-11            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 26.9 | 18.0 | 38.8 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 22.9 | 13.3 | 36.9 |       |     |     |
| 2010-12            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 30.2 | 20.7 | 42.6 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 25.1 | 15.2 | 38.9 |       |     |     |
| 2011-13            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 26.2 | 17.5 | 37.7 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 27.2 | 16.9 | 41.3 |       |     |     |
| 2012-14            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 29.9 | 20.5 | 42.1 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 39.0 | 26.5 | 55.3 |       |     |     |
| 2013-15            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 25.2 | 16.7 | 36.5 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 37.2 | 25.0 | 53.3 |       |     |     |
| 2014-16            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 27.7 | 18.8 | 39.2 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 29.4 | 18.8 | 43.9 |       |     |     |

### Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 64.1    | 64.8     | 63.7   | 66.1       |
| Median          | 66.0    | 63.0     | 64.0   | 67.0       |
| 5th percentile  | 34.0    | 42.0     | 44.0   | 38.0       |
| 95th percentile | 87.0    | 85.0     | 83.0   | 89.0       |

## Ovarian Cancer (C56) - Mortality









## Ovarian Cancer (C56) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |     |     |     |         |      |      |      | Guernsey |     |     |     |       |     |     |     |         |      |      |      |
|--------------------|---------|-----|-----|-----|-------|-----|-----|-----|---------|------|------|------|----------|-----|-----|-----|-------|-----|-----|-----|---------|------|------|------|
|                    | Persons |     |     |     | Males |     |     |     | Females |      |      |      | Persons  |     |     |     | Males |     |     |     | Females |      |      |      |
|                    | Count   | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR  | LCI  | UCI  | Count    | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR  | LCI  | UCI  |
| 2003-05            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 12.2 | 6.0  | 21.9 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 36.1 | 23.2 | 53.3 |
| 2004-06            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 12.6 | 6.4  | 22.1 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 29.6 | 18.0 | 45.8 |
| 2005-07            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 11.5 | 5.7  | 20.6 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 19.8 | 10.5 | 33.9 |
| 2006-08            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 11.0 | 5.4  | 19.8 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 25.7 | 15.2 | 40.8 |
| 2007-09            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 15.2 | 8.5  | 25.2 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 24.7 | 14.7 | 38.7 |
| 2008-10            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 20.8 | 12.8 | 31.9 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 22.6 | 13.3 | 36.0 |
| 2009-11            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 25.3 | 16.5 | 37.2 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 14.5 | 7.4  | 25.6 |
| 2010-12            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 18.1 | 10.8 | 28.3 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 10.3 | 4.4  | 20.5 |
| 2011-13            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 18.2 | 10.9 | 28.5 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 12.5 | 5.9  | 23.1 |
| 2012-14            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 14.2 | 7.9  | 23.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 14.3 | 7.0  | 25.9 |
| 2013-15            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 17.5 | 10.5 | 27.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 15.0 | 7.6  | 26.4 |
| 2014-16            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 13.5 | 7.5  | 22.3 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 18.3 | 9.8  | 30.9 |

## Prostate Cancer (C61) - Incidence



## Prostate Cancer (C61) - Incidence



### Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |       |       |       |         |     |     |     | Guernsey |     |     |     |       |       |       |       |         |     |     |     |
|--------------------|---------|-----|-----|-----|-------|-------|-------|-------|---------|-----|-----|-----|----------|-----|-----|-----|-------|-------|-------|-------|---------|-----|-----|-----|
|                    | Persons |     |     |     | Males |       |       |       | Females |     |     |     | Persons  |     |     |     | Males |       |       |       | Females |     |     |     |
|                    | Count   | ASR | LCI | UCI | Count | ASR   | LCI   | UCI   | Count   | ASR | LCI | UCI | Count    | ASR | LCI | UCI | Count | ASR   | LCI   | UCI   | Count   | ASR | LCI | UCI |
| 2003-05            | NA      | NA  | NA  | NA  | NA    | 313.4 | 271.9 | 359.2 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 196.1 | 159.6 | 238.4 | NA      | NA  | NA  | NA  |
| 2004-06            | NA      | NA  | NA  | NA  | NA    | 315.3 | 274.4 | 360.4 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 172.0 | 137.6 | 212.1 | NA      | NA  | NA  | NA  |
| 2005-07            | NA      | NA  | NA  | NA  | NA    | 276.3 | 238.7 | 318.1 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 194.5 | 158.3 | 236.4 | NA      | NA  | NA  | NA  |
| 2006-08            | NA      | NA  | NA  | NA  | NA    | 281.0 | 243.8 | 322.1 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 204.3 | 168.0 | 246.0 | NA      | NA  | NA  | NA  |
| 2007-09            | NA      | NA  | NA  | NA  | NA    | 241.1 | 207.2 | 278.9 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 234.9 | 196.1 | 279.0 | NA      | NA  | NA  | NA  |
| 2008-10            | NA      | NA  | NA  | NA  | NA    | 271.9 | 236.6 | 310.9 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 227.7 | 189.9 | 270.5 | NA      | NA  | NA  | NA  |
| 2009-11            | NA      | NA  | NA  | NA  | NA    | 286.2 | 250.6 | 325.4 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 203.4 | 168.1 | 243.6 | NA      | NA  | NA  | NA  |
| 2010-12            | NA      | NA  | NA  | NA  | NA    | 306.6 | 270.1 | 346.6 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 216.6 | 181.2 | 256.8 | NA      | NA  | NA  | NA  |
| 2011-13            | NA      | NA  | NA  | NA  | NA    | 274.4 | 240.7 | 311.5 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 247.5 | 210.2 | 289.4 | NA      | NA  | NA  | NA  |
| 2012-14            | NA      | NA  | NA  | NA  | NA    | 287.2 | 253.3 | 324.2 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 264.7 | 226.9 | 307.0 | NA      | NA  | NA  | NA  |
| 2013-15            | NA      | NA  | NA  | NA  | NA    | 288.9 | 255.8 | 325.1 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 227.2 | 192.7 | 266.1 | NA      | NA  | NA  | NA  |
| 2014-16            | NA      | NA  | NA  | NA  | NA    | 280.9 | 248.9 | 315.8 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 207.7 | 174.9 | 244.7 | NA      | NA  | NA  | NA  |



### Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 71.1    | 69.6     | 67.9   | 71.9       |
| Median          | 71.0    | 68.0     | 67.0   | 71.0       |
| 5th percentile  | 55.0    | 55.0     | 53.0   | 56.0       |
| 95th percentile | 87.0    | 89.0     | 85.0   | 88.0       |



## Prostate Cancer (C61) - Mortality



— England — Guernsey — Jersey — South West



— England — Guernsey — Jersey — South West









— England — Guernsey — Jersey — South West

Prostate Cancer (C61) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |      |      |       |         |     |     |     | Guernsey |     |     |     |       |      |      |       |         |     |     |     |
|--------------------|---------|-----|-----|-----|-------|------|------|-------|---------|-----|-----|-----|----------|-----|-----|-----|-------|------|------|-------|---------|-----|-----|-----|
|                    | Persons |     |     |     | Males |      |      |       | Females |     |     |     | Persons  |     |     |     | Males |      |      |       | Females |     |     |     |
|                    | Count   | ASR | LCI | UCI | Count | ASR  | LCI  | UCI   | Count   | ASR | LCI | UCI | Count    | ASR | LCI | UCI | Count | ASR  | LCI  | UCI   | Count   | ASR | LCI | UCI |
| 2003-05            | NA      | NA  | NA  | NA  | NA    | 59.6 | 40.6 | 84.0  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 74.7 | 49.3 | 107.8 | NA      | NA  | NA  | NA  |
| 2004-06            | NA      | NA  | NA  | NA  | NA    | 72.6 | 51.6 | 99.1  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 59.3 | 38.2 | 87.5  | NA      | NA  | NA  | NA  |
| 2005-07            | NA      | NA  | NA  | NA  | NA    | 87.6 | 63.7 | 117.0 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 73.5 | 50.0 | 103.9 | NA      | NA  | NA  | NA  |
| 2006-08            | NA      | NA  | NA  | NA  | NA    | 90.4 | 66.5 | 119.7 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 65.3 | 43.6 | 93.8  | NA      | NA  | NA  | NA  |
| 2007-09            | NA      | NA  | NA  | NA  | NA    | 87.2 | 64.6 | 114.7 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 88.8 | 63.1 | 121.0 | NA      | NA  | NA  | NA  |
| 2008-10            | NA      | NA  | NA  | NA  | NA    | 78.4 | 58.1 | 103.3 | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 89.6 | 64.3 | 121.2 | NA      | NA  | NA  | NA  |
| 2009-11            | NA      | NA  | NA  | NA  | NA    | 68.1 | 49.5 | 91.0  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 98.3 | 72.3 | 130.3 | NA      | NA  | NA  | NA  |
| 2010-12            | NA      | NA  | NA  | NA  | NA    | 54.9 | 38.4 | 75.7  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 88.7 | 64.6 | 118.5 | NA      | NA  | NA  | NA  |
| 2011-13            | NA      | NA  | NA  | NA  | NA    | 55.2 | 39.3 | 75.0  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 90.0 | 66.1 | 119.7 | NA      | NA  | NA  | NA  |
| 2012-14            | NA      | NA  | NA  | NA  | NA    | 58.3 | 42.1 | 78.4  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 82.5 | 60.0 | 110.5 | NA      | NA  | NA  | NA  |
| 2013-15            | NA      | NA  | NA  | NA  | NA    | 55.2 | 39.9 | 74.5  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 68.9 | 48.7 | 94.5  | NA      | NA  | NA  | NA  |
| 2014-16            | NA      | NA  | NA  | NA  | NA    | 61.5 | 45.4 | 81.3  | NA      | NA  | NA  | NA  | NA       | NA  | NA  | NA  | NA    | 61.3 | 42.8 | 84.9  | NA      | NA  | NA  | NA  |

## Upper Gastrointestinal Cancers (C15-C16, C25) - Incidence



## Upper Gastrointestinal Cancers (C15-C16, C25) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |       |         |      |      |      | Guernsey |      |      |      |       |      |      |       |         |      |      |      |
|--------------------|---------|------|------|------|-------|------|------|-------|---------|------|------|------|----------|------|------|------|-------|------|------|-------|---------|------|------|------|
|                    | Persons |      |      |      | Males |      |      |       | Females |      |      |      | Persons  |      |      |      | Males |      |      |       | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI   | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI   | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 86      | 51.9 | 41.2 | 64.6 | 46    | 61.8 | 44.6 | 83.1  | 40      | 42.1 | 29.9 | 57.5 | 81       | 69.3 | 54.4 | 86.8 | 46    | 88.7 | 63.9 | 119.6 | 35      | 49.8 | 34.6 | 69.4 |
| 2004-06            | 112     | 66.5 | 54.4 | 80.5 | 64    | 83.4 | 63.6 | 107.3 | 48      | 49.7 | 36.5 | 66.0 | 74       | 63.1 | 48.8 | 80.0 | 44    | 83.7 | 59.6 | 113.9 | 30      | 42.4 | 28.5 | 60.7 |
| 2005-07            | 111     | 64.7 | 52.7 | 78.5 | 62    | 79.3 | 59.9 | 102.8 | 49      | 50.1 | 36.9 | 66.4 | 74       | 58.2 | 45.3 | 73.5 | 41    | 70.7 | 50.1 | 96.7  | 33      | 45.6 | 31.3 | 64.3 |
| 2006-08            | 115     | 64.5 | 52.9 | 77.8 | 67    | 81.0 | 62.2 | 103.6 | 48      | 48.1 | 35.3 | 63.9 | 78       | 59.7 | 46.9 | 75.0 | 46    | 76.7 | 55.6 | 102.9 | 32      | 42.8 | 29.1 | 60.8 |
| 2007-09            | 91      | 50.9 | 40.7 | 62.8 | 55    | 66.3 | 49.4 | 86.9  | 36      | 35.5 | 24.7 | 49.2 | 87       | 64.5 | 51.3 | 80.0 | 48    | 78.8 | 57.6 | 105.2 | 39      | 50.2 | 35.4 | 68.9 |
| 2008-10            | 106     | 56.8 | 46.3 | 68.9 | 60    | 69.7 | 52.9 | 90.0  | 46      | 43.9 | 32.0 | 58.7 | 82       | 59.1 | 46.6 | 73.8 | 47    | 74.9 | 54.5 | 100.2 | 35      | 43.4 | 30.0 | 60.7 |
| 2009-11            | 116     | 59.9 | 49.3 | 72.0 | 65    | 73.2 | 56.3 | 93.6  | 51      | 46.5 | 34.5 | 61.3 | 78       | 55.4 | 43.4 | 69.7 | 46    | 72.8 | 52.6 | 98.0  | 32      | 38.1 | 25.9 | 53.9 |
| 2010-12            | 132     | 67.0 | 55.8 | 79.8 | 70    | 78.6 | 60.8 | 99.8  | 62      | 55.4 | 42.4 | 71.2 | 71       | 49.6 | 38.4 | 62.9 | 42    | 64.4 | 46.0 | 87.5  | 29      | 34.7 | 23.1 | 50.1 |
| 2011-13            | 122     | 62.8 | 51.8 | 75.4 | 75    | 84.0 | 65.5 | 106.0 | 47      | 41.6 | 30.5 | 55.4 | 66       | 47.0 | 36.1 | 60.1 | 41    | 63.0 | 44.8 | 86.1  | 25      | 30.9 | 19.9 | 45.8 |
| 2012-14            | 114     | 57.7 | 47.3 | 69.6 | 64    | 70.8 | 54.1 | 91.0  | 50      | 44.5 | 32.9 | 58.8 | 59       | 42.3 | 31.9 | 54.9 | 37    | 58.2 | 40.5 | 80.8  | 22      | 26.4 | 16.5 | 40.2 |
| 2013-15            | 108     | 53.6 | 43.7 | 65.1 | 68    | 72.0 | 55.4 | 91.9  | 40      | 35.3 | 25.1 | 48.1 | 64       | 45.0 | 34.4 | 57.8 | 42    | 63.6 | 45.5 | 86.6  | 22      | 26.3 | 16.4 | 40.0 |
| 2014-16            | 107     | 51.3 | 41.8 | 62.3 | 61    | 63.1 | 47.9 | 81.6  | 46      | 39.5 | 28.8 | 52.8 | 67       | 45.3 | 34.8 | 57.9 | 39    | 58.9 | 41.5 | 80.9  | 28      | 31.7 | 20.9 | 46.0 |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 72.3    | 71.8     | 71.7   | 73.2       |
| Median          | 73.0    | 73.0     | 73.0   | 74.0       |
| 5th percentile  | 51.0    | 47.0     | 50.0   | 52.0       |
| 95th percentile | 90.0    | 90.0     | 91.0   | 90.0       |

## Upper Gastrointestinal Cancers (C15-C16, C25) - Mortality









## Upper Gastrointestinal Cancers (C15-C16, C25) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |      |      | Guernsey |      |      |      |       |      |      |       |         |      |      |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|------|------|----------|------|------|------|-------|------|------|-------|---------|------|------|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |      |      | Persons  |      |      |      | Males |      |      |       | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI   | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 68      | 42.1 | 32.2 | 53.9 | 36    | 50.3 | 34.3 | 70.7 | 32      | 33.9 | 23.1 | 48.0 | 68       | 61.7 | 46.9 | 79.4 | 37    | 80.4 | 55.1 | 112.6 | 31      | 43.1 | 29.1 | 61.3 |
| 2004-06            | 75      | 45.7 | 35.6 | 57.7 | 42    | 57.1 | 40.6 | 77.8 | 33      | 34.4 | 23.6 | 48.4 | 67       | 59.9 | 45.4 | 77.3 | 38    | 79.9 | 55.0 | 111.8 | 29      | 39.8 | 26.5 | 57.3 |
| 2005-07            | 82      | 48.9 | 38.6 | 61.1 | 50    | 64.9 | 47.6 | 86.2 | 32      | 33.0 | 22.5 | 46.8 | 59       | 47.8 | 36.0 | 62.2 | 32    | 58.9 | 39.8 | 83.8  | 27      | 36.8 | 24.1 | 53.7 |
| 2006-08            | 85      | 48.3 | 38.4 | 59.9 | 50    | 61.2 | 45.2 | 81.0 | 35      | 35.4 | 24.5 | 49.4 | 57       | 43.4 | 32.5 | 56.7 | 30    | 51.0 | 33.9 | 73.6  | 27      | 35.7 | 23.3 | 52.2 |
| 2007-09            | 77      | 43.9 | 34.4 | 55.3 | 45    | 56.4 | 40.6 | 76.0 | 32      | 31.5 | 21.4 | 44.6 | 69       | 52.5 | 40.5 | 66.9 | 36    | 61.5 | 42.6 | 85.8  | 33      | 43.4 | 29.7 | 61.3 |
| 2008-10            | 87      | 48.5 | 38.6 | 60.2 | 51    | 62.1 | 45.7 | 82.3 | 36      | 34.9 | 24.4 | 48.5 | 64       | 46.8 | 35.7 | 60.3 | 35    | 57.6 | 39.6 | 80.8  | 29      | 36.0 | 23.9 | 52.0 |
| 2009-11            | 78      | 42.7 | 33.5 | 53.6 | 50    | 59.3 | 43.6 | 78.7 | 28      | 26.0 | 17.2 | 37.7 | 69       | 50.7 | 39.0 | 64.7 | 42    | 69.6 | 49.5 | 94.8  | 27      | 31.8 | 20.8 | 46.6 |
| 2010-12            | 98      | 51.8 | 41.7 | 63.5 | 57    | 66.4 | 49.7 | 86.7 | 41      | 37.2 | 26.6 | 50.6 | 64       | 44.2 | 33.7 | 56.9 | 37    | 58.0 | 40.5 | 80.4  | 27      | 30.5 | 20.0 | 44.5 |
| 2011-13            | 87      | 46.4 | 36.9 | 57.7 | 54    | 63.9 | 47.5 | 84.0 | 33      | 29.0 | 19.9 | 40.8 | 69       | 49.0 | 37.8 | 62.4 | 44    | 68.5 | 49.3 | 92.5  | 25      | 29.6 | 19.0 | 43.8 |
| 2012-14            | 98      | 50.2 | 40.4 | 61.6 | 54    | 62.2 | 46.2 | 81.7 | 44      | 38.2 | 27.7 | 51.4 | 57       | 40.9 | 30.7 | 53.4 | 35    | 56.3 | 38.8 | 78.8  | 22      | 25.6 | 15.9 | 38.8 |
| 2013-15            | 88      | 44.9 | 35.7 | 55.6 | 57    | 63.6 | 47.7 | 82.9 | 31      | 26.2 | 17.7 | 37.2 | 51       | 37.6 | 27.7 | 49.8 | 37    | 58.9 | 41.1 | 81.8  | 14      | 16.2 | 8.8  | 27.3 |
| 2014-16            | 97      | 47.4 | 38.2 | 58.2 | 55    | 59.4 | 44.3 | 77.9 | 42      | 35.5 | 25.5 | 48.0 | 51       | 35.3 | 26.0 | 46.7 | 29    | 46.1 | 30.6 | 66.5  | 22      | 24.5 | 15.2 | 37.2 |

## Uterine Cancer (C54-C55) - Incidence



## Uterine Cancer (C54-C55) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |     |     |     |         |      |      |      | Guernsey |     |     |     |       |     |     |     |         |      |      |     |
|--------------------|---------|-----|-----|-----|-------|-----|-----|-----|---------|------|------|------|----------|-----|-----|-----|-------|-----|-----|-----|---------|------|------|-----|
|                    | Persons |     |     |     | Males |     |     |     | Females |      |      |      | Persons  |     |     |     | Males |     |     |     | Females |      |      |     |
|                    | Count   | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR  | LCI  | UCI  | Count    | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR  | LCI  | UCI |
| 2003-05            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 18.7 | 10.8 | 30.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 27.1    | 16.2 | 42.5 |     |
| 2004-06            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 18.7 | 10.8 | 30.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 19.6    | 10.6 | 32.9 |     |
| 2005-07            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 26.4 | 17.0 | 39.1 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 24.7    | 14.6 | 39.1 |     |
| 2006-08            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 26.8 | 17.5 | 39.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 27.5    | 16.7 | 42.6 |     |
| 2007-09            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 27.8 | 18.4 | 40.3 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 36.6    | 24.0 | 53.5 |     |
| 2008-10            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 25.3 | 16.4 | 37.1 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 38.9    | 25.9 | 56.0 |     |
| 2009-11            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 31.2 | 21.3 | 44.2 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 32.5    | 21.1 | 47.6 |     |
| 2010-12            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 29.2 | 19.7 | 41.6 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 30.6    | 19.8 | 45.3 |     |
| 2011-13            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 25.3 | 16.7 | 36.6 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 36.4    | 24.1 | 52.7 |     |
| 2012-14            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 28.6 | 19.4 | 40.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 42.5    | 29.2 | 59.9 |     |
| 2013-15            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 32.7 | 23.1 | 45.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 36.8    | 24.6 | 53.1 |     |
| 2014-16            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 33.7 | 24.0 | 45.9 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | 44.3    | 30.7 | 61.8 |     |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 66.9    | 67.3     | 62     | 68.2       |
| Median          | 67.0    | 68.0     | 62     | 68.0       |
| 5th percentile  | 48.0    | 49.0     | 44     | 49.0       |
| 95th percentile | 86.0    | 85.0     | 80     | 87.0       |

## Uterine Cancer (C54-C55) - Mortality









Uterine Cancer (C54-C55) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |     |       |     |     |     |         |      |     |      | Guernsey |     |     |     |       |     |     |     |         |     |     |     |    |      |     |      |
|--------------------|---------|-----|-----|-----|-------|-----|-----|-----|---------|------|-----|------|----------|-----|-----|-----|-------|-----|-----|-----|---------|-----|-----|-----|----|------|-----|------|
|                    | Persons |     |     |     | Males |     |     |     | Females |      |     |      | Persons  |     |     |     | Males |     |     |     | Females |     |     |     |    |      |     |      |
|                    | Count   | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR  | LCI | UCI  | Count    | ASR | LCI | UCI | Count | ASR | LCI | UCI | Count   | ASR | LCI | UCI |    |      |     |      |
| 2003-05            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | <5      | 4.6  | 1.3 | 11.9 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 5.3  | 1.4 | 13.6 |
| 2004-06            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 7.0  | 2.6 | 15.3 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 5.2  | 1.4 | 13.3 |
| 2005-07            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 8.8  | 3.8 | 17.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 1.1  | 0.0 | 6.2  |
| 2006-08            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 11.0 | 5.3 | 20.3 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 2.7  | 0.3 | 10.0 |
| 2007-09            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 9.4  | 4.2 | 17.9 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 4.0  | 0.8 | 11.8 |
| 2008-10            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 6.0  | 2.1 | 13.0 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | <5 | 2.9  | 0.3 | 10.5 |
| 2009-11            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | <5      | 3.6  | 1.0 | 9.3  | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 9.7  | 4.1 | 19.3 |
| 2010-12            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 5.3  | 1.9 | 11.5 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 8.3  | 3.3 | 17.2 |
| 2011-13            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 4.5  | 1.4 | 10.5 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 9.5  | 4.1 | 18.9 |
| 2012-14            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 8.4  | 3.8 | 15.9 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 7.7  | 2.8 | 16.8 |
| 2013-15            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 7.7  | 3.3 | 15.3 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 8.8  | 3.5 | 18.3 |
| 2014-16            | NA      | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | 9.4  | 4.5 | 17.4 | NA       | NA  | NA  | NA  | NA    | NA  | NA  | NA  | NA      | NA  | NA  | NA  | NA | 11.5 | 5.4 | 21.3 |

Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Incidence



## Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Incidence







Age-standardised incidence rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |      |      |      |       |      |      |      |         |      |      |      | Guernsey |      |      |      |       |      |      |      |         |      |      |      |
|--------------------|---------|------|------|------|-------|------|------|------|---------|------|------|------|----------|------|------|------|-------|------|------|------|---------|------|------|------|
|                    | Persons |      |      |      | Males |      |      |      | Females |      |      |      | Persons  |      |      |      | Males |      |      |      | Females |      |      |      |
|                    | Count   | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  | Count    | ASR  | LCI  | UCI  | Count | ASR  | LCI  | UCI  | Count   | ASR  | LCI  | UCI  |
| 2003-05            | 10      | 17.0 | 8.1  | 31.2 | <5    | 23.5 | 9.5  | 48.5 | <5      | 10.4 | 2.1  | 30.5 | 6        | 13.7 | 5.0  | 29.9 | <5    | 17.9 | 4.9  | 45.8 | <5      | 9.5  | 1.1  | 34.4 |
| 2004-06            | 11      | 18.5 | 9.2  | 33.1 | <5    | 23.2 | 9.3  | 47.7 | <5      | 13.9 | 3.8  | 35.5 | 5        | 11.4 | 3.7  | 26.5 | <5    | 18.1 | 4.9  | 46.2 | <5      | 4.6  | 0.1  | 25.9 |
| 2005-07            | 10      | 16.5 | 7.9  | 30.4 | 5     | 16.2 | 5.3  | 37.8 | 5       | 16.8 | 5.5  | 39.3 | 6        | 13.6 | 5.0  | 29.6 | <5    | 27.2 | 10.0 | 59.2 | <5      | 0.0  | 0.0  | 0.0  |
| 2006-08            | 11      | 18.1 | 9.0  | 32.4 | <5    | 9.5  | 2.0  | 27.9 | <5      | 26.7 | 11.5 | 52.6 | 6        | 13.6 | 5.0  | 29.7 | <5    | 27.3 | 10.0 | 59.5 | <5      | 0.0  | 0.0  | 0.0  |
| 2007-09            | 10      | 16.3 | 7.8  | 30.0 | <5    | 6.3  | 0.8  | 22.7 | <5      | 26.3 | 11.4 | 51.9 | 8        | 18.3 | 7.8  | 36.1 | <5    | 31.3 | 12.5 | 64.7 | <5      | 5.3  | 0.1  | 29.3 |
| 2008-10            | 14      | 23.1 | 12.6 | 38.7 | <5    | 12.8 | 3.5  | 32.8 | <5      | 33.3 | 16.0 | 61.4 | 11       | 25.8 | 12.8 | 46.2 | <5    | 36.9 | 15.9 | 72.9 | <5      | 14.7 | 3.0  | 43.0 |
| 2009-11            | 14      | 22.7 | 12.4 | 38.1 | 6     | 18.9 | 6.9  | 41.2 | 8       | 26.5 | 11.4 | 52.2 | 11       | 26.6 | 13.2 | 47.7 | <5    | 32.9 | 13.2 | 67.8 | <5      | 20.3 | 5.5  | 52.1 |
| 2010-12            | 20      | 31.8 | 19.4 | 49.1 | 10    | 31.3 | 15.0 | 57.6 | 10      | 32.3 | 15.5 | 59.4 | 12       | 29.6 | 15.2 | 51.7 | 7     | 33.9 | 13.6 | 70.0 | 5       | 25.2 | 8.1  | 58.8 |
| 2011-13            | 15      | 23.3 | 13.0 | 38.5 | 9     | 28.0 | 12.8 | 53.1 | 6       | 18.7 | 6.8  | 40.7 | 10       | 24.9 | 11.9 | 45.9 | <5    | 19.4 | 5.3  | 49.7 | <5      | 30.4 | 11.1 | 66.3 |
| 2012-14            | 14      | 21.4 | 11.7 | 35.9 | 8     | 24.2 | 10.4 | 47.8 | 6       | 18.5 | 6.8  | 40.4 | 13       | 31.7 | 16.9 | 54.2 | <5    | 19.1 | 5.2  | 48.8 | <5      | 44.3 | 20.2 | 84.1 |
| 2013-15            | 10      | 14.9 | 7.1  | 27.4 | <5    | 17.6 | 6.5  | 38.4 | <5      | 12.1 | 3.3  | 31.1 | 10       | 24.3 | 11.6 | 44.6 | <5    | 13.8 | 2.8  | 40.4 | <5      | 34.7 | 13.9 | 71.5 |
| 2014-16            | 9       | 13.2 | 6.0  | 25.1 | <5    | 14.4 | 4.7  | 33.5 | <5      | 12.1 | 3.3  | 30.9 | 8        | 19.3 | 8.3  | 38.1 | <5    | 9.2  | 1.1  | 33.3 | <5      | 29.4 | 10.8 | 64.1 |

Age at diagnosis, 2012-2016 combined data

|                 | England | Guernsey | Jersey | South West |
|-----------------|---------|----------|--------|------------|
| Mean            | 9.5     | 10.1     | 6.9    | 9.8        |
| Median          | 9.0     | 14.0     | 3.0    | 10.0       |
| 5th percentile  | 0.0     | 0.0      | 0.0    | 0.0        |
| 95th percentile | 19.0    | 18.0     | 18.0   | 19.0       |

Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Mortality



Paediatric Cancers (0-19 years; C00-C97 excluding C44) - Mortality

Age-standardised mortality rates (per 100,000 population), 2003-2016

| Years of Diagnosis | Jersey  |     |     |      |       |     |     |      |         |     |     |      | Guernsey |     |     |      |       |     |     |      |         |     |     |      |
|--------------------|---------|-----|-----|------|-------|-----|-----|------|---------|-----|-----|------|----------|-----|-----|------|-------|-----|-----|------|---------|-----|-----|------|
|                    | Persons |     |     |      | Males |     |     |      | Females |     |     |      | Persons  |     |     |      | Males |     |     |      | Females |     |     |      |
|                    | Count   | ASR | LCI | UCI  | Count | ASR | LCI | UCI  | Count   | ASR | LCI | UCI  | Count    | ASR | LCI | UCI  | Count | ASR | LCI | UCI  | Count   | ASR | LCI | UCI  |
| 2003-05            | <5      | 1.6 | 0.0 | 9.1  | <5    | 3.3 | 0.1 | 18.2 | <5      | 0.0 | NA  | NA   | <5       | 4.5 | 0.5 | 16.3 | <5    | 9.0 | 1.1 | 32.7 | <5      | 0.0 | NA  | NA   |
| 2004-06            | <5      | 1.7 | 0.0 | 9.3  | <5    | 3.4 | 0.1 | 18.7 | <5      | 0.0 | NA  | NA   | <5       | 4.6 | 0.6 | 16.7 | <5    | 9.2 | 1.1 | 33.3 | <5      | 0.0 | NA  | NA   |
| 2005-07            | <5      | 1.6 | 0.0 | 9.1  | <5    | 3.3 | 0.1 | 18.3 | <5      | 0.0 | NA  | NA   | <5       | 4.7 | 0.6 | 17.1 | <5    | 9.5 | 1.1 | 34.3 | <5      | 0.0 | NA  | NA   |
| 2006-08            | <5      | 1.6 | 0.0 | 8.9  | <5    | 3.2 | 0.1 | 17.8 | <5      | 0.0 | NA  | NA   | <5       | 0.0 | NA  | NA   | <5    | 0.0 | NA  | NA   | <5      | 0.0 | NA  | NA   |
| 2007-09            | <5      | 1.7 | 0.0 | 9.4  | <5    | 3.4 | 0.1 | 18.7 | <5      | 0.0 | NA  | NA   | <5       | 0.0 | NA  | NA   | <5    | 0.0 | NA  | NA   | <5      | 0.0 | NA  | NA   |
| 2008-10            | <5      | 1.7 | 0.0 | 9.5  | <5    | 3.4 | 0.1 | 18.9 | <5      | 0.0 | NA  | NA   | <5       | 2.4 | 0.1 | 13.6 | <5    | 4.9 | 0.1 | 27.3 | <5      | 0.0 | NA  | NA   |
| 2009-11            | <5      | 3.3 | 0.4 | 12.0 | <5    | 3.4 | 0.1 | 19.1 | <5      | 3.2 | 0.1 | 18.1 | <5       | 2.4 | 0.1 | 13.6 | <5    | 4.9 | 0.1 | 27.2 | <5      | 0.0 | NA  | NA   |
| 2010-12            | <5      | 3.3 | 0.4 | 11.9 | <5    | 3.4 | 0.1 | 18.9 | <5      | 3.2 | 0.1 | 17.9 | <5       | 2.5 | 0.1 | 13.7 | <5    | 4.9 | 0.1 | 27.4 | <5      | 0.0 | NA  | NA   |
| 2011-13            | <5      | 6.6 | 1.8 | 16.9 | <5    | 6.7 | 0.8 | 24.2 | <5      | 6.5 | 0.8 | 23.5 | <5       | 0.0 | NA  | NA   | <5    | 0.0 | NA  | NA   | <5      | 0.0 | NA  | NA   |
| 2012-14            | <5      | 4.9 | 1.0 | 14.4 | <5    | 6.6 | 0.8 | 23.7 | <5      | 3.3 | 0.1 | 18.5 | <5       | 2.3 | 0.1 | 13.0 | <5    | 4.7 | 0.1 | 26.0 | <5      | 0.0 | NA  | NA   |
| 2013-15            | <5      | 4.9 | 1.0 | 14.3 | <5    | 6.5 | 0.8 | 23.5 | <5      | 3.3 | 0.1 | 18.3 | <5       | 2.4 | 0.1 | 13.1 | <5    | 4.7 | 0.1 | 26.2 | <5      | 0.0 | NA  | NA   |
| 2014-16            | <5      | 1.6 | 0.0 | 8.8  | <5    | 3.2 | 0.1 | 17.6 | <5      | 0.0 | NA  | NA   | <5       | 5.1 | 0.6 | 18.5 | <5    | 4.7 | 0.1 | 26.1 | <5      | 5.5 | 0.1 | 30.9 |

## Staging completeness

### Percentage of cancers with valid stage, for main five cancers, in Guernsey

| Site               | Year |      |      |      |      |
|--------------------|------|------|------|------|------|
|                    | 2012 | 2013 | 2014 | 2015 | 2016 |
| Breast             | 82%  | 56%  | 77%  | 66%  | 71%  |
| Colorectal         | 87%  | 79%  | 84%  | 85%  | 74%  |
| Lung               | 58%  | 74%  | 79%  | 74%  | 74%  |
| Malignant Melanoma | 72%  | 62%  | 84%  | 81%  | 76%  |
| Prostate           | 34%  | 32%  | 56%  | 46%  | 54%  |

### Percentage of cancers with valid stage, for main five cancers, in Jersey

| Site               | Year |      |      |      |      |
|--------------------|------|------|------|------|------|
|                    | 2012 | 2013 | 2014 | 2015 | 2016 |
| Breast             | 42%  | 44%  | 61%  | 53%  | 49%  |
| Colorectal         | 17%  | 34%  | 22%  | 23%  | 37%  |
| Lung               | 26%  | 46%  | 49%  | 69%  | 72%  |
| Malignant Melanoma | 39%  | 86%  | 84%  | 52%  | 56%  |
| Prostate           | 5%   | 9%   | 21%  | 36%  | 50%  |

## Appendix - ICD-10 codes

| ICD-10 code | Site description   |
|-------------|--|
| C00         | Malignant neoplasm of lip  |
| C01         | Malignant neoplasm of base of tongue                                     |
| C02         | Malignant neoplasm of other and unspecified parts of tongue              |
| C03         | Malignant neoplasm of gum  |
| C04         | Malignant neoplasm of floor of mouth                                     |
| C05         | Malignant neoplasm of palate   |
| C06         | Malignant neoplasm of other and unspecified parts of mouth               |
| C07         | Malignant neoplasm of parotid gland                                      |
| C08         | Malignant neoplasm of other and unspecified major salivary glands        |
| C09         | Malignant neoplasm of tonsil   |
| C10         | Malignant neoplasm of oropharynx   |
| C11         | Malignant neoplasm of nasopharynx  |
| C12         | Malignant neoplasm of pyriform sinus                                     |
| C13         | Malignant neoplasm of hypopharynx  |
| C14         | Malignant neoplasm of other ill-defined sites of lip/oral cavity/pharynx |
| C15         | Malignant neoplasm of oesophagus   |
| C16         | Malignant neoplasm of stomach  |
| C17         | Malignant neoplasm of small intestine                                    |
| C18         | Malignant neoplasm of colon  |
| C19         | Malignant neoplasm of rectosigmoid junction                              |
| C20         | Malignant neoplasm of rectum   |
| C21         | Malignant neoplasm of anus and anal canal                                |
| C22         | Malignant neoplasm of liver and intrahepatic bile ducts                  |
| C23         | Malignant neoplasm of gallbladder  |
| C24         | Malignant neoplasm of other and unspecified parts of biliary tract       |
| C25         | Malignant neoplasm of pancreas   |
| C26         | Malignant neoplasm of other and ill-defined digestive organs             |
| C30         | Malignant neoplasm of nasal cavity and middle ear                        |
| C31         | Malignant neoplasm of accessory sinuses                                  |
| C32         | Malignant neoplasm of larynx   |
| C33         | Malignant neoplasm of trachea  |

|     |  |
|-----|--|
| C34 | Malignant neoplasm of bronchus and lung  |
| C37 | Malignant neoplasm of thymus   |
| C38 | Malignant neoplasm of heart, mediastinum and pleura  |
| C39 | Malignant neoplasm of other and ill-defined sites of respiratory system and intrathoracic organs |
| C40 | Malignant neoplasm of bone and articular cartilage of limbs                                      |
| C41 | Malignant neoplasm of bone and articular cartilage of other and unspecified sites                |
| C43 | Malignant melanoma of skin   |
| C44 | Other malignant neoplasm of skin   |
| C45 | Mesothelioma   |
| C46 | Kaposi's sarcoma   |
| C47 | Malignant neoplasm of peripheral nerves and autonomic nervous system                             |
| C48 | Malignant neoplasm of retroperitoneum and peritoneum   |
| C49 | Malignant neoplasm of other connective and soft tissue   |
| C50 | Malignant neoplasm of breast   |
| C51 | Malignant neoplasm of vulva  |
| C52 | Malignant neoplasm of vagina   |
| C53 | Malignant neoplasm of cervix uteri   |
| C54 | Malignant neoplasm of corpus uteri   |
| C55 | Malignant neoplasm of uterus, unspecified  |
| C56 | Malignant neoplasm of ovary  |
| C57 | Malignant neoplasm of other and unspecified female genital organs                                |
| C58 | Malignant neoplasm of placenta   |
| C60 | Malignant neoplasm of penis  |
| C61 | Malignant neoplasm of prostate   |
| C62 | Malignant neoplasm of testis   |
| C63 | Malignant neoplasm of other and unspecified male genital organs                                  |
| C64 | Malignant neoplasm of kidney, except renal pelvis  |
| C65 | Malignant neoplasm of renal pelvis   |
| C66 | Malignant neoplasm of ureter   |
| C67 | Malignant neoplasm of bladder  |
| C68 | Malignant neoplasm of other and unspecified urinary organs                                       |
| C69 | Malignant neoplasm of eye and adnexa   |
| C70 | Malignant neoplasm of meninges   |

|     |   |
|-----|---|
| C71 | Malignant neoplasm of brain   |
| C72 | Malignant neoplasm of spinal cord, cranial nerves and other parts of CNS                  |
| C73 | Malignant neoplasm of thyroid gland   |
| C74 | Malignant neoplasm of adrenal gland   |
| C75 | Malignant neoplasm of other endocrine glands and related structures                       |
| C76 | Malignant neoplasm of other and ill-defined sites   |
| C77 | Secondary and unspecified malignant neoplasm of lymph nodes                               |
| C78 | Secondary malignant neoplasm of respiratory and digestive organs                          |
| C79 | Secondary malignant neoplasm of other sites   |
| C80 | Malignant neoplasm without specification of site  |
| C81 | Hodgkin lymphoma  |
| C82 | Follicular [nodular] non-Hodgkin lymphoma   |
| C83 | Diffuse non-Hodgkin lymphoma  |
| C84 | Peripheral and cutaneous T-cell lymphomas   |
| C85 | Other and unspecified types of non-Hodgkins lymphoma                                      |
| C88 | Malignant immunoproliferative diseases  |
| C90 | Multiple myeloma and malignant plasma cell neoplasms                                      |
| C91 | Lymphoid leukaemia  |
| C92 | Myeloid leukaemia   |
| C93 | Monocytic leukaemia   |
| C94 | Other leukaemias of specified cell type   |
| C95 | Leukaemia of unspecified cell type  |
| C96 | Other and unspecified malignant neoplasm of lymphoid, haematopoietic and reticular tissue |
| C97 | Malignant neoplasms of independent (primary) multiple sites                               |