



Bathing Water Quality Results 2020

Saints	2019 classification		
	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/2020	297	36	Good
18/05/2020	864	30	Poor
26/05/2020	89	28	Excellent
01/06/2020	14	0	Excellent
08/06/2020	14	6	Excellent
15/06/2020	22	1	Excellent
22/06/2020	94	32	Excellent
29/06/2020	41	4	Excellent
06/07/2020	18	2	Excellent
14/07/2020	15	2	Excellent
20/07/2020	7	1	Excellent
27/07/2020	88	16	Excellent
03/08/2020	5	0	Excellent
10/08/2020	2	0	Excellent
17/08/2020	270	26	Good
24/08/2020	28	6	Excellent
01/09/2020	12	7	Excellent
07/09/2020	4	0	Excellent
14/09/2020	220	68	Excellent
21/09/2020	55	19	Excellent

BWQ Results 2020

Petit Bot	2019 Classification:		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/2020	350	110	Good
18/05/2020	78	39	Excellent
26/05/2020	0	0	Excellent
01/06/2020	38	11	Excellent
08/06/2020	41	10	Excellent
15/06/2020	2	4	Excellent
22/06/2020	120	42	Excellent
29/06/2020	9	10	Excellent
06/07/2020	42	48	Excellent
13/07/2020	1	2	Excellent
20/07/2020	16	7	Excellent
27/07/2020	78	40	Excellent
03/08/2020	23	8	Excellent
10/08/2020	28	6	Excellent
17/08/2020	780	390	Poor
25/08/2020	200	28	Excellent
01/09/2020	5	1	Excellent
07/09/2020	30	11	Excellent
14/09/2020	30	44	Excellent
21/09/2020	10	7	Excellent

Portelet	2019 Classification:		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/2020	200	5	Excellent
18/05/2020	1	0	Excellent
26/05/2020	4	0	Excellent
01/06/2020	1	0	Excellent
08/06/2020	12	16	Excellent
15/06/2020	2	0	Excellent
22/06/2020	410	150	Good
29/06/2020	1	1	Excellent
06/07/2020	44	30	Excellent
13/07/2020	1	3	Excellent
20/07/2020	32	23	Excellent
27/07/2020	5	2	Excellent
03/08/2020	18	2	Excellent
10/08/2020	15	9	Excellent
17/08/2020	65	25	Excellent
25/08/2020	19	14	Excellent
02/09/2020	46	41	Excellent
07/09/2020	5	11	Excellent
14/09/2020	22	6	Excellent
21/09/2020	65	36	Excellent

BWQ Results 2020

L'Eree	2019 Classification: EXCELLENT		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/2020	16	14	Excellent
18/05/2020	2	0	Excellent
26/05/2020	1	2	Excellent
01/06/2020	0	0	Excellent
08/06/2020	0	0	Excellent
15/06/2020	0	0	Excellent
22/06/2020	27	52	Excellent
29/06/2020	2	0	Excellent
06/07/2020	5	1	Excellent
13/07/2020	7	4	Excellent
20/07/2020	1	0	Excellent
27/07/2020	11	4	Excellent
03/08/2020	1	0	Excellent
10/08/2020	21	0	Excellent
17/08/2020	31	3	Excellent
25/08/2020	8	10	Excellent
02/09/2020	22	18	Excellent
07/09/2020	0	2	Excellent
14/09/2020	33	9	Excellent
21/09/2020	5	7	Excellent

Vazon (North)	2019 Classification: GOOD		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/2020	6	0	Excellent
18/05/2020	0	0	Excellent
26/05/2020	1	0	Excellent
01/06/2020	0	0	Excellent
08/06/2020	1	1	Excellent
15/06/2020	0	0	Excellent
22/06/2020	8	2	Excellent
29/06/2020	5	1	Excellent
06/07/2020	11	5	Excellent
13/07/2020	0	0	Excellent
20/07/2020	1	1	Excellent
27/07/2020	4	4	Excellent
03/08/2020	24	5	Excellent
10/08/2020	5	7	Excellent
17/08/2020	50	15	Excellent
25/08/2020	5	1	Excellent
02/09/2020	0	0	Excellent
07/09/2020	5	1	Excellent
14/09/2020	3	1	Excellent
21/09/2020	3	1	Excellent

BWQ Results 2020

Cobo	2019 Classification:		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/2020	6	1	Excellent
18/05/2020	7	0	Excellent
26/05/2020	0	1	Excellent
01/06/2020	0	1	Excellent
08/06/2020	31	15	Excellent
15/06/2020	0	0	Excellent
22/06/2020	48	24	Excellent
29/06/2020	1	1	Excellent
06/07/2020	1	4	Excellent
13/07/2020	240	250	Poor
20/07/2020	28	13	Excellent
27/07/2020	21	41	Excellent
03/08/2020	28	36	Excellent
10/08/2020	510	280	Poor
17/08/2020	315	120	Good
24/08/2020	72	32	Excellent
02/09/2020	387	230	Poor
07/09/2020	310	430	Poor
14/09/2020	432	52	Poor
21/09/2020	39	26	Excellent

Grandes Rocques	2019 Classification:		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/2020	3	7	Excellent
18/05/2020	0	0	Excellent
26/05/2020	1	7	Excellent
01/06/2020	1	1	Excellent
08/06/2020	1	0	Excellent
15/06/2020	0	0	Excellent
22/06/2020	24	15	Excellent
29/06/2020	0	0	Excellent
06/07/2020	4	4	Excellent
13/07/2020	18	5	Excellent
20/07/2020	12	8	Excellent
27/07/2020	2	7	Excellent
03/08/2020	2	1	Excellent
10/08/2020	3	1	Excellent
17/08/2020	31	4	Excellent
25/08/2020	16	7	Excellent
02/09/2020	9	6	Excellent
14/09/2020	8	80	Excellent
21/09/2020	17	11	Excellent

BWQ Results 2020

Port Soif	2019 Classification:		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/2020	7	5	Excellent
18/05/2020	0	0	Excellent
26/05/2020	1	0	Excellent
01/06/2020	0	0	Excellent
08/06/2020	1	0	Excellent
15/06/2020	0	0	Excellent
22/06/2020	2	1	Excellent
29/06/2020	0	0	Excellent
06/07/2020	1	0	Excellent
13/07/2020	1	0	Excellent
21/07/2020	2	0	Excellent
27/07/2020	0	1	Excellent
03/08/2020	1	1	Excellent
10/08/2020	0	0	Excellent
17/08/2020	1	1	Excellent
24/08/2020	4	2	Excellent
02/09/2020	6	1	Excellent
14/09/2020	2	0	Excellent
21/09/2020	29	0	Excellent

Ladies Bay	2019 Classification:		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
12/05/2020	20	36	Excellent
18/05/2020	3	2	Excellent
27/05/2020	1	0	Excellent
02/06/2020	2	3	Excellent
09/06/2020	1	7	Excellent
17/06/2020	72	6	Excellent
23/06/2020	13	0	Excellent
30/06/2020	1	0	Excellent
07/07/2020	4	4	Excellent
14/07/2020	54	110	Good
21/07/2020	4	9	Excellent
28/07/2020	0	2	Excellent
04/08/2020	170	280	Poor
11/08/2020	3	0	Excellent
18/08/2020	230	52	Excellent
25/08/2020	17	6	Excellent
02/09/2020	19	14	Excellent
08/09/2020	1	0	Excellent
15/09/2020	4	6	Excellent
22/09/2020	94	31	Excellent

BWQ Results 2020

Pembroke	2019 Classification:		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
12/05/2020	0	5	Excellent
18/05/2020	0	1	Excellent
27/05/2020	0	2	Excellent
02/06/2020	0	0	Excellent
09/06/2020	0	5	Excellent
17/06/2020	75	13	Excellent
23/06/2020	7	7	Excellent
30/06/2020	9	2	Excellent
07/07/2020	1	0	Excellent
14/07/2020	0	0	Excellent
21/07/2020	2	0	Excellent
28/07/2020	4	6	Excellent
04/08/2020	8	10	Excellent
11/08/2020	38	0	Excellent
18/08/2020	1500	1000	Poor
25/08/2020	46	16	Excellent
01/09/2020	15	6	Excellent
08/09/2020	14	3	Excellent
15/09/2020	0	4	Excellent
22/09/2020	18	12	Excellent

Bordeaux	2019 Classification: EXCELLENT		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
12/05/2020	11	7	Excellent
18/05/2020	4	0	Excellent
27/05/2020	46	11	Excellent
02/06/2020	12	0	Excellent
09/06/2020	4	1	Excellent
17/06/2020	3	2	Excellent
23/06/2020	6	4	Excellent
30/06/2020	4	2	Excellent
07/07/2020	7	3	Excellent
14/07/2020	1	0	Excellent
21/07/2020	33	8	Excellent
28/07/2020	0	0	Excellent
04/08/2020	8	10	Excellent
11/08/2020	69	5	Excellent
18/08/2020	190	15	Excellent
25/08/2020	42	11	Excellent
02/09/2020	10	4	Excellent
08/09/2020	39	9	Excellent
15/09/2020	19	1	Excellent
22/09/2020	29	1	Excellent

BWQ Results 2020

Havelet	2019 Classification:		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
12/05/2020	20	9	Excellent
18/05/2020	11	3	Excellent
27/05/2020	14	7	Excellent
02/06/2020	4	1	Excellent
09/06/2020	9	9	Excellent
17/06/2020	0	0	Excellent
23/06/2020	47	2	Excellent
30/06/2020	10	7	Excellent
07/07/2020	22	4	Excellent
14/07/2020	4	3	Excellent
21/07/2020	2	3	Excellent
28/07/2020	6	1	Excellent
04/08/2020	39	2	Excellent
11/08/2020	30	6	Excellent
18/08/2020	7	3	Excellent
25/08/2020	59	20	Excellent
02/09/2020	10	4	Excellent
08/09/2020	20	7	Excellent
15/09/2020	17	4	Excellent
22/09/2020	15	2	Excellent

Fermain	2019 Classification:		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
12/05/2020	37	8	Excellent
18/05/2020	16	1	Excellent
27/05/2020	13	2	Excellent
02/06/2020	10	1	Excellent
09/06/2020	17	4	Excellent
17/06/2020	4	0	Excellent
23/06/2020	30	5	Excellent
30/06/2020	6	1	Excellent
07/07/2020	43	6	Excellent
14/07/2020	6	1	Excellent
21/07/2020	14	6	Excellent
28/07/2020	7	1	Excellent
04/08/2020	20	1	Excellent
11/08/2020	0	0	Excellent
18/08/2020	51	21	Excellent
25/08/2020	40	18	Excellent
02/09/2020	32	5	Excellent
08/09/2020	26	6	Excellent
15/09/2020	55	16	Excellent
22/09/2020	33	8	Excellent

Bathing water quality parameters

Excellent Water Quality: Indicates this sample meets the following standard:
less than or equal to 250 *Escherichia coli* per 100ml;
less than or equal to 100 Intestinal enterococci per 100ml

Good Water Quality: Indicates this sample meets the following standard:
less than or equal to 500 *Escherichia coli* per 100ml;
less than or equal to 200 Intestinal enterococci per 100ml

Poor Water Quality: Values are above 500 *Escherichia coli* per 100ml and
above 200 Intestinal enterococci per 100ml

EXTRACT FROM ENVIRONMENT AGENCY

Directive 2006/7EC of The European Parliament and of the Council of 15 February 2006 concerning the management of bathing water quality and repealing Directive 76/160/EEC

<http://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32006L0007>