



Bathing Water Quality Results 2021

Saints	2020 classification: Good		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
10/05/21	22	15	Excellent
17/05/21	25	03	Excellent
24/05/21	240	36	Excellent
01/06/21	0	0	Excellent
08/06/21	90	19	Excellent
14/06/21	200	18	Excellent
21/06/21	230	560	Poor
28/06/21	4	3	Excellent
05/07/21	81	13	Excellent
12/07/21	20	12	Excellent
19/07/21	20	4	Excellent
26/07/21	20	19	Excellent
02/08/21	38	9	Excellent
09/08/21	77	33	Excellent
16/08/21	19	10	Excellent
23/08/21	13	18	Excellent
31/08/21	11	8	Excellent
06/09/21	67	18	Excellent
13/09/21	7	9	Excellent
20/09/21	43	20	Excellent

Petit Bot	2020 classification: Sufficient		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
10/05/21	130	32	Excellent
17/05/21	160	12	Excellent
24/05/21	120	53	Excellent
01/06/21	0	0	Excellent
08/06/21	80	27	Excellent
14/06/21	14	9	Excellent
21/06/21	550	350	Poor
28/06/21	32	7	Excellent
05/07/21	450	210	Poor
12/07/21	240	55	Excellent
19/07/21	180	52	Excellent
21/07/21	130	100	Excellent
26/07/21	72	15	Excellent
28/07/21	170	45	Excellent
02/08/21	10	4	Excellent
04/08/21	140	51	Excellent
09/08/21	51	30	Excellent
11/08/21	89	29	Excellent
16/08/21	2	3	Excellent
18/08/21	5	8	Excellent
23/08/21	15	1	Excellent
25/08/21	30	4	Excellent
31/08/21	65	18	Excellent
06/09/21	210	24	Excellent
13/09/21	130	44	Excellent
15/09/21	43	13	Excellent
20/09/21	58	6	Excellent
22/09/21	78	21	Excellent

BWQ Results 2021

Portelet		2020 classification: Good	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
10/05/21	5	20	Excellent
17/05/21	150	26	Excellent
24/05/21	14	10	Excellent
01/06/21	1	3	Excellent
08/06/21	1	1	Excellent
14/06/21	0	0	Excellent
21/06/21	220	85	Excellent
28/06/21	3	0	Excellent
05/07/21	8	4	Excellent
12/07/21	90	56	Excellent
19/07/21	270	200	Good
26/07/21	17	10	Excellent
02/08/21	450	0	Good
09/08/21	14	5	Excellent
16/08/21	3	2	Excellent
23/08/21	32	11	Excellent
31/08/21	34	5	Excellent
06/09/21	16	1	Excellent
13/09/21	30	14	Excellent
20/09/21	370	110	Good

L'Eree		2020 classification: Excellent	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
10/05/21	24	6	Excellent
17/05/21	5	1	Excellent
24/05/21	44	25	Excellent
01/06/21	0	0	Excellent
08/06/21	2	1	Excellent
14/06/21	2	20	Excellent
21/06/21	2	5	Excellent
28/06/21	4	15	Excellent
05/07/21	1	0	Excellent
12/07/21	16	9	Excellent
19/07/21	1	1	Excellent
26/07/21	16	14	Excellent
02/08/21	2	0	Excellent
09/08/21	23	14	Excellent
16/08/21	1	2	Excellent
23/08/21	8	1	Excellent
31/08/21	33	1	Excellent
06/09/21	9	6	Excellent
13/09/21	12	11	Excellent
20/09/21	3	3	Excellent

BWQ Results 2021

Vazon (North)	2020 classification: Excellent		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
10/05/21	0	0	Excellent
17/05/21	5	0	Excellent
24/05/21	1	1	Excellent
01/06/21	0	0	Excellent
08/06/21	30	3	Excellent
14/06/21	8	5	Excellent
21/06/21	0	0	Excellent
28/06/21	12	7	Excellent
05/07/21	0	0	Excellent
12/07/21	28	13	Excellent
19/07/21	0	0	Excellent
26/07/21	40	37	Excellent
02/08/21	0	3	Excellent
09/08/21	24	6	Excellent
16/08/21	8	0	Excellent
23/08/21	8	1	Excellent
31/08/21	8	86	Excellent
06/09/21	8	16	Excellent
13/09/21	4	4	Excellent
20/09/21	2	1	Excellent

Cobo	2020 classification: Sufficient		
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
10/05/21	16	0	Excellent
17/05/21	31	6	Excellent
24/05/21	13	5	Excellent
01/06/21	1	3	Excellent
08/06/21	2	3	Excellent
14/06/21	9	8	Excellent
21/06/21	140	31	Excellent
28/06/21	22	37	Excellent
05/07/21	23	30	Excellent
12/07/21	310	370	Poor
19/07/21	28	1	Excellent
26/07/21	130	170	Good
02/08/21	5	3	Excellent
09/08/21	19	28	Excellent
16/08/21	35	37	Excellent
23/08/21	280	160	Good
31/08/21	48	9	Excellent
06/09/21	27	12	Excellent
13/09/21	21	10	Excellent
20/09/21	16	7	Excellent

BWQ Results 2021

Grandes Rocques		2020 classification: Excellent	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
10/05/21	0	0	Excellent
17/05/21	0	2	Excellent
24/05/21	1	0	Excellent
01/06/21	11	10	Excellent
08/06/21	4	0	Excellent
14/06/21	2	0	Excellent
21/06/21	10	4	Excellent
28/06/21	16	9	Excellent
05/07/21	0	4	Excellent
12/07/21	16	8	Excellent
19/07/21	2	1	Excellent
26/07/21	30	36	Excellent
02/08/21	1	22	Excellent
09/08/21	5	6	Excellent
16/08/21	13	2	Excellent
23/08/21	19	3	Excellent
31/08/21	7	3	Excellent
06/09/21	3	0	Excellent
13/09/21	2	5	Excellent
20/09/21	7	2	Excellent

Port Soif		2020 classification: Excellent	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
10/05/21	0	0	Excellent
17/05/21	2	0	Excellent
24/05/21	0	2	Excellent
01/06/21	0	0	Excellent
08/06/21	0	1	Excellent
14/06/21	0	0	Excellent
21/06/21	9	3	Excellent
28/06/21	1	1	Excellent
05/07/21	0	0	Excellent
12/07/21	0	3	Excellent
19/07/21	0	2	Excellent
26/07/21	1	1	Excellent
02/08/21	1	1	Excellent
09/08/21	0	0	Excellent
16/08/21	0	0	Excellent
23/08/21	0	0	Excellent
31/08/21	1	3	Excellent
06/09/21	0	0	Excellent
13/09/21	0	0	Excellent
20/09/21	2	0	Excellent

BWQ Results 2021

Ladies Bay		2020 classification: Excellent	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/21	0	0	Excellent
18/05/21	1	1	Excellent
25/05/21	160	80	Excellent
01/06/21	16	36	Excellent
07/06/21	14	10	Excellent
15/06/21	4	43	Excellent
22/06/21	100	200	Good
29/06/21	234	90	Excellent
06/07/21	28	91	Excellent
13/07/21	70	74	Excellent
20/07/21	2	3	Excellent
27/07/21	2000	>1000	Poor
03/08/21	1	1	Excellent
10/08/21	140	35	Excellent
17/08/21	4	0	Excellent
24/08/21	1200	270	Poor
01/09/21	15	4	Excellent
07/09/21	37	68	Excellent
14/09/21	39	25	Excellent
21/09/21	18	15	Excellent

Pembroke		2020 classification: Sufficient	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/21	0	3	Excellent
17/05/21	0	0	Excellent
25/05/21	3	5	Excellent
01/06/21	3	1	Excellent
07/06/21	0	0	Excellent
15/06/21	1	1	Excellent
22/06/21	90	250	Poor
29/06/21	37	56	Excellent
06/07/21	3	1	Excellent
13/07/21	6	2	Excellent
20/07/21	1	0	Excellent
27/07/21	38	7	Excellent
03/08/21	2	1	Excellent
10/08/21	33	70	Excellent
17/08/21	2	0	Excellent
24/08/21	5	22	Excellent
01/09/21	6	0	Excellent
07/09/21	87	32	Excellent
14/09/21	7	3	Excellent
21/09/21	5	10	Excellent

BWQ Results 2021

Bordeaux			
2020 classification: Excellent			
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/20	7	4	Excellent
17/05/21	1	2	Excellent
25/05/21	16	4	Excellent
01/06/21	1	0	Excellent
07/06/21	0	0	Excellent
15/06/21	0	1	Excellent
22/06/21	160	130	Excellent
29/06/21	3	1	Excellent
06/07/21	120	12	Excellent
13/07/21	15	10	Excellent
20/07/21	22	3	Excellent
27/07/21	18	4	Excellent
03/08/21	38	44	Excellent
10/08/21	23	18	Excellent
17/08/21	4	1	Excellent
24/08/21	130	15	Excellent
01/09/21	88	10	Excellent
07/07/21	350	24	Good
14/09/21	940	790	Poor
21/09/21	11	5	Excellent

Havelet			
2020 classification: Excellent			
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
12/05/20	11	0	Excellent
17/05/21	7	2	Excellent
25/05/21	28	3	Excellent
02/06/21	10	3	Excellent
07/06/21	6	1	Excellent
15/06/21	0	5	Excellent
22/06/21	32	10	Excellent
29/06/21	2	5	Excellent
06/07/21	64	8	Excellent
13/07/21	110	270	Poor
20/07/21	0	0	Excellent
27/07/21	25	4	Excellent
03/08/21	1	1	Excellent
10/08/21	19	7	Excellent
17/08/21	2	3	Excellent
24/08/21	11	0	Excellent
01/09/21	11	3	Excellent
07/09/21	16	0	Excellent
14/09/21	74	45	Excellent
21/09/21	39	4	Excellent

Fermain		2020 classification: Excellent	
Sampling date	Escherichia coli (no. per 100ml)	Intestinal enterococci (no. per 100ml)	Standard
11/05/20	40	6	Excellent
17/05/21	6	1	Excellent
25/05/21	30	8	Excellent
02/06/21	6	8	Excellent
07/06/21	30	8	Excellent
15/06/21	11	11	Excellent
22/06/21	230	51	Excellent
29/06/21	6	8	Excellent
06/07/21	90	60	Excellent
13/07/21	44	15	Excellent
20/07/21	11	2	Excellent
28/07/21	22	15	Excellent
03/08/21	15	6	Excellent
10/08/21	57	12	Excellent
17/08/21	7	0	Excellent
24/08/21	140	27	Excellent
01/09/21	31	3	Excellent
07/09/21	49	10	Excellent
14/07/21	210	160	Good
21/09/21	65	12	Excellent

Bathing water quality parameters

Excellent Water Quality: Indicates this sample meets the following standard:
 less than or equal to 250 *Escherichia coli* per 100ml;
 less than or equal to 100 Intestinal enterococci per 100ml

Good Water Quality: Indicates this sample meets the following standard:
 less than or equal to 500 *Escherichia coli* per 100ml;
 less than or equal to 200 Intestinal enterococci per 100ml

Poor Water Quality: Values are above 500 *Escherichia coli* per 100ml and
 above 200 Intestinal enterococci per 100ml

EXTRACT FROM ENVIRONMENT AGENCY

Directive 2006/7EC of The European Parliament and of the Council of 15 February 2006 concerning the management of bathing water quality and repealing Directive 76/160/EEC

<http://eur-lex.europa.eu/legal-content/EN/TXT/?uri=CELEX:32006L0007>